

Authorize based on JWT

country.xml:

```
<?xml version="1.0" encoding="UTF-8"?>

<beans xmlns="http://www.springframework.org/schema/beans"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="
    http://www.springframework.org/schema/beans
    https://www.springframework.org/schema/beans/spring-beans.xsd">

  <bean id="countryList" class="java.util.ArrayList">
    <constructor-arg>
      <list>
        <ref bean="in"/>
        <ref bean="us"/>
        <ref bean="de"/>
        <ref bean="jp"/>
      </list>
    </constructor-arg>
  </bean>

  <bean id="in" class="com.cognizant.spring_learn.Country">
    <property name="code" value="IN"/>
    <property name="name" value="India"/>
  </bean>

  <bean id="us" class="com.cognizant.spring_learn.Country">
    <property name="code" value="US"/>
    <property name="name" value="United States"/>
  </bean>

  <bean id="de" class="com.cognizant.spring_learn.Country">
    <property name="code" value="DE"/>
    <property name="name" value="Germany"/>
  </bean>

  <bean id="jp" class="com.cognizant.spring_learn.Country">
    <property name="code" value="JP"/>
    <property name="name" value="Japan"/>
  </bean>
</beans>
```

src/main/java/com/cognizant/spring_learn/service/CountryService.java:

```
package com.cognizant.spring_learn.service;

import java.util.ArrayList;

import org.springframework.context.support.ClassPathXmlApplicationContext;
import org.springframework.stereotype.Service;

import com.cognizant.spring_learn.Country;

@Service
public class CountryService {

    public Country getCountry(String code) {

        ClassPathXmlApplicationContext context =
            new ClassPathXmlApplicationContext("country.xml");

        ArrayList<Country> countryList =
            (ArrayList<Country>) context.getBean("countryList");

        for (Country country : countryList) {
            if (country.getCode().equalsIgnoreCase(code)) {
                context.close();
                return country;
            }
        }

        context.close();
        return null;
    }
}
```

src/main/java/com/cognizant/spring_learn/controller/CountryController.java:

```
package com.cognizant.spring_learn.controller;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RestController;

import com.cognizant.spring_learn.Country;
import com.cognizant.spring_learn.service.CountryService;

@RestController
public class CountryController {
```

```
@GetMapping("/country/{code}")
public Country getCountry(@PathVariable String code) {
    return countryService.getCountry(code);
}
```

```
adityahargunani@Adityas-MacBook spring-learn-security % mvn spring-boot:run



:: Spring Boot ::                (v4.1.0)

2026-07-05T13:32:16.118+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] c.c.s.SpringLearnSecurityApplication : Starting SpringLearnSecurityApplication using Java 2
6.0.1 with PID 31251 (/Users/adityahargunani/Downloads/spring-learn-security/target/classes started by adityahargunani in /Users/adityahargunani/Downloads/spring-learn-security)
2026-07-05T13:32:16.119+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] c.c.s.SpringLearnSecurityApplication : No active profile set, falling back to 1 default pro
file "default"
2026-07-05T13:32:16.173+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8090 (http)
2026-07-05T13:32:16.174+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-07-05T13:32:16.174+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0.22]
2026-07-05T13:32:16.178+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization completed
in 58 ms
2026-07-05T13:32:16.204+05:30 WARN 31251 --- [spring-learn-security] [ restartedMain] .s.a.UserDetailsServiceAutoConfiguration :

Using generated security password: 0fb5ded5-7999-4f4e-bf33-bcb1c8367f5

This generated password is for development use only. Your security configuration must be updated before running your application in production.

2026-07-05T13:32:16.208+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] r$InitializeUserDetailsManagerConfigurer : Global AuthenticationManager configured with UserDet
ailsService bean with name inMemoryUserDetailsManager
2026-07-05T13:32:16.223+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8090 (http) with context path
"/"
2026-07-05T13:32:16.224+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] c.c.s.SpringLearnSecurityApplication : Started SpringLearnSecurityApplication in 0.116 seco
nds (process running for 119.307)
2026-07-05T13:32:16.225+05:30 INFO 31251 --- [spring-learn-security] [ restartedMain] .ConditionEvaluationDeltaLoggingListener : Condition evaluation unchanged
2026-07-05T13:32:19.575+05:30 INFO 31251 --- [spring-learn-security] [nio-8090-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherSer
vlet'
2026-07-05T13:32:19.575+05:30 INFO 31251 --- [spring-learn-security] [nio-8090-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-07-05T13:32:19.575+05:30 INFO 31251 --- [spring-learn-security] [nio-8090-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 0 ms
```



