

PIZZA SALES ANALYSIS

1) TOTAL REVENUE

SELECT round(SUM(total_price),2) as TOTAL_REVENUE FROM pizza_sales;

Result Grid	
TOTAL_REVENUE	
▶	817860.05

2) AVERAGE ORDER VALUE

SELECT round((SUM(total_price)/COUNT(DISTINCT order_id)),2) as AVERAGE_ORDER_VALUE FROM pizza_sales;

Result Grid	
AVERAGE_ORDER_VALUE	
▶	38.31

3) TOTAL PIZZAS SOLD

SELECT SUM(quantity) AS TOTAL_PIZZAS_SOLD FROM pizza_sales;

Result Grid	
TOTAL_PIZZAS_SOLD	
▶	49574

4) TOTAL ORDERS

SELECT COUNT(DISTINCT ORDER_ID) AS TOTAL_ORDERS FROM PIZZA_SALES;

Result Grid	
TOTAL_ORDERS	
▶	21350

5) AVERAGE PIZZAS PER ORDER

SELECT round((SUM(quantity)/COUNT(DISTINCT ORDER_ID)),2) as AVERAGE_PIZZAS_PER_ORDER FROM pizza_sales;

Result Grid	
AVERAGE_PIZZAS_PER_ORDER	
▶	2.32

6) DAILY TREND FOR TOTAL ORDERS

```
SELECT distinct dayname(str_to_date(ORDER_DATE,'%d-%m-%Y')) DAYNAME,
COUNT(DISTINCT order_id) TOTAL_ORDERS FROM pizza_sales
GROUP BY dayname;
```

Result Grid		
	DAYNAME	TOTAL_ORDERS
▶	Friday	3538
	Monday	2794
	Saturday	3158
	Sunday	2624
	Thursday	3239
	Tuesday	2973
	Wednesday	3024

7) MONTHLY TREND FOR TOTAL ORDERS

```
SELECT distinct monthname(str_to_date(ORDER_DATE,'%d-%m-%Y')) MONTH,
COUNT(DISTINCT order_id) TOTAL_ORDERS FROM pizza_sales
GROUP BY MONTH
ORDER BY COUNT(DISTINCT order_id) DESC;
```

Result Grid		
	MONTH	TOTAL_ORDERS
▶	July	1935
	May	1853
	January	1845
	August	1841
	March	1840
	April	1799
	November	1792
	June	1773
	February	1685
	December	1680
	September	1661
	October	1646

8) PERCENTAGE OF SALES BY PIZZA CATEGORY

```
SELECT PIZZA_CATEGORY, ROUND(SUM(total_price) * 100/
(SELECT SUM(TOTAL_PRICE) FROM PIZZA_SALES),2) AS PER_SALES
FROM pizza_sales
GROUP BY PIZZA_CATEGORY;
```

Result Grid   Filter Rows:		
	PIZZA_CATEGORY	PER_SALES
▶	Classic	26.91
	Veggie	23.68
	Supreme	25.46
	Chicken	23.96

9) PERCENTAGE OF SALES BY PIZZA SIZE

```
SELECT pizza_size, ROUND(SUM(total_price) * 100/
(SELECT SUM(TOTAL_PRICE) FROM PIZZA_SALES),2) AS PER_SALES
FROM pizza_sales
GROUP BY pizza_size;
```

Result Grid   Filter Rows:		
	pizza_size	PER_SALES
▶	M	30.49
	L	45.89
	S	21.77
	XL	1.72
	XXL	0.12

10) TOP 5 BEST SELLERS BY REVENUE

```
SELECT
pizza_name, SUM(total_price) AS Total_Revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Revenue DESC
LIMIT 5;
```

Result Grid   Filter Rows:		
	pizza_name	Total_Revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Spicy Italian Pizza	34831.25

11) BOTTOM 5 PIZZAS BY REVENUE

```
SELECT  
pizza_name, ROUND(SUM(total_price),2) AS Total_Revenue  
FROM pizza_sales  
GROUP BY pizza_name  
ORDER BY Total_Revenue ASC  
LIMIT 5;
```

Result Grid   Filter Rows:		
	pizza_name	Total_Revenue
▶	The Brie Carre Pizza	11588.5
	The Green Garden Pizza	13955.75
	The Spinach Supreme Pizza	15277.75
	The Mediterranean Pizza	15360.5
	The Spinach Pesto Pizza	15596

12) TOP 5 PIZZAS BY TOTAL QUANTITY

```
SELECT  
pizza_name, SUM(quantity) AS Total_Pizza_Sold  
FROM pizza_sales  
GROUP BY pizza_name  
ORDER BY Total_Pizza_Sold DESC  
LIMIT 5;
```

Result Grid   Filter Rows:		
	pizza_name	Total_Pizza_Sold
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

13) BOTTOM 5 PIZZAS BY TOTAL QUANTITY

```
SELECT  
pizza_name, SUM(quantity) AS Total_Pizza_Sold  
FROM pizza_sales  
GROUP BY pizza_name  
ORDER BY Total_Pizza_Sold ASC  
LIMIT 5;
```

Result Grid			Filter Rows:
	pizza_name	Total_Pizza_Sold	
▶	The Brie Carre Pizza	490	
	The Mediterranean Pizza	934	
	The Calabrese Pizza	937	
	The Spinach Supreme Pizza	950	
	The Soppressata Pizza	961	

14) Top 5 Pizzas by Total Orders

```
SELECT  
pizza_name, COUNT(DISTINCT order_id) AS Total_Orders  
FROM pizza_sales  
GROUP BY pizza_name  
ORDER BY Total_Orders DESC  
LIMIT 5;
```

Result Grid			Filter Rows:
	pizza_name	Total_Orders	
▶	The Classic Deluxe Pizza	2329	
	The Hawaiian Pizza	2280	
	The Pepperoni Pizza	2278	
	The Barbecue Chicken Pizza	2273	
	The Thai Chicken Pizza	2225	

15) Bottom 5 Pizzas by Total Orders

```
SELECT  
pizza_name, COUNT(DISTINCT order_id) AS Total_Orders  
FROM pizza_sales  
GROUP BY pizza_name  
ORDER BY Total_Orders ASC  
LIMIT 5;
```

Result Grid   Filter Rows:		
	pizza_name	Total_Orders
▶	The Brie Carre Pizza	480
	The Mediterranean Pizza	912
	The Calabrese Pizza	918
	The Spinach Supreme Pizza	918
	The Chicken Pesto Pizza	938