

DAKSHIN GUJARAT VIJ COMPANY LIMITED



ADDRESS : "Urja Sadan" Nana Varachha Road, WEBSITE :
Kapodara, SURAT-395 006 www.dgvcl.com
HELPLINE No : 1800-233-3003 / 19123 GST No :
24AABCD8912C1Z3

EMAIL : contactus@dgvcl.com
CIN No :
U40102GJ2003SGC042909



Scan QR to Pay

E-ELECTRICITY BILL : SEP-OCT,25

VIMLABEN BALIRAM GAIKWAD PLOT 40 BAJRANJ NAGAR PUNA VILL:Surat (M Corp+OG) (Part) TAL:Surat City DISTRICT:Surat					Sub-division Office			Saroli			
					Root Code			1/02/10/569			
					Bill No			1/2689			
					Bill Date			31-10-2025			
					Due Date			10-11-2025			
					Tariff	Meter Code	H.P./K.W.	Seasonal	Days	S.D.	
FEEDER CD:00500000000000CENSUS CD:42205000					RGPU	A	1.00		0	1145.00	
Customer No:		Meter No				S.No.	Bill Details				Rupee
18113611193		DGSP1480452				1	Fixed Charges				30.00
Phase		Meter Status				2	Energy Charges				3428.80
						3	Minimum Charges				.00
		Active	IMP	Reactive/Night	EXP	4	Reactive Charges				.00
Present Reading		33759	0	0	0	5	Fuel Charges @ 230.00				1826.20
Past Reading		00032965	0	0	0	6	Ed Charges @ 15.00				792.75
Reading Difference		794	0	0	0	7	Meter Charges				.00
MF		1.00				8	Delayed Payment Charges				22.75
Total Consumption		3221				9	Bill Total				6100.50
Average Consumption		900.00				10	Provisional Bill Amount				.00
Max Demand		.00				11	Net Total				6100.50
Average Max Demand		.00				12	Arrears on date 11-10-2025				-166.29
Total Company Charges		21816.80				13	solar Pur.@ .00				.00
Provisional Bill Amount		0.00.00				14	Un-Process Payment Amount				.00
Adjustment Amount		-9.38				15	Grand Total				5934.21
Last Three Month Units						16	Govt Relief				.00
Month		Apr	Jun	Aug		17	Total Amount Due				5934.21
Unit		836	978	887		18	Interest Amount				
Bill Amount		6571.81	7833.46	6902.97		19	Theft Arrears				.00
Amount Due / ભરવાપાત્ર રકમ : Rs.5934.21						20	Litigation Arrears				.00

નોટીસ : વીજ અધિનિયમ ૨૦૦૩ની કલમ ૫૬(૧) તથા તેને અનુસરતા ગુજરાત વિદ્યુત નિયંત્રક આયોગ દ્વારા જાહેર કરવામાં આવેલ નિયમો મુજબ આથી આપને નોટીસ આપવામાં આવે છે કે આપના પાસેથી લેવાયેલી પડતી વીજ બીલની કુલ રકમ (ખાતા નં.૧૭૭૫૪૫) આ બીલ કમ નોટીસની બીલ ભરવાની છેલ્લી તારીખથી દિવસ પંદરમાં ભરવાઈ ન થાય તો ત્યાર બાદ આપને અપાતી વીજ પુરવઠો બંધ કરવામાં આવશે. આ બીલમાં અગાઉની રકમ લેવાયેલી પડતી હશે તો અગાઉનાં વાગુ પડતા બીલમાં અપાયેલ નોટિસ મુજબ વીજ પુરવઠો બંધ કરવામાં આવશે. વીજ પુરવઠો પુનઃસ્થાપિત કરવા માટે આયોગ દ્વારા નિયત કરેલ પુનઃજોડાણ ચાર્જ સહીત તમામ લેવાયેલી નીકળતી રકમ (ચાલુ બીલની રકમ સહિત) એક સાથે ભરવેલી વિદ્યુત પુરવઠો પુનઃચાલુ કરવામાં આવશે.

મુખ્ય ઈજનેર (O&M)
ડીજીવીસીએલ

