

DAKSHIN GUJARAT VIJ COMPANY LIMITED



ADDRESS : "Urja Sadan" Nana Varachha Road, WEBSITE :
Kapodara, SURAT-395 006 www.dgvcl.com
HELPLINE No : 1800-233-3003 / 19123 GST No :
24AABCD8912C1Z3

EMAIL : contactus@dgvcil.com
CIN No :
U40102GJ2003SGC042909



Scan QR to Pay

E-ELECTRICITY BILL : JAN-FEB,26

PATEL BALUBHAI JERAMBHAI AT ROSWAD TAL MANDVI VILL:Rosvad TAL:Mandvi DISTRICT:Surat					Sub-division Office			Kathor			
					Root Code			3/13/07/020			
					Bill No			3/4728			
					Bill Date			28-02-2026			
					Due Date			10-03-2026			
					Tariff	Meter Code	H.P./K.W.	Seasonal	Days	S.D.	
FEEDER CD:0331422030000CENSUS CD:01676600					RGPR	A		1.00		0	664.00
Customer No:		Meter No				S.No.	Bill Details				Rupee
15930000433		DGSP-2906089				1	Fixed Charges				30.00
Phase		Meter Status				2	Energy Charges				2802.50
						3	Minimum Charges				.00
		Active	IMP	Reactive/Night	EXP	4	Reactive Charges				.00
Present Reading		5365	0	0	0	5	Fuel Charges @ 230.00				1667.50
Past Reading		00004640	0	0	0	6	Ed Charges @ 7.50				337.50
Reading Difference		725	0	0	0	7	Meter Charges				.00
MF		1.00				8	Delayed Payment Charges				.00
Total Consumption		0				9	Bill Total				4837.50
Average Consumption		228.00				10	Provisional Bill Amount				.00
Max Demand		.00				11	Net Total				4837.50
Average Max Demand		.00				12	Arrears on date 12-02-2026				.00
Total Company Charges		.00				13	solar Pur.@ .00				.00
Provisional Bill Amount		0.00.00				14	Un-Process Payment Amount				.00
Adjustment Amount		.00				15	Grand Total				4837.50
Last Three Month Units						16	Govt Relief				.00
Month		Aug	Oct	Dec		17	Total Amount Due				4837.50
Unit		797	655	576		18	Interest Amount				
Bill Amount		5545.69	4337.27	3695.08		19	Theft Arrears				.00
Amount Due / ભરવાનિત રકમ : Rs.4837.50						20	Litigation Arrears				.00

નોટીસ : વીજ અધિનિયમ ૨૦૦૩ની કલમ ૫૬(૧) તથા તેને અનુસરતા ગુજરાત વિદ્યુત નિયંત્રક આયોગ દ્વારા જાહેર કરવામાં આવેલ નિયમો મુજબ આથી આપને નોટીસ આપવામાં આવે છે કે આપના પાસેથી લેણી પડતી વીજ બિલની કુલ રકમ (માના નં.૧૭૪૫) આ બિલ કમ નોટીસની બીલ ભરવાની છેલ્લી તારીખથી દિવસ પંદરમાં ભરપાઈ ન થાય તો ત્યાર બાદ આપને અપાતી વીજ પુરવઠો બંધ કરવામાં આવશે. આ બિલમાં અગાઉની રકમ લેણી પડતી હશે તો અગાઉનાં લાગુ પડતા બિલમાં અપાયેલ નોટિસ મુજબ વીજ પુરવઠો બંધ કરવામાં આવશે. વીજ પુરવઠો પુનઃસ્થાપિત કરવા માટે આયોગ દ્વારા નિયત કરેલ પુનઃજોડાણ ચાર્જ સહીત તમામ લેણી નીકળતી રકમ (ચાલુ બિલની રકમ સહિત) એક સાથે ભરેથી વિદ્યુત પુરવઠો પુનઃચાલુ કરવામાં આવશે.

મુખ્ય ઈજનેર (O&M)
ડીજીવીસીએલ