

DAKSHIN GUJARAT VIJ COMPANY LIMITED



ADDRESS : "Urja Sadan" Nana Varachha Road, WEBSITE :
Kapodara, SURAT-395 006 www.dgvcl.com
HELPLINE No : 1800-233-3003 / 19123 GST No :
24AABCD8912C1Z3

EMAIL : contactus@dgvcl.com
CIN No :
U40102GJ2003SGC042909



Scan QR to Pay

E-ELECTRICITY BILL : JAN-FEB,26

UMESHBHAI KHUSALBHAI PATEL PLOT 30 GAYATRI NAGER NR RAGHUVIRNAG.060805 VILL:Anklesvar (M+OG) TAL:Anklesvar DISTRICT:Bharuch					Sub-division Office		ANKLESHWAR(T)				
					Root Code		3/07/19/035				
					Bill No		3/1810				
					Bill Date		18-02-2026				
					Due Date		02-03-2026				
					Tariff	Meter Code	H.P./K.W.	Seasonal	Days	S.D.	
FEEDER CD:012RGN0190118CENSUS CD:42107000					RGPU	A	1.50		0	1640.00	
Customer No:	Meter No				S.No.	Bill Details				Rupee	
00606051805	2743237				1	Fixed Charges				30.00	
Phase	Meter Status				2	Energy Charges				441.50	
					3	Minimum Charges				.00	
	Active	IMP	Reactive/Night	EXP	4	Reactive Charges				.00	
Present Reading	30518	0	0	0	5	Fuel Charges @ 230.00				319.70	
Past Reading	00030379	0	0	0	6	Ed Charges @ 15.00				118.68	
Reading Difference	139	0	0	0	7	Meter Charges				.00	
MF	1.00				8	Delayed Payment Charges				.00	
Total Consumption	0				9	Bill Total				909.88	
Average Consumption	94.00				10	Provisional Bill Amount				.00	
Max Demand	.00				11	Net Total				909.88	
Average Max Demand	.00				12	Arrears on date 16-02-2026				.00	
Total Company Charges	.00				13	solar Pur.@ .00				.00	
Provisional Bill Amount	0.00.00				14	Un-Process Payment Amount				.00	
Adjustment Amount	.00				15	Grand Total				909.88	
Last Three Month Units					16	Govt Relief				.00	
Month	Aug	Oct	Dec		17	Total Amount Due				909.88	
Unit	261	252	119		18	Interest Amount					
Bill Amount	1775.04	1693.17	776.48		19	Theft Arrears				.00	
Amount Due / ભરવાપાત્ર રકમ : Rs.909.88					20	Litigation Arrears				.00	

નોટીસ : વીજ અધિનિયમ ૨૦૦૩ની કલમ ૫૬(૧) તથા તેને અનુસરતા ગુજરાત વિદ્યુત નિયંત્રક આયોગ દ્વારા જાહેર કરવામાં આવેલ નિયમો મુજબ આથી આપને નોટીસ આપવામાં આવે છે કે આપના પાસેથી લેવાયેલી પડતી વીજ બીલની કુલ રકમ (ખાતા નં.૧૭૭૫૭૫) આ બીલ કમ નોટીસની બીલ ભરવાની છેલ્લી તારીખથી દિવસ પંદરમાં ભરવાઈ ન થાય તો ત્યાર બાદ આપને અપાતી વીજ પુરવઠો બંધ કરવામાં આવશે. આ બીલમાં અગાઉની રકમ લેવાયેલી પડતી હશે તો અગાઉનાં વાગુ પડતા બીલમાં અપાયેલ નોટિસ મુજબ વીજ પુરવઠો બંધ કરવામાં આવશે. વીજ પુરવઠો પુનઃસ્થાપિત કરવા માટે આયોગ દ્વારા નિયત કરેલ પુનઃજોડાણ ચાર્જ સહીત તમામ લેવાયેલી નીકળતી રકમ (ચાલુ બીલની રકમ સહિત) એક સાથે ભરવેલી વિદ્યુત પુરવઠો પુનઃચાલુ કરવામાં આવશે.

મુખ્ય ઈજનેર (O&M)
ડીજીવીસીએલ

