

DAKSHIN GUJARAT VIJ COMPANY LIMITED



ADDRESS : "Urja Sadan" Nana Varachha Road, WEBSITE :
Kapodara, SURAT-395 006 www.dgvcl.com
HELPLINE No : 1800-233-3003 / 19123 GST No :
24AABCD8912C1Z3

EMAIL : contactus@dgvcl.com
CIN No :
U40102GJ2003SGC042909



Scan QR to Pay

E-ELECTRICITY BILL : NOV-DEC,25

MURADALI BARAKATALI PANJWANI HOUSE NO-1633/A,PRINCE PARK VILL:Sanjan TAL:Umbergaon DISTRICT:Valsad FEEDER CD:0010 0000CENSUS CD:01853100					Sub-division Office			SANJAN		
					Root Code			3/05/11/082		
					Bill No			3/8724		
					Bill Date			12-01-2026		
					Due Date			22-01-2026		
					Tariff	Meter Code	H.P./K.W.	Seasonal	Days	S.D.
RGPR					B	6.50		0	3530.00	
Customer No:		Meter No				S.No.	Bill Details			Rupee
45822049745		DGS 72141				1	Fixed Charges			140.00
Phase		Meter Status				2	Energy Charges			4689.00
						3	Minimum Charges			.00
		Active	IMP	Reactive/Night	EXP	4	Reactive Charges			.00
Present Reading		65352	0	0	0	5	Fuel Charges @ 230.00			2553.00
Past Reading		00064242	0	0	0	6	Ed Charges @ 15.00			1107.30
Reading Difference		1110	0	0	0	7	Meter Charges			.00
MF		1.00				8	Delayed Payment Charges			100.31
Total Consumption		1590				9	Bill Total			8589.61
Average Consumption		1120.00				10	Provisional Bill Amount			.00
Max Demand		.00				11	Net Total			8589.61
Average Max Demand		.00				12	Arrears on date 18-12-2025			.00
Total Company Charges		10838.00				13	solar Pur.@ .00			.00
Provisional Bill Amount		0.00.00				14	Un-Process Payment Amount			.00
Adjustment Amount		.00				15	Grand Total			8589.61
Last Three Month Units						16	Govt Relief			.00
Month		Jun	Aug	Oct		17	Total Amount Due			8589.61
Unit		2846	1574	1590		18	Interest Amount			
Bill Amount		23380.12	12633.00	12521.31		19	Theft Arrears			.00
Amount Due / ભરવાનિત રકમ : Rs.8589.61						20	Litigation Arrears			.00

નોટીસ : વીજ અધિનિયમ ૨૦૦૩ની કલમ ૫૬(૧) તથા તેને અનુસરતા ગુજરાત વિદ્યુત નિયંત્રક આયોગ દ્વારા જાહેર કરવામાં આવેલ નિયમો મુજબ આથી આપને નોટીસ આપવામાં આવે છે કે આપના પાસેથી લેણી પડતી વીજ બિલની કુલ રકમ (માના નં.૧૭૪૫) આ બિલ કમ નોટીસની બીલ ભરવાની છેલ્લી તારીખથી દિવસ પંદરમાં ભરપાઈ ન થાય તો ત્યાર બાદ આપને અપાતી વીજ પુરવઠો બંધ કરવામાં આવશે. આ બિલમાં અગાઉની રકમ લેણી પડતી હશે તો અગાઉનાં લાગુ પડતા બિલમાં અપાયેલ નોટિસ મુજબ વીજ પુરવઠો બંધ કરવામાં આવશે. વીજ પુરવઠો પુનઃસ્થાપિત કરવા માટે આયોગ દ્વારા નિયત કરેલ પુનઃજોડાણ ચાર્જ સહીત તમામ લેણી નીકળતી રકમ (ચાલુ બિલની રકમ સહિત) એક સાથે ભરેથી વિદ્યુત પુરવઠો પુનઃચાલુ કરવામાં આવશે.

મુખ્ય ઈજનેર (O&M)
ડીજીવીસીએલ