

DAKSHIN GUJARAT VIJ COMPANY LIMITED



ADDRESS : "Urja Sadan" Nana Varachha Road, WEBSITE :
Kapodara, SURAT-395 006 www.dgvcl.com
HELPLINE No : 1800-233-3003 / 19123 GST No :
24AABCD8912C1Z3

EMAIL : contactus@dgvccl.com
CIN No :
U40102GJ2003SGC042909



Scan QR to Pay

E-ELECTRICITY BILL : DEC-JAN,26

MANUBHAI NAYABHAI SORATHIYA PL-NO:6 BL-NO:442 1FL KEVATNAGAR SOC VILL: Surat (M Corp+OG) (Part) TAL: Surat City DISTRICT: Surat					Sub-division Office			Yogi Chowk		
					Root Code			3/10/01/033		
					Bill No			3/12385		
					Bill Date			28-01-2026		
					Due Date			07-02-2026		
					Tariff	Meter Code	H.P./K.W.	Seasonal	Days	S.D.
FEEDER CD:036T0NE6Y0000CENSUS CD:42205000					RGPU	A	1.00		0	757.00
Customer No:		Meter No				S.No.	Bill Details			Rupee
40313759669		DGSP444663				1	Fixed Charges			30.00
Phase		Meter Status				2	Energy Charges			315.50
						3	Minimum Charges			.00
		Active	IMP	Reactive/Night	EXP	4	Reactive Charges			.00
Present Reading		10949	0	0	0	5	Fuel Charges @ 230.00			236.90
Past Reading		00010846	0	0	0	6	Ed Charges @ 15.00			87.36
Reading Difference		103	0	0	0	7	Meter Charges			.00
MF		1.00				8	Delayed Payment Charges			.00
Total Consumption		98				9	Bill Total			669.76
Average Consumption		110.00				10	Provisional Bill Amount			.00
Max Demand		.00				11	Net Total			669.76
Average Max Demand		.00				12	Arrears on date 16-01-2026			-2.27
Total Company Charges		554.30				13	solar Pur.@ .00			.00
Provisional Bill Amount		0.00.00				14	Un-Process Payment Amount			.00
Adjustment Amount		.00				15	Grand Total			667.49
Last Three Month Units						16	Govt Relief			.00
Month		Jul	Sep	Nov		17	Total Amount Due			667.49
Unit		201	120	98		18	Interest Amount			
Bill Amount		1358.85	783.15	637.45		19	Theft Arrears			.00
Amount Due / અરકાવવાનું રકમ : Rs.667.49						20	Litigation Arrears			.00

નોટીસ : વીજ અધિનિયમ ૨૦૦૩ની કલમ ૫૬(૧) તથા તેને અનુસરતા ગુજરાત વિદ્યુત નિયંત્રક આયોગ દ્વારા જાહેર કરવામાં આવેલ નિયમો મુજબ આથી આપને નોટીસ આપવામાં આવે છે કે આપના પાસેથી વહેણી પડતી વીજ બીલની કુલ રકમ (ખાના નં.૧૭મુજબ) આ બીલ કમ નોટીસની બીલ ભરવાની છેલ્લી તારીખથી દિવસ પંદરમાં ભરવાઈ ન થાય તો ત્યાર બાદ આપને અપાતી વીજ પુરવઠો બંધ કરવામાં આવશે. આ બીલમાં અગાઉની રકમ વહેણી પડતી હશે તો અગાઉનાં લાગુ પડતા બીલમાં અપાયેલ નોટિસ મુજબ વીજ પુરવઠો બંધ કરવામાં આવશે. વીજ પુરવઠો પુનઃસ્થાપિત કરવા માટે આયોગ દ્વારા નિયત કરેલ પુનઃજોડાણ ચાર્જ સહીત તમામ વહેણી નીકળતી રકમ (ચાલુ બીલની રકમ સહિત) એક સાથે ભરેથી વિદ્યુત પુરવઠો પુનઃચાલુ કરવામાં આવશે.

મુખ્ય ઈજનેર (O&M)
ડીજીવીસીએલ

