

DAKSHIN GUJARAT VIJ COMPANY LIMITED



ADDRESS : "Urja Sadan" Nana Varachha Road, WEBSITE :
Kapodara, SURAT-395 006 www.dgvcl.com
HELPLINE No : 1800-233-3003 / 19123 GST No :
24AABCD8912C1Z3

EMAIL : contactus@dgvcl.com
CIN No :
U40102GJ2003SGC042909



Scan QR to Pay

E-ELECTRICITY BILL : NOV-DEC,25

PUSHPABEN RAMDHIRAJ 51 52 SHIVNAGAR NR NAHER PUNA VILL:Surat (M Corp+OG) (Part) TAL:Surat City DISTRICT:Surat FEEDER CD:005VNR0270000CENSUS CD:42205000					Sub-division Office			Saroli		
					Root Code			1/02/02/098		
					Bill No			1/0450		
					Bill Date			04-01-2026		
					Due Date			15-01-2026		
					Tariff	Meter Code	H.P./K.W.	Seasonal	Days	S.D.
					RGPU	A	1.00		0	525.00
Customer No:	Meter No				S.No.	Bill Details				Rupee
18103485101	DGSP288657				1	Fixed Charges				30.00
Phase	Meter Status				2	Energy Charges				3376.80
					3	Minimum Charges				.00
	Active	IMP	Reactive/Night	EXP	4	Reactive Charges				.00
Present Reading	74430	0	0	0	5	Fuel Charges @ 230.00				1803.20
Past Reading	00073646	0	0	0	6	Ed Charges @ 15.00				781.50
Reading Difference	784	0	0	0	7	Meter Charges				.00
MF	1.00				8	Delayed Payment Charges				16.94
Total Consumption	5832				9	Bill Total				6008.44
Average Consumption	1200.00				10	Provisional Bill Amount				.00
Max Demand	.00				11	Net Total				6008.44
Average Max Demand	.00				12	Arrears on date 19-12-2025				.00
Total Company Charges	40895.50				13	solar Pur.@ .00				.00
Provisional Bill Amount	0.00.00				14	Un-Process Payment Amount				.00
Adjustment Amount	.00				15	Grand Total				6008.44
Last Three Month Units					16	Govt Relief				.00
Month	Jun	Aug	Oct		17	Total Amount Due				6008.44
Unit	1147	1158	1304		18	Interest Amount				
Bill Amount	9329.18	9217.25	10484.09		19	Theft Arrears				.00
Amount Due / ભરવાપાત્ર રકમ : Rs.6008.44					20	Litigation Arrears				.00

નોટીસ : વીજ અધિનિયમ ૨૦૦૩ની કલમ ૫૬(૧) તથા તેને અનુસરતા ગુજરાત વિદ્યુત નિયંત્રક આયોગ દ્વારા જાહેર કરવામાં આવેલ નિયમો મુજબ આથી આપને નોટીસ આપવામાં આવે છે કે આપના પાસેથી લેણેથી પડતી વીજ બીલની કુલ રકમ (ખાતા નં.૧૭૭૫૭૫) આ બીલ કમ નોટીસની બીલ ભરવાની ઠેલ્લી તારીખથી દિવસ પંદરમાં ભરપાઈ ન થાય તો ત્યાર બાદ આપને અપાતી વીજ પુરવઠો બંધ કરવામાં આવશે. આ બીલમાં અગાઉની રકમ લેણેથી પડતી હશે તો અગાઉનાં લાગુ પડતા બીલમાં અપાયેલ નોટિસ મુજબ વીજ પુરવઠો બંધ કરવામાં આવશે. વીજ પુરવઠો પુનઃસ્થાપિત કરવા માટે આયોગ દ્વારા નિયત કરેલ પુનઃજોડાણ ચાર્જ સહીત તમામ લેણેથી નીકળતી રકમ (ચાલુ બીલની રકમ સહિત) એક સાથે ભરવેથી વિદ્યુત પુરવઠો પુનઃચાલુ કરવામાં આવશે.

મુખ્ય ઈજનેર (O&M)
ડીજીવીસીએલ

