```
import numpy as np
In [36]: df=pd.read_csv('Iris.csv')
Out[36]:
         SL SW PL PW
                                Species
          0 5.1 3.5 1.4 0.2
                               Iris-setosa
          1 4.9 3.0 1.4 0.2
                              Iris-setosa
          2 4.7 3.2 1.3 0.2
                              Iris-setosa
          3 4.6 3.1 1.5 0.2
                              Iris-setosa
          4 5.0 3.6 1.4 0.2
                              Iris-setosa
          ... ... ... ... ...
         145 6.7 3.0 5.2 2.3 Iris-virginica
         146 6.3 2.5 5.0 1.9 Iris-virginica
         147 6.5 3.0 5.2 2.0 Iris-virginica
         148 6.2 3.4 5.4 2.3 Iris-virginica
         149 5.9 3.0 5.1 1.8 Iris-virginica
        150 rows × 5 columns
In [37]: X=df.drop(columns='Species',axis=1)
In [38]: X
Out[38]:
             SL SW PL PW
          0 5.1 3.5 1.4 0.2
          1 4.9 3.0 1.4 0.2
          2 4.7 3.2 1.3 0.2
          3 4.6 3.1 1.5 0.2
          4 5.0 3.6 1.4 0.2
          ... ... ... ... ...
         145 6.7 3.0 5.2 2.3
         146 6.3 2.5 5.0 1.9
         147 6.5 3.0 5.2 2.0
         148 6.2 3.4 5.4 2.3
         149 5.9 3.0 5.1 1.8
        150 rows × 4 columns
In [39]: from sklearn.cluster import KMeans
        km = KMeans(n_clusters=3,random_state=1)
        km.fit(X)
       value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
        warnings.warn(
       C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
       wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
```

avoid it by setting the environment variable ${\tt OMP_NUM_THREADS=1}.$


warnings.warn(

In [35]: import pandas as pd

```
Out[39]: ▼
                     KMeans
       KMeans(n_clusters=3, random_state=1)
In [40]: km.labels_
1, 1, 1, 1, 1, 0, 0, 2, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
             0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
             0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 2, 2, 2, 2, 0, 2, 2, 2,
             2, 2, 2, 0, 0, 2, 2, 2, 2, 0, 2, 0, 2, 0, 2, 2, 0, 0, 2, 2, 2, 2,
             2, 0, 2, 2, 2, 0, 2, 2, 2, 0, 2, 2, 2, 0, 2, 2, 0])
In [41]: km.cluster_centers_
{\tt Out[41]: array([[5.9016129 \ , \ 2.7483871 \ , \ 4.39354839, \ 1.43387097],}
                     , 3.418 , 1.464 , 0.244
             [5.006
                                                    1,
                       , 3.07368421, 5.74210526, 2.07105263]])
              [6.85
In [42]: import matplotlib.pyplot as plt
In [43]: plt.scatter(X['SL'],X['SW'],c=km.labels_)
       plt.show()
       4.5
       4.0
       3.5
       3.0
       2.5
       2.0
                                            6.5
                                                   7.0
                                                           7.5
               4.5
                      5.0
                             5.5
                                     6.0
                                                                  8.0
```

In [44]: plt.scatter(X['PL'],X['PW'],c=km.labels_)

plt.show()



```
In [59]: inertia_scores=[]
for i in range(1,150):
    k=KMeans(n_clusters=i)
    k.fit(X)
    inertia_scores.append(k.inertia_)
```

```
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
```

the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can

```
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
\verb|C:\Users| Personal \ anaconda \ Lib \ site-packages \\ sklearn \ cluster \ \_kmeans.py: 1382: \ User \ Warning: \ KMeans \ is \ known \ Anaconda \ No. \ Anaconda \ No. \ No
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
```

avoid it by setting the environment variable OMP_NUM_THREADS=1.
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default

the warning warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default

```
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
\verb|C:\Users| Personal anaconda \verb|ALib| site-packages| sklearn| cluster \verb|_kmeans.py: 1382: UserWarning: KMeans is known in the large of the large o
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
\verb|C:\Users| Personal anaconda \verb|ALib| site-packages| sklearn| cluster \verb|_kmeans.py: 1382: UserWarning: KMeans is known in the large of the large o
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable {\tt OMP\_NUM\_THREADS=1.}
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\ kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
```

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

```
warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
\verb|C:\Users\Personal\anaconda3| Lib\site-packages\sklearn\cluster\whig: Future Warning: The default results of the control of
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable {\tt OMP\_NUM\_THREADS=1.}
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
  warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
  warnings.warn(
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
```

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress

```
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
\verb|C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Users\whig: Future Warning: The default | C:\Users\Whig: T
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable \ensuremath{\mathsf{OMP\_NUM\_THREADS=1}}.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
\verb|C:\Users| Personal \ anaconda \verb|Stite-packages| sklearn \ cluster \ wheans.py: 1382: \ User \ wheans is known in the large of the large \ wheals \ anaconda \ wheals \ anaconda \ anaco
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
\verb|C:\Users| Personal \ anaconda \ Lib \ site-packages \\ sklearn \ cluster \ \_kmeans.py: 1382: \ User \ Warning: \ KMeans \ is \ known \ Anaconda \ No. \ Anaconda \ No. \ No
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
```

```
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
\verb|C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\white=\cluster\gamma.py: 870: Future\Warning: The default is a simple of the packages of the
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
\verb|C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\kmeans.py: 1382: User\warning: KMeans is known in the packages of the packag
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\ kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
```

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can

avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can

```
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
\verb|C:\Users| Personal \ anaconda \ Lib \ site-packages \\ sklearn \ cluster \ \_kmeans.py: 1382: \ User \ Warning: \ KMeans \ is \ known \ Anaconda \ No. \ Anaconda \ No. \ No
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
```

avoid it by setting the environment variable OMP_NUM_THREADS=1.
 warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default

the warning warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default

```
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
\verb|C:\Users| Personal anaconda \verb|ALib| site-packages| sklearn| cluster \verb|_kmeans.py: 1382: UserWarning: KMeans is known in the large of the large o
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
\verb|C:\Users| Personal anaconda \verb|ALib| site-packages| sklearn| cluster \verb|_kmeans.py: 1382: UserWarning: KMeans is known in the large of the large o
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable {\tt OMP\_NUM\_THREADS=1.}
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\ kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
```

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

```
warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
    warnings.warn(
\verb|C:\Users\Personal\anaconda3| Lib\site-packages\sklearn\cluster\whig: Future Warning: The default results of the control of
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable {\tt OMP\_NUM\_THREADS=1.}
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
\verb|C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Users\whig: Future Warning: The default | C:\Users\Whig: T
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
   warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
```

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress

avoid it by setting the environment variable OMP_NUM_THREADS=1.

avoid it by setting the environment variable OMP_NUM_THREADS=1.

the warning warnings.warn(

the warning warnings.warn(

warnings.warn(

warnings.warn(

```
the warning
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
     warnings.warn(
\verb|C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Users\whig: Future Warning: The default | C:\Users\Whig: T
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
     warnings.warn(
\verb|C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\whig: Future Warning: The default | C:\Users\Users\whig: Future Warning: The default | C:\Users\Whig: T
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable \ensuremath{\mathsf{OMP\_NUM\_THREADS=1}}.
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
     warnings.warn(
\verb|C:\Users| Personal \ anaconda \verb|Stite-packages| sklearn \ cluster \ wheans.py: 1382: \ User \ wheans is known in the large of the large \ wheals \ anaconda \ wheals \ anaconda \ anaco
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
\verb|C:\Users| Personal \ anaconda \ Lib \ site-packages \\ sklearn \ cluster \ \_kmeans.py: 1382: \ User \ Warning: \ KMeans \ is \ known \ Anaconda \ No. \ Anaconda \ No. \ No
wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can
avoid it by setting the environment variable OMP_NUM_THREADS=1.
     warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default
value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress
the warning
    warnings.warn(
C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster\_kmeans.py:1382: UserWarning: KMeans is kno
```

wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\AppData\Local\Temp\ipykernel_12284\3453700103.py:4: ConvergenceWarning: Number of distinct clusters (147) found smaller than n_clusters (148). Possibly due to duplicate points in X.

k.fit(X)

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning

warnings.warn(

C:\Users\Personal\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1382: UserWarning: KMeans is kno wn to have a memory leak on Windows with MKL, when there are less chunks than available threads. You can avoid it by setting the environment variable OMP_NUM_THREADS=1.

warnings.warn(

C:\Users\Personal\AppData\Local\Temp\ipykernel_12284\3453700103.py:4: ConvergenceWarning: Number of disti
nct clusters (147) found smaller than n_clusters (149). Possibly due to duplicate points in X.
 k.fit(X)

```
152.36870647733906,
78.94084142614602,
57.31787321428571,
46.535582051282056,
38.930963049671746,
34.42194766505636,
30.02341635819897,
27.91432359307359,
26.124019708361818,
24.815894671504964,
23.518838499167785,
21.221680708180706,
20.727974535268658,
19.575248376623378,
18.13585960852873,
17.182036435786436,
16.051823593073596,
15.75249042950514.
14.930148926237164,
14.45311904761905,
14.067059523809524,
13.266902930402937,
12.72933424908425,
11.681765873015873.
11.70160515873016,
11.125469336219336.
10.96146031746032,
10.68225793650794,
9.857737012987016.
9.700779761904766,
9.729704906204907,
9.282284632034631.
8.774728243978245,
8.707641025641028,
8.167935425685426,
8.24925,
7.920209595959598,
7.76610606060606,
7.444739177489177,
7.276106060606061,
7.172785714285714,
6.543611111111112,
6.6309047619047625,
6.151555555555555,
6.222492063492065,
5.863329365079364,
5.813207875457875,
5.485880952380951,
5.36652380952381,
5.21897222222222,
4.981333333333334,
4.6513333333333335,
4.7605,
4.5535.
4.51200000000000005,
4.2705000000000001.
4.025833333333334,
3.9778333333333347,
3.9178055555555567,
3.790107142857144,
3.6115833333333334,
3.5395198412698416.
3.4107539682539683,
3.109833333333334,
3.1980833333333347,
2.91955555555556,
3.0210000000000001,
2.9349603174603183,
2.8663095238095244,
2.6655000000000001,
2.6083333333333334,
2.568388888888893,
2.4549166666666675,
2.3624642857142866,
```


Out[60]: [680.8244,

```
2.3385000000000001,
```

- 2.197500000000000002.
- 2.1265833333333335,
- 2.072809523809525,
- 1.93005555555556.
- 1.89350000000000004,
- 1.837142857142858,
- 1.7641428571428577,
- 1.7690833333333334,
- 1.66125000000000008.
- 1.6371428571428581,
- 1.538392857142858,
- 1.4679761904761912.
- 1.41533333333333333,
- 1.3641666666666674,
- 1.3323333333333336.
- 1.28375000000000006,
- 1.23650000000000004,
- 1.20016666666668,
- 1.1279166666666673,
- 1.0929166666666672,
- 1.04950000000000005,
- 1.0386666666666675,
- 0.9886666666666671,
- 0.94950000000000006,
- 0.8720000000000000002, 0.863333333333333333333
- 0.8286666666666679,
- 0.8245833333333334,
- 0.750333333333334,
- 0.7441666666666672,
- 0.6733333333333333
- 0.6433333333333341,
- 0.62000000000000006,
- 0.5904166666666673.
- 0.557000000000000007,
- 0.52000000000000008, 0.490833333333333395.
- 0.47333333333333394,
- 0.4336666666666672,
- 0.412000000000000075,
- 0.3833333333333335,
- 0.36083333333333338.
- 0.3408333333333341,
- 0.32500000000000004,
- 0.3033333333333336.
- 0.285000000000000053,
- 0.27250000000000004, 0.2366666666666694,
- 0.230000000000000023,
- 0.220000000000000022,
- 0.195000000000000015,
- 0.1916666666666693,
- 0.1700000000000000007,
- 0.155000000000000002,
- 0.15000000000000001,
- 0.135000000000000015,
- 0.13000000000000001,
- 0.110000000000000015 0.105000000000000001,
- 0.095,
- 0.08500000000000001,
- 0.070000000000000015,
- 0.060000000000000004,
- 0.0500000000000000065.
- 0.040000000000000007,
- 0.030000000000000005, 0.0200000000000000035,
- 0.0150000000000000027, 0.0100000000000000018,
- 0.00500000000000000009,
- 1.4791141972893971e-31,
- 1.4791141972893971e-31.
- 5.9164567891575885e-31]

Till Above


```
In [65]: x_labels=range(1,150)
       plt.plot(x_labels,inertia_scores,marker='o')
       #plt.xlim(0,20)
       plt.show()
      700
      600
      500
      400
      300
      200
      100
        0
            0
                  20
                        40
                               60
                                     80
                                           100
                                                  120
                                                        140
In [48]: from sklearn.cluster import AgglomerativeClustering
In [49]: cluster=AgglomerativeClustering(n_clusters=3).fit(X)
In [50]: cluster
Out[50]: ▼
             AgglomerativeClustering
       AgglomerativeClustering(n_clusters=3)
In [51]: cluster.labels_
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 0, 0, 0, 0, 0, 0, 0,
            0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 2, 2, 2, 2, 0, 2, 2, 2,
            2, 2, 2, 0, 0, 2, 2, 2, 2, 0, 2, 0, 2, 0, 2, 2, 0, 0, 2, 2, 2, 2,
            2, 0, 0, 2, 2, 0, 2, 2, 0, 2, 2, 0, 2, 2, 0, 2, 0], dtype=int64)
In [52]: plt.scatter(X['SL'],X['SW'],c=cluster.labels_)
       plt.show()
```



```
In [53]: from sklearn.metrics import confusion_matrix
In [54]: confusion_matrix(km.labels_,cluster.labels_)
In [55]: df=pd.DataFrame({'km':km.labels_,'ac':cluster.labels_})
In [56]: df
Out[56]:
            km ac
                1
                1
             1
                1
             2
        146
             0 0
        147
                2
        148
        149
             0
                0
```


150 rows \times 2 columns

```
In [57]: import scipy.cluster.hierarchy as sch
dendogram=sch.dendrogram(sch.linkage(X,method='ward'))
```



```
In [58]: plt.subplot(2,2,1)
  plt.scatter(X['SL'],X['SW'],c=km.labels_)
  plt.subplot(2,2,2)
  plt.scatter(X['SL'],X['SW'],c=cluster.labels_)
  plt.subplot(2,2,3)
  plt.scatter(X['PL'],X['PW'],c=km.labels_)
  plt.subplot(2,2,4)
  plt.scatter(X['PL'],X['PW'],c=cluster.labels_)
```

Out[58]: <matplotlib.collections.PathCollection at 0x21887cd9910>



In []: