
REEL DISCOVERY + REPOSITORY SEARCH

Find the reel. Then the repo.

Describe what you want to build.
Watch the demo and open the code.

Python / DuckDB / React / ONNX




The missing repository link

Engagement gates

The reel asks for a comment or DM before sharing the repository.

Incomplete captions

Many captions never name the repository clearly enough to match.



RepoReel connects the demo to code you can inspect.


Search in your own words

Semantic retrieval

MiniLM embeds the query in your browser using Transformers.js.

Hybrid ranking

Meaning and BM25 combine with recency, creator trust and repository health.




A reel with a route to the code

Official Instagram embeds

Watch the original demo in the phone. Reel media stays with Instagram.

Explicit uncertainty

When the caption does not name a repo, the result offers a matching search.




Find a repository from a screenshot

OCR on your device

Tesseract.js reads the uploaded frame inside the browser.

Exact matches first

Extract GitHub URLs and owner/repo names, then try fuzzy matching and search.



The nightly discovery pipeline

Discover

Graph API and budget-guarded Apify discovery find candidate reels.

Classify and match

English repo captions, creator expansion and cached OCR produce candidates.

Validate and publish

Quality checks protect monthly history and repository shards.

411 reels


79 identified repos

4,309 repositories

Source deck snapshot. Apify budget: $4.50/month, capped at $0.25 per actor run.

Repository momentum

Daily snapshots measure stars gained over 7 and 30 days.



Creator trust

Accuracy, consistency, engagement and recency contribute to the ranking.

Eligibility checks apply before scoring.


Engineering for repeatable runs

Replay and recovery

Rebuild from recorded raw inputs. Resume runs merge into the latest history.

Quality gates

Unknown creators, orphaned repos and implausible star changes block publishing.



Live demo

adityamalviya04692.github.io/Project-RepoReel/