Name : Aditya Sah
ID : TSV-859
GitHub : https://github.com/adityasah104/Databricks_assesment

Bronze Orders Data

Just now (4s) 18 SQL

```
%sql
SELECT *
FROM de_workspace26.bronze_aditya_sah_assessment.orders
LIMIT 10;
```

(2) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, customer_id: string ... 17 more fields]

Table

	product_id	order_date	quantity	unit_price	status	region	_ingested_at	_source_file
1	PROD07	2024-04-15	4	34999	delivered	North	2026-04-08T05:49:56.677+00:00	orders_batch
2	PROD08	2024-06-28	3	699	delivered	North	2026-04-08T05:49:56.677+00:00	orders_batch
3	PROD04	2024-03-09	2	3499	delivered	North	2026-04-08T05:49:56.677+00:00	orders_batch
4	PROD10	2024-01-19	4	899	delivered	South	2026-04-08T05:49:56.677+00:00	orders_batch
5	PROD07	2024-06-16	2	34999	placed	East	2026-04-08T05:49:56.677+00:00	orders_batch
6	PROD09	2024-04-14	5	499	delivered	South	2026-04-08T05:49:56.677+00:00	orders_batch
7	PROD04	2024-04-08	4	3499	shipped	West	2026-04-08T05:49:56.677+00:00	orders_batch
8	PROD09	2024-02-01	4	499	placed	East	2026-04-08T05:49:56.677+00:00	orders_batch
9	PROD05	2024-02-15	5	2199	cancelled	East	2026-04-08T05:49:56.677+00:00	orders_batch
10	PROD02	2024-04-28	1	1499	delivered	South	2026-04-08T05:49:56.677+00:00	orders_batch

Constraint Check

Delta History

Just now (1s) 18 SQL

```
%sql
DESCRIBE HISTORY de_workspace26.bronze_aditya_sah_assessment.orders;
```

(1) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [version: long, timestamp: timestamp ... 13 more fields]

Table

	version	timestamp	userId	userName	operation	operationParame
1	6	2026-04-08T05:49:58.000+00:00	73291365784137	salam.dheeraj@sigmoidanalytics.com	CREATE OR REPLACE TABLE AS SELECT	{"partitionBy":"[]"
2	5	2026-04-08T05:12:56.000+00:00	76440483231662	aditya.sah@sigmoidanalytics.com	ADD CONSTRAINT	{"name":"order_id
3	4	2026-04-08T05:12:54.000+00:00	76440483231662	aditya.sah@sigmoidanalytics.com	DROP CONSTRAINT	{"name":"order_id
4	3	2026-04-08T05:12:02.000+00:00	76440483231662	aditya.sah@sigmoidanalytics.com	CREATE OR REPLACE TABLE AS SELECT	{"partitionBy":"[]"
5	2	2026-04-08T05:02:17.000+00:00	76440483231662	aditya.sah@sigmoidanalytics.com	STREAMING UPDATE	{"outputMode":"A
6	1	2026-04-08T04:56:43.000+00:00	76440483231662	aditya.sah@sigmoidanalytics.com	ADD CONSTRAINT	{"name":"order_id
7	0	2026-04-08T04:55:57.000+00:00	76440483231662	aditya.sah@sigmoidanalytics.com	CREATE OR REPLACE TABLE AS SELECT	{"partitionBy":"[]"

7 rows | 1.44s runtime Refreshed now

This result is stored as `_sqldf` and can be used in other Python and SQL cells. Send feedback

Streaming Table(Before)

Streaming Table(After)

Silver Orders

Just now (2s) 24 SQL

```
%sql
SELECT *
FROM de_workspace26.silver_aditya_sah_assessment.orders
LIMIT 10;
```

(2) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, customer_id: string ... 12 more fields]

Table

	order_id	customer_id	product_id	order_date	quantity	unit_price	revenue	cumulative_revenue
1	ORD0098	CUST01	PROD04	2024-02-21	2	3499	3499	
2	ORD0193	CUST02	PROD06	2024-03-03	3	1799	3598	
3	ORD0026	CUST03	PROD06	2024-01-06	6	1799	8995	
4	ORD0022	CUST03	PROD08	2024-01-18	6	699	3495	
5	ORD0036	CUST03	PROD04	2024-02-12	5	3499	13996	
6	ORD0194	CUST03	PROD09	2024-02-23	6	499	2495	
7	ORD0131	CUST03	PROD04	2024-03-08	6	3499	17495	
8	ORD0053	CUST03	PROD07	2024-03-11	2	34999	34999	
9	ORD0112	CUST03	PROD04	2024-04-14	5	3499	13996	2
10	ORD0075	CUST03	PROD05	2024-05-11	6	2199	10995	2

10 rows | 2.16s runtime Refreshed now

Partition Check

Just now (2s) 24 SQL

```
%sql
SHOW PARTITIONS de_workspace26.silver_aditya_sah_assessment.orders;
```

(4) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [region: string]

Table

	region
1	South
2	East
3	West
4	North

4 rows | 1.96s runtime Refreshed now

This result is stored as `_sqldf` and can be used in other Python and SQL cells. Send feedback

SCD Type 2

Just now (2s) 24 SQL

```
%sql
SELECT *
FROM de_workspace26.silver_aditya_sah_assessment.customers
ORDER BY customer_id;
```

(2) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [customer_id: string, name: string ... 9 more fields]

Table

		city	loyalty_tier	signup_date	_ingested_at	_source_file	is_current	effective_start_c
1	ail.com	Delhi	Gold	2020-08-16	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
2	:om	Bengaluru	Bronze	2021-07-17	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
3	ail.com	Chennai	Bronze	2021-04-02	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
4	m	Hyderabad	Bronze	2020-07-28	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
5	.com	Pune	Gold	2023-01-21	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
6	il.com	Kolkata	Bronze	2023-04-24	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
7	:om	Ahmedabad	Silver	2020-03-06	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
8	om	Jaipur	Bronze	2020-07-10	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
9	il.com	Surat	Bronze	2021-04-21	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
10	.com	Mumbai	Gold	2023-05-17	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
11	.com	Delhi	Bronze	2023-02-23	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
12	l.com	Bengaluru	Bronze	2023-01-21	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
13	com	Chennai	Silver	2021-03-27	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
14	ail.com	Hyderabad	Silver	2023-04-21	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08
15	ail.com	Pune	Silver	2020-01-14	2026-04-08T05:12:02.556+00:00	customers_batch	true	2026-04-08

CDF

Just now (3s) 25 SQL

```
%sql
SELECT *
FROM table_changes(
  'de_workspace26.silver_aditya_sah_assessment.orders',
  3
);
```

(3) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, customer_id: string ... 15 more fields]

Table

	order_id	customer_id	product_id	order_date	quantity	unit_price	revenue	cumulative_revenue
1	ORD0098	CUST01	PROD04	2024-02-21	2	3499	3499	
2	ORD0098	CUST01	PROD04	2024-02-21	3	3499	3499	
3	ORD0193	CUST02	PROD06	2024-03-03	3	1799	3598	
4	ORD0193	CUST02	PROD06	2024-03-03	4	1799	3598	
5	ORD0026	CUST03	PROD06	2024-01-06	6	1799	8995	
6	ORD0026	CUST03	PROD06	2024-01-06	7	1799	8995	
7	ORD0022	CUST03	PROD08	2024-01-18	6	699	3495	
8	ORD0022	CUST03	PROD08	2024-01-18	7	699	3495	
9	ORD0036	CUST03	PROD04	2024-02-12	5	3499	13996	
10	ORD0036	CUST03	PROD04	2024-02-12	6	3499	13996	
11	ORD0194	CUST03	PROD09	2024-02-23	6	499	2495	
12	ORD0194	CUST03	PROD09	2024-02-23	7	499	2495	

Monthly Revenue

Just now (2s) 8

```
%sql
SELECT *
FROM de_workspace26.gold_aditya_sah_assessment.monthly_revenue_by_region
ORDER BY year, month;
```

(2) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [year: integer, month: integer ... 2 more fields]

Table

	year	month	region	total_revenue
1	2024	1	South	300663
2	2024	1	North	454868
3	2024	1	East	13993
4	2024	1	West	5097
5	2024	2	South	64170
6	2024	2	North	155588
7	2024	2	East	190961
8	2024	2	West	787970
9	2024	3	South	184080
10	2024	3	North	248977
11	2024	3	East	280474

Top Products

product_name

Just now (2s) 8

```
%sql
SELECT *
FROM de_workspace26.gold_aditya_sah_assessment.top_products;
```

(3) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [category: string, product_name: string ... 2 more fields]

Table

	category	product_na...	total_revenue	rnk
1	Books	Python Programming Bo...	51397	1
2	Clothing	Denim Jacket	64457	1
3	Electronics	Laptop Pro	2599948	1
4	Electronics	Smartphone	2239936	2
5	Electronics	Wireless Earbuds	262425	3
6	Home	Coffee Maker	110963	1
7	Home	Blender	52171	2
8	Home	Table Lamp	31465	3
9	Sports	Running Shoes	140736	1
10	Sports	Yoga Mat	46833	2

Dashboard

DAG Structure



Time Travel

Just now (3s) 16 SQL

```
%sql
SELECT *
FROM de_workspace26.bronze_aditya_sah_assessment.orders VERSION AS OF 0;
```

(2) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, customer_id: string ... 8 more fields]

Table

	order_id	customer_id	product_id	order_date	quantity	unit_price	status	region	_in
1	ORD0031	CUST12	PROD07	2024-04-15	4	34999	delivered	North	2026-
2	ORD0185	CUST03	PROD08	2024-06-28	3	699	delivered	North	2026-
3	ORD0060	CUST14	PROD04	2024-03-09	2	3499	delivered	North	2026-
4	ORD0077	CUST16	PROD10	2024-01-19	4	899	delivered	South	2026-
5	ORD0159	CUST05	PROD07	2024-06-16	2	34999	placed	East	2026-
6	ORD0058	CUST12	PROD09	2024-04-14	5	499	delivered	South	2026-
7	ORD0171	CUST10	PROD04	2024-04-08	4	3499	shipped	West	2026-
8	ORD0002	CUST15	PROD09	2024-02-01	4	499	placed	East	2026-
9	ORD0065	CUST04	PROD05	2024-02-15	5	2199	cancelled	East	2026-
10	ORD0148	CUST08	PROD02	2024-04-28	1	1499	delivered	South	2026-
11	ORD0101	CUST06	PROD05	2024-01-28	5	2199	placed	East	2026-
12	ORD0051	CUST09	PROD05	2024-06-03	2	2199	delivered	South	2026-
13	ORD0194	CUST03	PROD09	2024-02-23	5	499	shipped	South	2026-

VACUUM

12:49 PM (18s) 16 SQL

```
%sql
VACUUM de_workspace26.silver_aditya_sah_assessment.orders RETAIN 168 HOURS;
```

(29) Spark Jobs

_sqldf: pyspark.sql.connect.dataframe.DataFrame = [path: string]

Table

	path
1	s3://databricks-storage-7474660560922927/unity-catalog/7474660560922927/__unitystorage/catalogs/d5d0fd83-d5af-4...

1 row | 18.20s runtime Refreshed 1 hour ago

This result is stored as `_sqldf` and can be used in other Python and SQL cells. Send feedback