

1. Which tag is used to render a red text paragraph?

- (a) `<p style="color:red">Hello World!</p>`
- (b) `Hello World!`
- (c) `<para style="color:red">Hello World!</para>`
- (d) `<p style="text-color:red">Hello World!</p>`

Answer: (a)

2. Which of the following are client side scripting languages?

- (a) PHP
- (b) Python
- (c) JavaScript
- (d) Ruby

Answer: (c)

3. Suppose a class of a tag is `hello`. How to refer to this class in a CSS file?

- (a) `#hello {}`
- (b) `.hello {}`
- (c) `hello {}`
- (d) `/hello {}`

Answer: (b)

4. How to add comments in HTML?

- (a) `<!--Comment-->`
- (b) `#Comment`
- (c) `<comment>Comment</comment>`
- (d) `// Comment`

Answer: (a)

5. What is the root element of a HTML document?

- (a) `<root>`
- (b) `<head>`
- (c) `<body>`
- (d) `<html>`

Answer: (d)

6. Which of the following statements is/are true?

- (a) `` tag is used for defining ordered lists
- (b) `` tag is used for defining unordered lists
- (c) `<table></table>` tag is used for defining tables
- (d) `<script></script>` tag is used to embed a client-side script

Answer: (a), (b), (c), (d)