

Deep Learning Model for Base Calling of MinION Nanopore Reads

Master thesis assignment No. 1417

Marko Ratković

Associate Profesor Mile Šikić, PhD

Faculty of Electrical Engineering and Computing
University of Zagreb

Table of contents

1. Introduction
2. Titleformats
3. Elements
4. Conclusion

Introduction

Sections group slides of the same topic

```
\section{Elements}
```

for which **metropolis** provides a nice progress indicator ...

Titleformats

Elements

Font feature test

- Regular
- *Italic*
- SMALLCAPS
- **Bold**
- **Bold Italic**
- **Bold SmallCaps**
- Monospace
- *Monospace Italic*
- Monospace Bold
- *Monospace Bold Italic*
- **accent** part

Three different block environments are pre-defined and may be styled with an optional background color.

Default

Block content.

Alert

Block content.

Example

Block content.

Default

Block content.

Alert


Block content.

Example


Block content.

$$e = \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n$$

Line plots



Bar charts



Veni, Vidi, Vici

metropolis defines a custom beamer template to add a text to the footer. It can be set via

```
\setbeamertemplate{frame footer}{My custom footer}
```

Some references to showcase `[allowframebreaks]` [?, ?, ?, ?, ?]

Conclusion

Get the source of this theme and the demo presentation from

`github.com/matze/mtheme`

The theme *itself* is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.



Questions?

Backup slides

Sometimes, it is useful to add slides at the end of your presentation to refer to during audience questions.

The best way to do this is to include the `appendixnumberbeamer` package in your preamble and call `\appendix` before your backup slides.

metropolis will automatically turn off slide numbering and progress bars for slides in the appendix.

References I