
Issue Description
Add support for tzinfo parameter to TruncDate() and TruncTime()...
Pre-PR Repository
django/
tests/
docs/
README.md
pyproject.toml
LICENSE
LLM Agent
Unix command
Terminal
Execution Results
Predicted Locations
File: django/db/models/functions/datetime.py
Module: TruncDate
Function: as_sql
File: django/db/models/functions/datetime.py
Module: TruncBase
Function: as_sql
Reward Calculation
Total reward: 2.0
File-level F1: 1.0
Module-level F1: 0.5
Function-level F1: 0.5
Gold Issue Resolution Patch
- - - a/django/db/models/functions/datetime.py
+++ b/django/db/models/functions/datetime.py
@@ -292,7 +292,7 @@ class TruncDate(TruncBase):
def as_sql(self, compiler, connection):
- tzname = timezone.get_current_timezone_name()
+ tzname = self.get_tzname()
@@ -305,7 +305,7 @@ class TruncTime(TruncBase):
def as_sql(self, compiler, connection):
- tzname = timezone.get_current_timezone_name()
+ tzname = self.get_tzname()
Parse gold patch to extract relevant locations
Ground truth Locations
File: django/db/models/functions/datetime.py
Module: TruncDate
Function: as_sql
File: django/db/models/functions/datetime.py
Module: TruncTime
Function: as_sql