



4-digit Numbers

Till now, we have learnt how to read and write 2-digit and 3-digit numbers.

We already know that

The **smallest** 2-digit number is 10.


The **largest** 2-digit number is 99.

The **smallest** 3-digit number is 100.

The **largest** 3-digit number is 999.

Now, we shall learn about 4-digit numbers.


Let us add 1 to 999, as shown below.



We call 1000 as one thousand.

1000 is the **smallest** 4-digit number.

In the place value chart, the fourth place from the right is called the thousands place.



Thus, we have larger numbers as given below.

Numeral	Read as
1001	One thousand one
1002	One thousand two
1003	One thousand three
⋮	⋮
1010	One thousand ten
⋮	⋮
1099	One thousand ninety-nine
1100	One thousand one hundred
⋮	⋮
1200	One thousand two hundred
⋮	⋮
1999	One thousand nine hundred ninety-nine
2000	Two thousand
2001	Two thousand one
⋮	⋮
2999	Two thousand nine hundred ninety-nine
3000	Three thousand
⋮	⋮
9999	Nine thousand nine hundred ninety-nine.



9999 is the **largest** 4-digit number.

4-digit Numbers on the Abacus

Consider an abacus with 4 spikes as shown. Start from the right.

The number of beads in the spikes show ones, tens, hundreds and thousands respectively.


Look at the abacus given herewith.

The abacus shows the number 3426.

We read it as: Three thousand four hundred twenty-six.

The same number may be written in a place value chart as shown below.

Th	H	T	O
3	4	2	6





Solved Examples

Example 1: Arrange the digits of each of the following numbers in the place value chart. Write the number name of each.

(a) 8563

(b) 2934

(c) 5019

(d) 9607

Solution: Starting from the right, we make entries in the place value chart as shown below:

	Thousands	Hundreds	Tens	Ones
	Th	H	T	O
(a)	8	5	6	3
(b)	2	9	3	4
(c)	5	0	1	9
(d)	9	6	0	7



Now, we write their number names, as shown below:

- (a) Eight thousand five hundred sixty-three
- (b) Two thousand nine hundred thirty-four
- (c) Five thousand nineteen
- (d) Nine thousand six hundred seven

Example 2: Write the numeral for each of the following.

- (a) Four thousand eight hundred seventy
- (b) Seven thousand three hundred six
- (c) One thousand twenty-six
- (d) Three thousand one

- Solution:**
- (a) Four thousand eight hundred seventy
= 4 thousands 8 hundreds 7 tens 0 ones
= 4870.
 - (b) Seven thousand three hundred six
= 7 thousands 3 hundreds 0 tens 6 ones
= 7306.
 - (c) One thousand twenty-six
= 1 thousand 0 hundreds 2 tens 6 ones
= 1026.
 - (d) Three thousand one
= 3 thousands 0 hundreds 0 tens 1 one
= 3001.






Exercise 2

Read the abacus and write the number and the number name. One has been done for you.


1.




4315

Four thousand three hundred fifteen


2.




3.




4.




5.




6.









7.



8.



9. Represent the given numbers on the abacus.



10. Write the numerals for each of the following. One has been done for you.

- (a) Six thousand two hundred thirty-seven
- (b) Eight thousand five hundred ninety-two
- (c) One thousand three hundred seventy-nine
- (d) Five thousand nine hundred eighty
- (e) Three thousand four hundred thirteen
- (f) Four thousand seven hundred three
- (g) Nine thousand two hundred five
- (h) Two thousand sixty-seven
- (i) One thousand thirty
- (j) Five thousand eighteen
- (k) Nine thousand nine
- (l) Three thousand ten
- (m) Two thousand three

6237

11. Fill in the boxes with the missing digits. One has been done for you.

(a) $3578 = \boxed{3}$ thousands $\boxed{5}$ hundreds $\boxed{7}$ tens $\boxed{8}$ ones

(b) $5347 = \boxed{}$ thousands $\boxed{}$ hundreds $\boxed{}$ tens $\boxed{}$ ones

(c) $7206 = \boxed{}$ thousands $\boxed{}$ hundreds $\boxed{}$ tens $\boxed{}$ ones

(d) $4019 = \boxed{}$ thousands $\boxed{}$ hundreds $\boxed{}$ ten $\boxed{}$ ones

(e) $8960 = \boxed{}$ thousands $\boxed{}$ hundreds $\boxed{}$ tens $\boxed{}$ ones

(f) $1800 = \boxed{}$ thousand $\boxed{}$ hundreds $\boxed{}$ tens $\boxed{}$ ones

(g) $7070 = \boxed{}$ thousands $\boxed{}$ hundreds $\boxed{}$ tens $\boxed{}$ ones

(h) $3003 = \boxed{}$ thousands $\boxed{}$ hundreds $\boxed{}$ tens $\boxed{}$ ones

12. Write the number name for each of the following numbers.

(a) 4687 (b) 2869 (c) 6380 (d) 7513 (e) 1029 (f) 8015

(g) 9406 (h) 6700 (i) 5002 (j) 4004 (k) 8070 (l) 9021

13. Write the numbers by observing the pattern carefully.

(a) 5077, 5078, 5079,

(b) 6296, 6297, 6298,

(c) 997, 998, 999,

(d) 7007, 7008, 7009,

Face Value of a Digit in a Number

The **face value** of a digit in a number is the value of the digit itself at whatever place it may be.

Thus, in the number 6897;

the face value of 7 is 7;

the face value of 9 is 9;

the face value of 8 is 8;

the face value of 6 is 6.



Place Value of a Digit in a Number

The **place value** of a digit in a number depends upon its position in the place value chart.

Consider the number 7348.

Arrange its digits in the place value chart as shown below.

Th	H	T	O
7	3	4	8

The place value of 8 = 8 ones = 8.

The place value of 4 = 4 tens = 40.

The place value of 3 = 3 hundreds = 300.

The place value of 7 = 7 thousands = 7000.



Remember: The place value of 0 is always 0, wherever it may be.

Numbers in Expanded Form

A number, when expressed as a sum of the place values of its digits is said to be in its **expanded form**.

Consider the number 9652.

Arrange its digits in the place value chart shown below:

Th	H	T	O
9	6	5	2

$$\begin{aligned}\therefore 9652 &= 9 \text{ thousands} + 6 \text{ hundreds} + 5 \text{ tens} + 2 \text{ ones} \\ &= 9000 + 600 + 50 + 2.\end{aligned}$$

Thus, the **expanded form** of 9652 is $9000 + 600 + 50 + 2$.

We can also say that the **short form** of $9000 + 600 + 50 + 2$ is 9652.



Successor of a Number

The number that comes just after a particular number is called its **successor**.

Clearly, the successor of a number is 1 more than the number.

Thus, the successor of 26 is 27;

the successor of 953 is 954, and so on.

Predecessor of a Number

The number that comes just before a particular number is called its **predecessor**.

Clearly, the predecessor of a number is 1 less than the number.

Thus, the predecessor of 49 is 48;

the predecessor of 836 is 835, and so on.



Remember: 0 has no predecessor.

Skip Counting

Suppose, starting with a given number we write some numbers with a fixed gap between two successive numbers, then such a counting is known as **skip-counting**.

Counting by twos means there is a gap of 2 between every two successive numbers.

Similarly, counting by fives means there is a gap of 5 between every two successive numbers and so on.



Solved Examples

Example 1: Write the face value and place value of

(a) 8 in 5806

(b) 3 in 3869

Solution: (a) The face value of 8 in 5806 is 8.

Arrange the digits of 5806 in the place value chart as shown below.

Th	H	T	O
5	8	0	6

From the place value chart, we have,
the place value of 8 = 8 hundreds = 800.

(b) The face value of 3 in 3869 is 3.

Arrange the digits of 3869 in the place value chart as shown below.

Th	H	T	O
3	8	6	9

From the place value chart, we have,
the place value of 3 = 3 thousands = 3000.



Example 2: Write 5063 in expanded form.

Solution: Arrange the digits of the given numeral in the place value chart as shown below:

Th	H	T	O
5	0	6	3

$$\begin{aligned}\therefore 5063 &= 5 \text{ thousands} + 0 \text{ hundreds} + 6 \text{ tens} + 3 \text{ ones} \\ &= 5000 + 0 + 60 + 3 \\ &= 5000 + 60 + 3.\end{aligned}$$

Hence, the expanded form of 5063 is $5000 + 60 + 3$.



Example 3: Write the following in short form.

- (a) $2000 + 700 + 40 + 6$
- (b) $7000 + 400 + 5$
- (c) $5000 + 60 + 7$

Solution: We have:



- (a) $2000 + 700 + 40 + 6 = 2 \text{ thousands} + 7 \text{ hundreds} + 4 \text{ tens} + 6 \text{ ones}$
 $= 2746.$
- (b) $7000 + 400 + 5 = 7 \text{ thousands} + 4 \text{ hundreds} + 0 \text{ tens} + 5 \text{ ones}$
 $= 7405.$
- (c) $5000 + 60 + 7 = 5 \text{ thousands} + 0 \text{ hundreds} + 6 \text{ tens} + 7 \text{ ones}$
 $= 5067.$

Example 4: Write the successor of each of the following numbers.

- (a) 379
- (b) 1207
- (c) 4999

Solution: The successor of a number is obtained by adding 1 to the given number. So,

- (a) the successor of 379 is 380.
- (b) the successor of 1207 is 1208.
- (c) the successor of 4999 is 5000.

Example 5: Write the predecessor of each of the following numbers.

(a) 100

(b) 5693

(c) 9999

Solution: The predecessor of a number is 1 less than the given number. So,

(a) the predecessor of 100 is 99.

(b) the predecessor of 5693 is 5692.

(c) the predecessor of 9999 is 9998.



Example 6: Counting by threes, write seven numbers from 5082 onwards.

Solution: Starting from 5082, we go on adding 3.

∴ The required numbers are:

5082, 5085, 5088, 5091, 5094, 5097, 5100.

Example 7: Counting by fives, write six numbers from 7679 onwards.

Solution: Starting from 7679, we go on adding 5.

∴ The required numbers are:

7679, 7684, 7689, 7694, 7699, 7704.



Example 8: Counting by twenties, write four numbers from 8241 onwards.

Solution: Starting from 8241, we go on adding 20.

∴ The required numbers are:

8241, 8261, 8281, 8301.



Example 9: Counting by hundreds, write six numbers from 6735 onwards.

Solution: Starting from 6735, we go on adding 100.

∴ The required numbers are:

6735, 6835, 6935, 7035, 7135, 7235.



Example 10: Counting by thousands, write five numbers from 981 onwards.

Solution: Starting from 981, we go on adding 1000.

∴ The required numbers are:

981, 1981, 2981, 3981, 4981.



Exercise 3

1. Write the place value of 9 in 7869.
2. Write the place value of 3 in 5237.
3. Write the face value and the place value of 6 in 9576.
4. Write the place value of 0 in 6027.
5. Write the place value of 7 in 1798.
6. Write the place value of 9 in 9103.
7. Write the place value of 4 in 4923.
8. Find the difference between the place value and the face value of 2 in 6293.
9. Find the difference between the place value of 1 and the place value of 5 in the numeral 1057.
10. Find the difference between the place values of two fives in 7505.
11. Write the place value of each digit in 6851.
12. Write the place value of each digit in 4126.
13. Write the place value of each digit in 3015.
14. **Write each of the following in the expanded form.**
 - (a) 1576 (b) 8019 (c) 3291 (d) 7002
 - (e) 3205 (f) 6027 (g) 9157 (h) 2800
15. **Write each of the following in short form.**
 - (a) $5000 + 200 + 40 + 3$ (b) $9000 + 400 + 10 + 7$
 - (c) $7000 + 100 + 60 + 8$ (d) $6000 + 300 + 50$
 - (e) $4000 + 50 + 6$ (f) $3000 + 700 + 2$
 - (g) $1000 + 100 + 1$ (h) $2000 + 30 + 5$
16. **Fill in the blanks. One has been done for you.**
 - (a) 1 thousand 2 hundreds 3 tens 5 ones = $\overset{1}{\underset{2}{\underset{3}{\underset{5}{\dots}}}}$
 - (b) 4 thousands 7 hundreds 5 tens 6 ones =
 - (c) 7 thousands 8 hundreds 6 tens 2 ones =
 - (d) 5 thousands 0 hundreds 1 ten 9 ones =
 - (e) 6 thousands 1 hundred 0 tens 5 ones =
 - (f) 8 thousands 0 hundreds 0 tens 1 one =



17. Write the successor of each of the following numbers.

- (a) 568 (b) 999 (c) 1269 (d) 2631 (e) 1099
(f) 5109 (g) 6799 (h) 8889 (i) 7000 (j) 9099

18. Write the predecessor of each of the following numbers.

- (a) 700 (b) 867 (c) 1000 (d) 2200 (e) 5310
(f) 4080 (g) 4400 (h) 8000 (i) 7520 (j) 9610

19. Counting by twos, write the numbers from

- (a) 3294 to 3304 (b) 7587 to 7601 (c) 995 to 1011

20. Counting by tens, write the numbers from

- (a) 4880 to 4940 (b) 7887 to 7937 (c) 8993 to 9053

21. Counting by hundreds, write the numbers from

- (a) 3790 to 4490 (b) 4999 to 5499 (c) 5801 to 6301

22. (a) Counting by thousands, write five numbers from 2578 onwards.

- (b) Counting by thousands, write six numbers from 4609 onwards.**

23. Look at the pattern and fill in the blanks.

- (a) 4296, 4297, 4298,
(b) 5093, 5095, 5097,
(c) 8179, 8189, 8199,
(d) 3707, 3807, 3907,
(e) 4593, 4592, 4591,
(f) 7205, 7203, 7201,
(g) 9331, 9321, 9311,
(h) 6401, 6301, 6201,

24. Fill in the blanks.

- (a) is the numeral whose place value always remains the same.
(b) The face value of 9 in 9801 is



- (c) The place value of 7 in 5763 is
- (d) The successor of a number is 1 than the number.
- (e) The predecessor of a number is 1 than the number.
- (f) has no predecessor.
- (g) The predecessor of the smallest 4-digit number is the 3-digit number.
- (h) The successor of the 4-digit number is the smallest 5-digit number.

Comparison of Numbers

We have already learnt the method of finding the greater of the two given numbers up to 3 digits.

We follow the same rules for larger numbers.

Rule 1: To Compare Numbers with Different Numbers of Digits

In this case, out of the two given numbers, the one having more digits is the greater of the two. Thus, $1001 > 581$; $2801 > 989$ and so on.

Rule 2: To Compare Numbers with the Same Number of Digits

Step 1: First compare the digits at the leftmost place in both the numbers.

Step 2: If they are equal, compare the second digits from the left.

Step 3: If the second digits from the left are also equal, compare the third digits from the left.

Step 4: Continue until you find unequal digits at the corresponding places. Now, the number with greater such digit is the greater of the two.

Let us compare 7234 and 6895.

Both are 4-digit numbers.

Compare their digits at the leftmost place.

The digit is 7 in the first number and 6 in the second,

and, $7 > 6$

So, $7234 > 6895$.



Now, let us compare 5408 and 5470.

Both are 4-digit numbers.

Both have the same digit at thousands place, namely 5.

Both have the same digit at hundreds place, namely 4.

Let us compare their digits at tens place.

The digit is 0 in the first number and 7 in the second,

and, $0 < 7$.

So, $5408 < 5470$.



Ordering of Numbers

When two or more numbers are given, they can be compared using the above rules. Thus, we can arrange them from the smallest to the greatest (increasing order), or from the greatest to the smallest (decreasing order).

Ascending order: When a set of given numbers is arranged from the smallest to the greatest, they are said to be in ascending order.

Descending order: When a set of given numbers is arranged from the greatest to the smallest, they are said to be in descending order.

How to write the Smallest Number, using given digits, each only once without Repetition?

Case I: When none of the given digits is zero

In this case, we arrange the given digits in ascending order.

Examples:

- (a) The smallest 3-digit number formed by using the digits 3, 6 and 2 is 236.
- (b) The smallest 4-digit number formed by using the digits 9, 7, 1 and 5 is 1579.

Case II: When one of the given digits is zero

In this case, we put 0 at second place from the left. We then fill the remaining places from left to right by the remaining digits in an ascending order.

Examples:

- (a) The smallest 3-digit number formed by using the digits 0, 1 and 2 is 102.
- (b) The smallest 4-digit number formed by using the digits 9, 5, 3 and 0 is 3059.

How to write the Greatest Number, using given digits, each only once without Repetition?

To form the greatest number, we arrange the given digits in descending order.

Examples:

- (a) The greatest 3-digit number formed by using the digits 3, 6 and 9 is 963.
(b) The greatest 4-digit number formed by using the digits 0, 1, 2 and 4 is 4210.



Solved Examples

Example 1: Arrange the following numbers in ascending order.

3564, 4003, 987, 9078, 865

Solution: Let us arrange the given numbers in a place value chart.
Here, there are two 3-digit numbers and three 4-digit numbers.

Th	H	T	O
3	5	6	4
4	0	0	3
	9	8	7
9	0	7	8
	8	6	5



Among 3-digit numbers, 865 is smaller than 987.

Among 4-digit numbers, the smallest is 3564, then 4003 and lastly comes 9078.

$\therefore 865 < 987 < 3564 < 4003 < 9078$.

Hence, the given numbers in ascending order are:

865, 987, 3564, 4003 and 9078.

Example 2: Arrange the following numbers in descending order.

7053, 7530, 5073, 537, 357, 3057

Solution: Let us arrange the given numbers in a place value chart.



Th	H	T	O
7	0	5	3
7	5	3	0
5	0	7	3
	5	3	7
	3	5	7
3	0	5	7

Here, there are two 3-digit numbers and four 4-digit numbers.

Among 4-digit numbers, the greatest is 7530, then 7053, then 5073 and lastly comes 3057.

Among 3-digit numbers, the greater is 537 and then comes 357.

$\therefore 7530 > 7053 > 5073 > 3057 > 537 > 357$

Hence, the given numbers in descending order are:

7530, 7053, 5073, 3057, 537 and 357.



Exercise 4

1. Compare the numbers in the each of the following pairs and write the appropriate symbol $>$ or $<$ in each box.

(a) 603 360

(b) 203 302

(c) 999 1001

(d) 7129 7219

(e) 4567 4576

(f) 4032 4320

(g) 9201 9102

(h) 3594 3495

(i) 603 6003

(j) 6070 7060

(k) 8296 8306

(l) 2001 2010

(m) 2654 4265

(n) 3545 3554

2. Encircle the largest number. One has been done for you.

(a) 3546, 5364, 4653, 6345, 5436, 6435

(b) 3042, 4032, 2034, 4023, 4320, 4203

(c) 2651, 2561, 6215, 6521, 1265, 1562

(d) 4982, 2984, 8249, 4928, 8429, 8294

(e) 5160, 6051, 6510, 5601, 5061, 6150

(f) 1699, 9619, 6991, 9691, 6119, 9169



3. Encircle the smallest number. One has been done for you.

(a) 7507, 7570, 7057, 5770, 7075, 5077

(b) 4360, 3640, 6304, 3460, 6403, 4036

(c) 1030, 1300, 1003, 3001, 301, 3010

(d) 2563, 3625, 3526, 3265, 3652, 3602

(e) 5129, 4289, 5209, 5912, 8029, 5921

(f) 2358, 3205, 1735, 2013, 1553, 1357



4. Arrange in ascending order.

- (a) 3042, 342, 4032, 4320, 432, 324
- (b) 4635, 3546, 5436, 4356, 635, 563
- (c) 5762, 963, 639, 6326, 2673, 396
- (d) 2003, 1001, 1375, 3157, 571, 1573
- (e) 4963, 6349, 4639, 3694, 6493, 3496
- (f) 1909, 1099, 199, 1990, 1090, 1009
- (g) 3508, 908, 8503, 5308, 1008, 8305



5. Arrange in descending order.

- (a) 1001, 1110, 1011, 1100, 101
- (b) 3062, 3602, 203, 402, 1206, 2306
- (c) 4256, 163, 596, 3052, 5203, 659
- (d) 5217, 1725, 1275, 1527, 2175, 2571
- (e) 7126, 6127, 7216, 6721, 7612, 7162
- (f) 5034, 3405, 5304, 5043, 5403, 3504
- (g) 1625, 5261, 2651, 1516, 6152, 2156



- 6.** Write four 3-digit numbers formed by using the digits 4, 0 and 7.
- 7.** Write six 4-digit numbers formed by using the digits 8, 6, 3 and 0, each beginning with 8.
- 8. Write the largest 4-digit number formed by using the digits.**

- (a) 3,5,8,7 (b) 2,0,4,6 (c) 9,5,0,2

- 9. Write the smallest 4-digit number formed by using the digits.**

- (a) 6,1,2,4 (b) 5,0,8,4 (c) 9,0,3,5



Things to Remember

1. The smallest 4-digit number is 1000. The largest 4-digit number is 9999.
2. In a 4-digit number, the fourth place from the right is the thousands place.
3. The place value chart up to four places is given below:

Thousands	Hundreds	Tens	Ones
Th	H	T	O

4. The face value of a digit in a number is the value of the digit itself at whatever place it may be.
5. The place value of a digit depends on its position in the number.
 - (a) The place value of 3 at ones place is 3 ones = 3.
 - (b) The place value of 3 at tens place is 3 tens = 30.
 - (c) The place value of 3 at hundreds place is 3 hundreds = 300.
 - (d) The place value of 3 at thousands place is 3 thousands = 3000.
6. The place value of 0 is always 0.
7. A number, when expressed as a sum of the place values of its digits is said to be in expanded form.
8. The successor of a number is 1 more than the number.
9. The predecessor of a number is 1 less than the number.
10. If two numbers are given, the number with more digits is greater than the other.
11. Suppose two numbers with same number of digits are given.
To compare them, we take following steps.

Step 1: Compare their digits at the leftmost place.

Step 2: If they are same, compare their digits at the second place from the left.

Step 3: Continue till you get two different digits at the corresponding places.

The number with smaller digit at this place is smaller.

12. Numbers in ascending order means from the smallest to the greatest.
13. Numbers in descending order means from the greatest to the smallest.




Activity Time




Activity to Demonstrate Expanded and Short Form of a Numeral

Take an origami sheet and cut out a rectangular strip. Fold this strip into four equal parts as shown.





Consider a number, say, 8765.

Write the expanded form of 8765 on the strip as shown below:



Now, fold the strip as shown.



The strip when folded shows the short form of the number.

When unfolded, the strip shows the expanded form of the number.

Repeat the above activity with more numbers.

**QUESTION BAG 1****(Objective Type Questions)****Tick (✓) the correct answer.**

1. The place value of the digit 9 in 7890 is
(a) 9 ☐ (b) 90 ☐ (c) 10 ☐ (d) 100 ☐
2. Which of the following numbers has a digit greater than 1 in the hundreds place?
(a) 3072 ☐ (b) 1798 ☐ (c) 9165 ☐ (d) 5005 ☐
3. The smallest 4-digit number is
(a) 1000 ☐ (b) 9999 ☐ (c) 9000 ☐ (d) 1111 ☐
4. How many 3-digit numbers are formed by using the digits 0, 1, 2?
(a) 2 ☐ (b) 6 ☐ (c) 4 ☐ (d) 210 ☐
5. $6000 + 0 + 80 + 2 = ?$
(a) 682 ☐ (b) 6082 ☐ (c) 6802 ☐ (d) 6820 ☐
6. Sum of the odd numbers between 5 and 12 is
(a) 7 ☐ (b) 16 ☐ (c) 17 ☐ (d) 27 ☐
7. The difference between the place value and face value of 2 in 6236 is
(a) 0 ☐ (b) 2 ☐ (c) 198 ☐ (d) 200 ☐
8. The place value of 0 in 6309 is
(a) 0 ☐ (b) 1 ☐ (c) 10 ☐ (d) 100 ☐
9. In which one of the following numbers, the digits cannot be rearranged to get another 4-digit number?
(a) 6000 ☐ (b) 5005 ☐ (c) 1296 ☐ (d) 8877 ☐
10. Saloni drew a number grid as shown below.

1	2		4	5
	7	8		10
11		13	14	
16	17		19	20
	22	23		25

What rule did she use to create this pattern?



- (a) Shade all even numbers
- (b) Shade all odd numbers
- (c) Shade numbers when counting by 3s
- (d) Shade numbers when counting by 4s

11. Which number will come next in the following series?

200, 185, 170, 155,

(a) 140 ☐ (b) 145 ☐ (c) 150 ☐ (d) 135 ☐

12. Which number will come next in the following series?

5, 10, 20, 35, 55,

(a) 70 ☐ (b) 75 ☐ (c) 80 ☐ (d) 85 ☐

13. Which number will come next in the following series?

200, 190, 170, 140,

(a) 130 ☐ (b) 120 ☐ (c) 110 ☐ (d) 100 ☐

14. How many 3-digit numbers can be formed using 9, 6, 3 only once in a number?

(a) 2 ☐ (b) 4 ☐ (c) 6 ☐ (d) None of these ☐

15. Tanya made a 4-digit number using the digits 3, 6, 4 and 9. Her number has the biggest digit at hundreds place. Which of the following is her number?

(a) 3469 ☐ (b) 3694 ☐ (c) 3964 ☐ (d) 364 ☐

16. The difference between the place values of two 4s in the number 4649 is

(a) 990 ☐ (b) 3960 ☐ (c) 3600 ☐ (d) 900 ☐

17. Which of the following sets of numbers is in the correct ascending order?

(a) 6576, 6657, 6675, 6567, 6765, 6756 ☐

(b) 6567, 6657, 6756, 6576, 6675, 6765 ☐

(c) 6576, 6567, 6675, 6657, 6756, 6765 ☐

(d) 6567, 6576, 6657, 6675, 6756, 6765 ☐

18. Choose the odd one out.

(a) 23 ☐ (b) 65 ☐ (c) 48 ☐ (d) 19 ☐

19. In which of the following patterns the next number is found by doubling the number before it?

(a) 5, 10, 15, 20, ☐ (b) 5, 10, 20, 40, ☐

(c) 5, 7, 9, 11, ☐ (d) 5, 9, 13, 17, ☐

20. In which of the following number, the place value of the coloured digit is not equal to its face value?

(a) 5306 ☐ (b) 6152 ☐ (c) 8321 ☐ (d) 5974 ☐

QUESTION BAG 2

1. Encircle the numbers with

- | | | | | | |
|------------------------------|------|------|------|------|------|
| (a) 3 in the ones place | 253 | 6328 | 4731 | 83 | 3182 |
| (b) 9 in the thousands place | 3936 | 9584 | 2395 | 9640 | 2943 |
| (c) 1 in the tens place | 1384 | 617 | 15 | 7541 | 910 |
| (d) 5 in the hundreds place | 3561 | 935 | 157 | 2571 | 503 |

2. Write the number names of the following numerals.

- | | | | |
|----------|----------|----------|----------|
| (a) 1219 | (b) 8015 | (c) 5102 | (d) 7003 |
| (e) 9835 | (f) 6554 | (g) 9999 | (h) 1011 |

3. Fill in the blanks.

- | | |
|---|--|
| (a) 10 ones = <input type="text"/> ten | (b) 10 tens = <input type="text"/> hundred |
| (c) 10 hundreds = <input type="text"/> thousand | (d) 100 ones = <input type="text"/> tens |

4. Fill in the missing numbers in the given sequence.

- | |
|---|
| (a) 8192, 8194, <input type="text"/> , 8198, <input type="text"/> , <input type="text"/> |
| (b) 7775, 7780, <input type="text"/> , <input type="text"/> , 7795, <input type="text"/> |
| (c) 9050, 9070, <input type="text"/> , <input type="text"/> , <input type="text"/> , 9150 |
| (d) 5525, 5550, <input type="text"/> , <input type="text"/> , 5625, <input type="text"/> |



5. Write the place value of the coloured digit in each of the following numerals.

- | | | |
|----------|----------|----------|
| (a) 9653 | (b) 8742 | (c) 3078 |
| (d) 4726 | (e) 1374 | (f) 5691 |

6. Complete the table with the correct numbers.

	Predecessor	Number	Successor
(a)		3000	
(b)		2754	
(c)		5649	
(d)		1009	
(e)		6765	
(f)		9089	

7. Write the predecessor and the successor of the greatest 4-digit number.

8. State whether each of the following statements is true or false.

- (a) The place value of 0 in 5402 is 10.
- (b) The greatest 3-digit number is the predecessor of the smallest 4-digit number.
- (c) The expanded form of a number tells the place value of each of its digits.

9. Compare the following numbers.

- (a) 2861 2681 (b) 3773 3377 (c) 9099 9909
- (d) 8818 8188 (e) 9045 9405 (f) 8236 8326
- (g) 5215 5251 (h) 6234 6324

10. Arrange the following numbers in ascending order.

- (a) 5009, 5900, 5099, 5909, 5090
- (b) 9901, 9091, 9190, 9910, 9109



11. Using the given digits, form the greatest and the smallest 4-digit numbers.

	Digits	Greatest Number	Smallest Number
(a)	6, 5, 9, 1		
(b)	0, 9, 7, 3		
(c)	7, 2, 9, 8		
(d)	6, 0, 4, 9		

12. Write:

- (a) the largest 4-digit even number.
- (b) the smallest 4-digit odd number.

13. (a) Form the greatest 4-digit number using different digits.
(b) Form the smallest 4-digit number using different digits.

