



In Class 2, we have learnt the subtraction of 3-digit numbers. We apply the same method for the subtraction of 4-digit numbers.

Subtraction without Borrowing

Method: For subtracting a number from another number, we take the following steps:

Step 1: Write the smaller number under the larger one in columns.

Step 2: Subtract columnwise.

Subtract ones from ones, tens from tens, hundreds from hundreds and thousands from thousands.

The following examples will make the idea more clear.



Solved Examples

Example 1: Subtract 7532 from 8795.

Solution: Clearly, $8795 > 7532$.

Putting the given numbers in column form and subtracting columnwise, we get:

	Th	H	T	O
	8	7	9	5
–	7	5	3	2
	1	2	6	3



Explanation:

Subtracting ones

: $5 \text{ ones} - 2 \text{ ones} = 3 \text{ ones}$

Write 3 under ones column.

Subtracting tens

: $9 \text{ tens} - 3 \text{ tens} = 6 \text{ tens}$

Write 6 under tens column.

Subtracting hundreds

: $7 \text{ hundreds} - 5 \text{ hundreds} = 2 \text{ hundreds}$

Write 2 under hundreds column.

Subtracting thousands

: $8 \text{ thousands} - 7 \text{ thousands} = 1 \text{ thousand}$

Write 1 under thousands column.

Thus, $8795 - 7532 = 1263$.

Example 2: Find the difference between 3061 and 3572.**Solution:** Both the given numbers are 4-digit numbers.

Their digits at thousands place are the same.

At hundreds place 3572 has 5 while 3061 has 0.

Clearly, $5 > 0$ and therefore, $3572 > 3061$.

Arranging the numbers in column form and subtracting columnwise, we get:

Th	H	T	O
3	5	7	2
- 3	0	6	1
	5	1	1

Subtract
columnwise.

Hence, the difference between the given numbers is 511.

**Exercise 10****Subtract:**

1.

Th	H	T	O
6	5	4	8
- 4	1	3	5

2.

Th	H	T	O
7	9	8	4
- 4	7	5	1

3.

Th	H	T	O
9	8	7	2
- 5	3	4	0

4.

Th	H	T	O
5	6	3	9
- 2	3	1	5

5.

Th	H	T	O
3	2	6	7
- 1	0	3	2

6.

Th	H	T	O
4	7	0	5
- 1	5	0	3

7.

Th	H	T	O
2	3	5	7
-	1	0	3

8.

Th	H	T	O
8	6	4	0
-	3	2	1

9.

Th	H	T	O
3	4	6	2
-	1	2	4

10.

Th	H	T	O
3	9	0	8
-		6	0

11.

Th	H	T	O
6	4	5	0
-		2	3

12.

Th	H	T	O
1	2	3	8
-			2

Write in column form and find the difference.

13. $2782 - 1450$

15. $6305 - 3302$

17. Subtract 3640 from 5863.

19. Subtract 1072 from 3184.

21. Find the difference between 2537 and 3648.

22. Find the difference between 3472 and 3102.

23. Find the difference between 2467 and 2013.

14. $5697 - 4372$

16. $3918 - 1605$

18. Subtract 7365 from 9675.

20. Subtract 478 from 1589.

Subtraction with Borrowing

Example 1: Subtract 2356 from 8525.

Solution: We proceed as shown below:

Step 1: Arrange the numerals columnwise as shown alongside.

Step 2: Subtracting ones:

We want to subtract 6 from 5.

But $6 > 5$.

So, from the tens column, we borrow 1 ten, leaving behind 1 ten.

Now, 1 ten + 5 ones = 10 ones + 5 ones = 15 ones

$\therefore 15 \text{ ones} - 6 \text{ ones} = 9 \text{ ones}$.

Write 9 under ones column.

Th	H	T	O
8	5	2	5
-	2	3	5

Th	H	T	O
		①	⑮
8	5	2	5
-	2	3	5
9			

Step 3: Subtracting tens:

We want to subtract 5 from 1.

But, $5 > 1$.

So, from the hundreds column, we borrow 1 hundred, leaving behind 4 hundreds.

Now, 1 hundred + 1 ten = 10 tens + 1 ten = 11 tens

$\therefore 11 \text{ tens} - 5 \text{ tens} = 6 \text{ tens}$

Write 6 under tens column.

Th	H	T	O
	4	11	15
8	5	2	5
- 2	3	5	6
			6 9

Step 4: Subtracting hundreds:

4 hundreds - 3 hundreds = 1 hundred

Write 1 under hundreds column.

Step 5: Subtracting thousands:

8 thousands - 2 thousands = 6 thousands

Write 6 under thousands column.

Thus, $8525 - 2356 = 6169$.

Th	H	T	O
	4	11	15
8	5	2	5
- 2	3	5	6
6	1	6	9

Example 2: Subtract 4968 from 6753. Check your answer.

Solution: Arranging the given numbers in column form and subtracting columnwise, we get:

Th	H	T	O
5	16	14	13
6	7	5	3
- 4	9	6	8
1	7	8	5

← After borrowing

**Explanation:****Step 1: Subtracting ones:**

We want to subtract 8 from 3. But, $8 > 3$.

So, from the tens column, we borrow 1 ten, leaving behind 4 tens.

Now, 1 ten + 3 ones = 10 ones + 3 ones = 13 ones

$\therefore 13 \text{ ones} - 8 \text{ ones} = 5 \text{ ones}$

Write 5 under ones column.

Step 2: Subtracting tens:

We want to subtract 6 from 4. But, $6 > 4$.

So, from the hundreds column, we borrow 1 hundred, leaving behind 6 hundreds.

Now, 1 hundred + 4 tens = 10 tens + 4 tens = 14 tens

$\therefore 14 \text{ tens} - 6 \text{ tens} = 8 \text{ tens}$

Write 8 under tens column.

Step 3: Subtracting hundreds:

We want to subtract 9 from 6. But, $9 > 6$.

So, from the thousands column, we borrow 1 thousand, leaving behind 5 thousands.

Now, 1 thousand + 6 hundreds = 10 hundreds + 6 hundreds = 16 hundreds

$\therefore 16 \text{ hundreds} - 9 \text{ hundreds} = 7 \text{ hundreds}$.

Write 7 under hundreds column.

Step 4: Subtracting thousands:

5 thousands - 4 thousands = 1 thousand

Write 1 under thousands column.

Thus, $6753 - 4968 = 1785$.

**How to Check Your Answer?**

When the answer obtained on subtraction is added to the smaller number, then we must get the bigger number. In that case, the answer is correct.

In the above case:

Smaller number =

Answer obtained =

Th	H	T	O
4	9	6	8
+	1	7	8
	6	7	5
		3	

= Bigger number



Hence, the answer obtained is correct.

Example 3: Subtract 3654 from 9600 and check the answer.

Solution: Arranging the given numbers in column form and subtracting columnwise, we get:

Th	H	T	O
8	15	9	10
9	5 6	10 0	0
-	3	6	5
	5	9	4

← After borrowing



Explanation:

Step 1: Subtracting ones:

We want to subtract 4 from 0. But $4 > 0$.

So, we borrow 1 ten from the tens place.

But, there is 0 at tens place.

So, we borrow 1 hundred, leaving behind 5 hundreds.

Now, 1 hundred = 10 tens.

Leaving 9 tens at tens place, we borrow 1 ten to the ones place.

1 ten = 10 ones.

Thus, we have 5 at hundreds place, 9 at tens place and 10 at ones place.

Now, 10 ones – 4 ones = 6 ones

Write 6 under ones column.

Step 2: Subtracting tens:

9 tens – 5 tens = 4 tens

Write 4 under tens column.

Step 3: Subtracting hundreds:

We want to subtract 6 from 5. But $6 > 5$.

So, we borrow 1 thousand, leaving behind 8 thousands.

And, 1 thousand + 5 hundreds = 10 hundreds + 5 hundreds
= 15 hundreds

∴ 15 hundreds – 6 hundreds = 9 hundreds

Write 9 under hundreds column.

Step 4: Subtracting thousands:

8 thousands – 3 thousands = 5 thousands

Thus, $9600 - 3654 = 5946$.

Check: Smaller number

=

Answer obtained

=

+

Th	H	T	O
3	6	5	4
5	9	4	6
9	6	0	0

= Bigger number

Hence, the answer obtained is correct.



Example 4: Subtract 2385 from 5000.**Solution:** Arranging the given numbers in column form and subtracting columnwise, we get:

Th	H	T	O
4	9	9	10
5	10	10	0
← After borrowing			
2	3	8	5
2	6	1	5

**Explanation:****Step 1: Subtracting ones:**

We cannot subtract 5 from 0. We have 0 at both tens and hundreds places. So, we borrow 1 thousand, leaving behind 4 thousands.

1 thousand = 10 hundreds

Leaving 9 hundreds at hundreds place, we borrow 1 hundred to the tens place.

1 hundred = 10 tens

Again, leaving 9 tens at tens place, we borrow 1 ten to the ones place.

1 ten = 10 ones

Thus, we have 4 at thousands place, 9 at hundreds place, 9 at tens place and 10 at ones place.

Now, 10 ones – 5 ones = 5 ones

Write 5 under ones column.

Step 2: Subtracting tens:

9 tens – 8 tens = 1 ten

Write 1 under tens column.

Step 3: Subtracting hundreds:

9 hundreds – 3 hundreds = 6 hundreds

Write 6 under hundreds column.

Step 4: Subtracting thousands:

4 thousands – 2 thousands = 2 thousands

Write 2 under thousands column.

Thus, $5000 - 2385 = 2615$.





Exercise 11

Subtract:

1.

Th	H	T	O
4	1	3	1

$$\begin{array}{r} 4131 \\ - 3765 \\ \hline \end{array}$$

2.

Th	H	T	O
7	7	7	7

$$\begin{array}{r} 7777 \\ - 1888 \\ \hline \end{array}$$

3.

Th	H	T	O
5	6	4	3

$$\begin{array}{r} 5643 \\ - 2756 \\ \hline \end{array}$$

4.

Th	H	T	O
4	0	0	0

$$\begin{array}{r} 4000 \\ - 1683 \\ \hline \end{array}$$

5.

Th	H	T	O
6	5	8	1

$$\begin{array}{r} 6581 \\ - 3469 \\ \hline \end{array}$$

6.

Th	H	T	O
5	3	4	0

$$\begin{array}{r} 5340 \\ - 1982 \\ \hline \end{array}$$

7.

Th	H	T	O
5	1	1	1

$$\begin{array}{r} 5111 \\ - 1345 \\ \hline \end{array}$$

8.

Th	H	T	O
3	7	8	5

$$\begin{array}{r} 3785 \\ - 2987 \\ \hline \end{array}$$

9.

Th	H	T	O
7	0	0	0

$$\begin{array}{r} 7000 \\ - 4076 \\ \hline \end{array}$$

10.

Th	H	T	O
3	6	0	0

$$\begin{array}{r} 3600 \\ - 2975 \\ \hline \end{array}$$

11.

Th	H	T	O
6	0	0	1

$$\begin{array}{r} 6001 \\ - 2999 \\ \hline \end{array}$$

12.

Th	H	T	O
9	6	5	0

$$\begin{array}{r} 9650 \\ - 5468 \\ \hline \end{array}$$

13.

Th	H	T	O
7	0	1	3

$$\begin{array}{r} 7013 \\ - 5168 \\ \hline \end{array}$$

14.

Th	H	T	O
8	2	0	5

$$\begin{array}{r} 8205 \\ - 4318 \\ \hline \end{array}$$

15.

Th	H	T	O
3	1	2	0

$$\begin{array}{r} 3120 \\ - 286 \\ \hline \end{array}$$

16.

Th	H	T	O
5	1	0	3

$$\begin{array}{r} 5103 \\ - \quad 485 \\ \hline \end{array}$$

17.

Th	H	T	O
5	0	0	1

$$\begin{array}{r} 5001 \\ - \quad 678 \\ \hline \end{array}$$

18.

Th	H	T	O
2	0	0	0

$$\begin{array}{r} 2000 \\ - \quad 258 \\ \hline \end{array}$$

Find the difference.

19. $3016 - 1258$

20. $3243 - 1879$

21. $8001 - 1678$

22. $6000 - 2832$

23. $4007 - 2789$

24. $7110 - 5678$

Find the difference between:

25. 4796 and 2998

26. 2031 and 1299

27. 8264 and 9020

28. 3953 and 8000



Find the missing numbers.

29.

7		5	6
---	--	---	---

$$\begin{array}{r} 7 \quad \square \quad 5 \quad 6 \\ - \quad 2 \quad 3 \quad \square \quad 9 \\ \hline \square \quad 9 \quad 8 \quad \square \end{array}$$

30.

	2		1
--	---	--	---

$$\begin{array}{r} \square \quad 2 \quad \square \quad 1 \\ - \quad 2 \quad \square \quad 6 \quad 4 \\ \hline 2 \quad 8 \quad 9 \quad \square \end{array}$$

31.

8		6	1
---	--	---	---

$$\begin{array}{r} 8 \quad \square \quad 6 \quad 1 \\ - \quad \square \quad 5 \quad \square \quad 8 \\ \hline 3 \quad 7 \quad 8 \quad \square \end{array}$$

Properties of Subtraction

1. We cannot change the order of numbers in subtraction. This is because, we always subtract a smaller number from a greater number.

2. When a number is subtracted from itself, the difference obtained is 0.

Thus, we have:

$$83 - 83 = 0, \quad 549 - 549 = 0, \quad 8456 - 8456 = 0, \text{ etc.}$$

3. When 0 is subtracted from a number, the difference is the number itself.

Thus, we have:

$$67 - 0 = 67, \quad 801 - 0 = 801, \quad 9632 - 0 = 9632 \text{ etc.}$$

Word Problems

The concept of subtraction helps us do important calculations in everyday life.



Solved Examples

Example 1: How much is 6103 greater than 4817?

Solution: The greater of the given numbers = 6103
 The smaller of the given numbers = 4817
 Difference between the given numbers = $6103 - 4817 = 1286$
 Hence, 6103 is greater than 4817 by 1286.

$$\begin{array}{r}
 \begin{array}{|c|c|c|c|}
 \hline
 \textcircled{5} & \textcircled{10} & \textcircled{9} & \textcircled{13} \\
 \hline
 \cancel{6} & \cancel{0} & \cancel{10} & \cancel{3} \\
 \hline
 4 & 8 & 1 & 7 \\
 \hline
 1 & 2 & 8 & 6 \\
 \hline
 \end{array}
 \end{array}$$

Example 2: The sum of two numbers is 9031. If one of the numbers is 4872, find the other number.

Solution: The sum of the two numbers = 9031
 One of the numbers = 4872
 The other number = $9031 - 4872 = 4159$
 Hence, the other number is 4159.

$$\begin{array}{r}
 \begin{array}{|c|c|c|c|}
 \hline
 \textcircled{8} & \textcircled{9} & \textcircled{12} & \textcircled{11} \\
 \hline
 \cancel{9} & \cancel{10} & \cancel{2} & \cancel{1} \\
 \hline
 4 & 8 & 7 & 2 \\
 \hline
 4 & 1 & 5 & 9 \\
 \hline
 \end{array}
 \end{array}$$

Example 3: What number must be added to 3817 to get 8000?

Solution: The sum of the two numbers = 8000
 One of the numbers = 3817
 The other number = $8000 - 3817 = 4183$
 Hence, 4183 must be added to 3817 to get 8000.

$$\begin{array}{r}
 \begin{array}{|c|c|c|c|}
 \hline
 \textcircled{7} & \textcircled{9} & \textcircled{9} & \textcircled{10} \\
 \hline
 \cancel{8} & \cancel{10} & \cancel{10} & \cancel{0} \\
 \hline
 3 & 8 & 1 & 7 \\
 \hline
 4 & 1 & 8 & 3 \\
 \hline
 \end{array}
 \end{array}$$

Example 4: The population of a village is 7213. The number of males in this village is 4875. What is the number of females in the village?

Solution: Total population of the village = 7213
 Number of males in the village = 4875
 Number of females in the village = $7213 - 4875 = 2338$
 Hence, the number of females in the village is 2338.

$$\begin{array}{r}
 \begin{array}{|c|c|c|c|}
 \hline
 \textcircled{6} & \textcircled{11} & \textcircled{10} & \textcircled{13} \\
 \hline
 \cancel{7} & \cancel{1} & \cancel{0} & \cancel{3} \\
 \hline
 4 & 8 & 7 & 5 \\
 \hline
 2 & 3 & 3 & 8 \\
 \hline
 \end{array}
 \end{array}$$

Example 5: Ahmed earns ₹ 8305 per month. His monthly expenditure is ₹ 6728 and the rest he saves. How much does he save every month?

Solution: Ahmed's total monthly income = ₹ 8305
 His monthly expenditure = ₹ 6728
 His monthly saving = ₹ (8305 – 6728)
 = ₹ 1577

Hence, Ahmed saves ₹ 1577 per month.

$$\begin{array}{r}
 \begin{array}{|c|c|c|c|}
 \hline
 7 & 12 & 9 & 15 \\
 \hline
 8 & 2 & 10 & 5 \\
 \hline
 6 & 7 & 2 & 8 \\
 \hline
 1 & 5 & 7 & 7 \\
 \hline
 \end{array}
 \end{array}$$

Example 6: The price of a radio is ₹ 2800 and that of a transistor is ₹ 2375. Which costs more and by how much?

Solution: The price of a radio = ₹ 2800
 The price of a transistor = ₹ 2375
 Clearly, $2800 > 2375$.
 $\therefore$ The radio costs more than the transistor.
 Difference in their prices = ₹ (2800 – 2375)
 = ₹ 425

Hence, the radio costs more than the transistor by ₹ 425.

$$\begin{array}{r}
 \begin{array}{|c|c|c|c|}
 \hline
 & 7 & 9 & 10 \\
 \hline
 2 & 8 & 10 & 0 \\
 \hline
 2 & 3 & 7 & 5 \\
 \hline
 & 4 & 2 & 5 \\
 \hline
 \end{array}
 \end{array}$$



Exercise 12

- How much is 7005 greater than 5849?
- How much is 3768 less than 5012?
- The sum of two numbers is 8324. If one of the numbers is 5896, what is the other number?
- What number must be added to 5679 to get 9123?
- What number must be subtracted from 6314 to get 4869?
- The difference between two numbers is 2895. If the larger number is 8560, find the smaller one.



7. There are 3250 students in a school. If 1867 of them are boys, how many are girls?
8. 3506 persons visited the zoo on a holiday. Out of these, 1738 were adults. How many children visited the zoo that day?
9. There were 4312 bags of cement in a godown. If 3425 bags were sold out, how many bags were left in the godown?
10. There were 6205 chickens in a poultry farm. Due to some disease 1429 chickens died. How many were left?
11. A carpenter purchased 5014 nails. He used 4725 of them. How many nails were left with him?
12. Mr Raman had ₹ 9213 in his bank account. He withdrew ₹ 7435. How much money has he in the bank now?
13. Uma needs ₹ 5108 to buy a silver chain. She has ₹ 3289 with her. How much more does she need?
14. The total cost of a sewing machine and a cycle is ₹ 3720. If the sewing machine costs ₹ 1975, what is the cost of the cycle?
15. At a certain examination 8320 students appeared. Out of these 6548 could get through. How many failed?
16. Mr Mehta covered a journey of 2315 kilometres. He travelled 1986 kilometres by train and the rest by bus. What distance did he cover by bus?



Things to Remember

1. The result obtained on subtraction is called the difference.
2. We cannot change the order of numbers in subtraction.
3. When a number is subtracted from itself, the difference obtained is 0.
4. When 0 is subtracted from a number, the difference is the number itself.



**Mental Subtraction**

You are already acquainted with both forward and reverse skip counting in tens.

Let us review the idea.

Consider the pattern: 90, 80, 70, ..., ..., ..., ...

Clearly, the above pattern may be completed as: 90, 80, 70, 60, 50, 40, 30.

Again, consider the pattern 86, 76, 66, ...,

This pattern may be completed as 86, 76, 66, 56, 46, 36, 26.

Clearly, skip counting in tens is based on adding and subtracting 10.

So, now it must be quite simple for you to subtract 10, 20, 30, ... from a given number.

Thus, we have:

$78 - 10 = 68$, $63 - 20 = 43$, $56 - 30 = 26$ and so on.

Let us use this principle to carry out subtractions orally or mentally.

Let us subtract 23 from 96.

Clearly, 23 is 20 and 3.

So, first we subtract 20 from 96 and then we subtract 3 from the difference so obtained.

Now, $96 - 20 = 76$.

And, $76 - 3 = 73$.

So, $96 - 23 = 73$.

Again, let us subtract 38 from 54.

Now, 38 is 30 and 8;

$54 - 30 = 24$ and $24 - 8 = 16$

So, $54 - 38 = 16$.



To subtract mentally, we split the number to be subtracted into tens and ones. We subtract the number of tens first from the given number and then from the difference so obtained, we subtract the number of ones to get the answer.

Subtract mentally.

1. $95 - 21$

2. $88 - 55$

3. $68 - 47$

4. $52 - 26$

5. $73 - 37$

6. $85 - 58$

**QUESTION BAG 1****(Objective Type Questions)**

Tick (✓) the correct answer.

1. $900 - 201 = ?$

- (a) 699 ☐ (b) 700 ☐ (c) 701 ☐ (d) 799 ☐

2. The number with more digits is

- (a) always greater ☐ (b) sometimes greater ☐
(c) always smaller ☐ (d) can't say ☐

3. 14 less than 41 is

- (a) 7 ☐ (b) 33 ☐ (c) 27 ☐ (d) 37 ☐

4. $9000 - 3782 = ?$

- (a) 5128 ☐ (b) 5218 ☐ (c) 5328 ☐ (d) 6782 ☐

5. Which number will come next in the pattern shown below?

63, 61, 57, 51, ...

- (a) 41 ☐ (b) 43 ☐ (c) 45 ☐ (d) 47 ☐

6. Look at the number sentence below:

$$87 + \boxed{} = 141$$

Which number will make the number sentence true?

- (a) 54 ☐ (b) 56 ☐ (c) 64 ☐ (d) 68 ☐

7. What is $15 - 14 + 13 - 12 + 11 - 10 + 9 - 8$?

- (a) 92 ☐ (b) 48 ☐ (c) 4 ☐ (d) 1 ☐

8. A stationary store sold 120 notebooks on Monday and 94 notebooks on Tuesday. How many fewer notebooks did he sell on Tuesday than he sold on Monday?

- (a) 24 ☐ (b) 26 ☐ (c) 34 ☐ (d) 36 ☐

9. $800 - \boxed{} \text{ tens} = 630$

- (a) 17 ☐ (b) 170 ☐ (c) 27 ☐ (d) 270 ☐

10. Which digit should come in place of so that following subtraction is correct?

$$\begin{array}{r}
 902 \\
 - 2\boxed{}7 \\
 \hline
 635
 \end{array}$$



- (a) 5 ☐ (b) 6 ☐ (c) 7 ☐ (d) 9 ☐
11. In the month of March, there were 16 working days. How many days were holidays?
 (a) 12 ☐ (b) 13 ☐ (c) 14 ☐ (d) 15 ☐
12. A bakery shop has 23 pineapple pastries, 28 mango pastries and 45 chocolate pastries. If 69 pastries are sold on a certain day, how many pastries are left unsold?
 (a) 4 ☐ (b) 27 ☐ (c) 36 ☐ (d) 37 ☐

QUESTION BAG 2

1. Subtract:

(a)
$$\begin{array}{r}
 6025 \\
 - 3948 \\
 \hline
 \end{array}$$

(b)
$$\begin{array}{r}
 4070 \\
 - 1796 \\
 \hline
 \end{array}$$

(c)
$$\begin{array}{r}
 5002 \\
 - 1835 \\
 \hline
 \end{array}$$

2. Fill in the blank boxes.

(a) $6392 - \boxed{} = 6392$

(b) $8475 - \boxed{} = 0$

(c) $7420 - 0 = \boxed{}$

(d) $6780 - \boxed{} = 6779$

(e) $4975 - 1 = \boxed{}$

(f) $\boxed{} - 1 = 8984$

3. Fill in the blank boxes.

(a) $5596 - 10 = \boxed{}$

(b) $6360 - 100 = \boxed{}$

(c) $8859 - \boxed{} = 8759$

(d) $8890 - \boxed{} = 8880$

(e) $9105 - 1000 = \boxed{}$

(f) $5555 - \boxed{} = 4555$

4. Fill in the blank boxes.

(a) $150 - \boxed{} = 125$

(b) $100 - \boxed{} = 20$

(c) $150 - \boxed{} = 80$

(d) $250 - \boxed{} = 150$

(e) $19 - 6 = \boxed{} - 4$

(f) $15 - 4 = 8 + \boxed{}$

(g) $\boxed{} - 5 = 18 - 2$

(h) $30 + \boxed{} = 40 - 5$

(i) $50 - 10 = 20 + \boxed{}$

(j) $30 - 15 = 10 + \boxed{}$

5. Fill in the placeholders with >, < or =.

(a) $100 - 40 \bigcirc 120 - 60$

(b) $75 - 25 \bigcirc 90 - 30$

(c) $1000 - 300 \bigcirc 850 - 200$

6. The sum of two numbers is 8136. One of them is 3887. What is the other number?
7. By how much is 3945 greater than 3459?
8. Out of 1215 books in a library, 347 books were lent out. How many books are still in the library?
9. Reena had 2614 marbles. She gave 1829 to her friends. How many marbles does she have now?
10. Rajan has 1167 stamps while his brother Sajal has 1843 stamps. Who has more stamps and by how many?
11. A box had some red and blue balls. If there were 7645 balls out of which 2869 were blue, how many balls were red?

