



PRACTICE

COMPETE

JOBS

LEADERBOARD

Search



adivamsi2000 ▾

Practice > Interview Preparation Kit > String Manipulation > Strings: Making Anagrams

Strings: Making Anagrams ☆

Problem

Submissions

Leaderboard

Discussions

Editorial

Alice is taking a cryptography class and finding anagrams to be very useful. We consider two strings to be anagrams of each other if the first string's letters can be rearranged to form the second string. In other words, both strings must contain the same exact letters in the same exact frequency. For example, bacdc and dcbac are anagrams, but bacdc and dcbad are not.

Alice decides on an encryption scheme involving two large strings where encryption is dependent on the minimum number of character deletions required to make the two strings anagrams. Can you help her find this number?

Given two strings, ***a*** and ***b***, that may or may not be of the same length, determine the minimum number of character deletions required to make ***a*** and ***b*** anagrams. Any characters can be deleted from either of the strings.

For example, if ***a*** = ***cde*** and ***b*** = ***dcf***, we can delete ***e*** from string ***a*** and ***f*** from string ***b*** so that both remaining strings are ***cd*** and ***dc*** which are anagrams.

Function Description

Complete the `makeAnagram` function in the editor below. It must return an integer representing the minimum total characters that must be deleted to make the strings anagrams.

Author [amititkgp](#)
Difficulty [Easy](#)
Max Score 25
Submitted By [166237](#)

NEED HELP?

[View discussions](#) [View editorial](#) [View top submissions](#)

RESOURCES



2:09

makeAnagram has the following parameter(s):

- **a**: a string
- **b**: a string

Input Format

The first line contains a single string, **a**.

The second line contains a single string, **b**.

Constraints

- $1 \leq |a|, |b| \leq 10^4$
- The strings **a** and **b** consist of lowercase English alphabetic letters `ascii[a-z]`.

Output Format

Print a single integer denoting the number of characters you must delete to make the two strings anagrams of each other.

Sample Input

```
cde
abc
```

Sample Output

```
4
```

Explanation

We delete the following characters from our two strings to turn them into anagrams of each other:

 [Strings: An Overview](#)

RATE THIS CHALLENGE



MORE DETAILS

 [Download problem statement](#)

 [Download sample test cases](#)

 [Suggest Edits](#)



1. Remove d and e from cde to get c.
2. Remove a and b from abc to get c.

We must delete **4** characters to make both strings anagrams, so we print **4** on a new line.

[Change Theme](#)

Python 3



```
1  from collections import *
2  a = Counter(input())
3  b = Counter(input())
4  c = a - b
5  d = b - a
6  e = c + d
7  print (len(list(e.elements())))
```

Line: 7 Col: 32

 Upload Code as File☐ Test against custom input

Run Code

Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ Sample Test case 0

✓ Sample Test case 1

✓ Sample Test case 2

Input (stdin)

[Download](#)

1	cde
2	abc

Your Output (stdout)

1	4
---	---

Expected Output

[Download](#)

1	4
---	---

[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)