K.R. MANGALAM UNIVERSITY

Database Management Lab File (ENCS205)

Bachelor of Technology
in
Computer Science and Engineering

Submitted by
Aditya Wadhawan (2401010023)

B. Tech CSE (Core) – 4 Semester

Submitted To:
MS. Mansi Kajal

School of Engineering & Technology

K. R. MANGALAM UNIVERSITY Sohna, Haryana 122103, India Jan-2026

QUESTION : Assignment 4

Consider the following table: Table: CLASS

ID	Name
1	Bravo
2	Alex
4	Cheng

Give the output of the following SQL script:

- **INSERT INTO class VALUES (5,’Rahul’);**
- **COMMIT;**
- **UPDATE class SET name = ‘Abhijeet’ WHERE id= ‘5’;**
- **SAVEPOINT A;**
- **INSERT INTO class VALUES (6, ‘Chris’);**
- **SAVEPOINT B;**
- **INSERT INTO class VALUES (7, ‘Bravo’);**
- **SAVEPOINT C**
- **SELECT * FROM class;**
- **ROLLBACK TO B;**
- **SELECT * FROM class;**
- **ROLLBACK TO A;**

CODE :

```
SET autocommit = 0;


CREATE TABLE class (
   id INT,
   name VARCHAR(50)
);



INSERT INTO class VALUES (1,'Bravo');
INSERT INTO class VALUES (2,'Alex');
INSERT INTO class VALUES (4,'Cheng');

INSERT INTO class VALUES (5,'Rahul');
COMMIT;
```

```
UPDATE class SET name='Abhijeet' WHERE id='5';

SAVEPOINT A;

INSERT INTO class VALUES (6,'Chris');

SAVEPOINT B;

INSERT INTO class VALUES (7,'Bravo');

SAVEPOINT C;

SELECT * FROM class;

ROLLBACK TO B;

SELECT * FROM class;

ROLLBACK TO A;
```

Table :

Result Grid

id	name
1	Bravo
2	Alex
4	Cheng
5	Abhijeet
6	Chris
NULL	NULL

Assignment (4.2)

Consider the following table: Table: ACCOUNT_TXN

Acc_ID	Holder_Name	Balance
101	Aman	5000
102	Bhavna	7000
103	Chirag	6000

Perform the following TCL-based SQL script and write the output after each SELECT statement:

CODE :

```
SET autocommit = 0;

DROP TABLE IF EXISTS ACCOUNT_TXN;

CREATE TABLE ACCOUNT_TXN (
   Acc_ID INT PRIMARY KEY,
   Holder_Name VARCHAR(50),
   Balance INT
);

INSERT INTO ACCOUNT_TXN VALUES
(101,'Aman',5000),
(102,'Deepak',7000),
(103,'Chirag',6000);

SELECT * FROM ACCOUNT_TXN;

START TRANSACTION;

INSERT INTO ACCOUNT_TXN VALUES (104,'Diya',4000);

SAVEPOINT S1;

UPDATE ACCOUNT_TXN SET Balance = Balance + 1500 WHERE Acc_ID = 101;

UPDATE ACCOUNT_TXN SET Balance = Balance - 1000 WHERE Acc_ID = 102;

SAVEPOINT S2;

DELETE FROM ACCOUNT_TXN WHERE Acc_ID = 103;

INSERT INTO ACCOUNT_TXN VALUES (105,'Eshan',3000);
```

```
SAVEPOINT S3;

UPDATE ACCOUNT_TXN SET Holder_Name = 'Bhavna Sharma' WHERE Acc_ID = 102;

SELECT * FROM ACCOUNT_TXN;

ROLLBACK TO S2;

SELECT * FROM ACCOUNT_TXN;

INSERT INTO ACCOUNT_TXN VALUES (106,'Farah',4500);

SAVEPOINT S4;

UPDATE ACCOUNT_TXN SET Balance = Balance + 500
WHERE Acc_ID IN (101,104);

SELECT * FROM ACCOUNT_TXN;

ROLLBACK TO S4;

SELECT * FROM ACCOUNT_TXN;

COMMIT;
```

OUTPUT :

Result Grid | Filter Rows:

Acc_ID	Holder_Name	Balance
101	Aman	6500
102	Deepak	6000
103	Chirag	6000
104	Diya	4000
106	Farah	4500
NULL	NULL	NULL