

Experiment 4

Aim 1: Create a webpage where the user enters two numbers.
When the button is clicked, it shows which number is greater.

Code :

```
<!DOCTYPE html>
<html>
<head>
  <title>Compare Two Values</title>

  <style>
    body {
      margin: 0;
      height: 100vh;
      display: grid;
      place-items: center;
      font-family: Georgia, serif;

      /* ORANGE BACKGROUND */
      background: linear-gradient(135deg, #ff9a3c,
#ff5e00);
    }

    .card {
      background: #ffffff;
      width: 320px;
      padding: 30px;
      border-radius: 12px;
      text-align: center;
      box-shadow: 0 12px 25px rgba(0,0,0,0.25);
    }

    h3{
      color:#e65100;
      margin-bottom:10px;
    }

    input {
      width: 95%;
      padding: 10px;
      margin: 10px 0;
      border-radius: 8px;
```

```

        /* ORANGE BORDER */
        border: 2px solid #ff7a18;
    }

    input:focus{
        outline:none;
        border-color:#ff5e00;
        box-shadow:0 0 6px rgba(255,94,0,0.5);
    }

    button {
        width: 100%;
        padding: 10px;

        /* ORANGE BUTTON */
        background:
linear-gradient(135deg,#ff7a18,#ff4d00);

        color: white;
        border: none;
        border-radius: 8px;
        cursor: pointer;
        font-weight: bold;
    }

    button:hover{
        background:
linear-gradient(135deg,#ff8c2f,#ff5e00);
        transform: translateY(-1px);
    }

    #result {
        margin-top: 15px;
        font-weight: bold;
        color: #e65100;
    }
</style>
</head>
<body>

<div class="card">
    <h3>Number Comparator</h3>

    <input type="number" id="num1" placeholder="Enter First
Value">
    <input type="number" id="num2" placeholder="Enter Second
Value">

    <button onclick="compareNumbers()">Check Result</button>


```

```
<div id="result"></div>
</div>

<script>
  function compareNumbers() {
    let a = Number(document.getElementById("num1").value);
    let b = Number(document.getElementById("num2").value);
    let display = document.getElementById("result");

    if (isNaN(a) || isNaN(b)) {
      display.innerHTML = "Enter valid numbers!";
      display.style.color = "red";
    }
    else if (a > b) {
      display.innerHTML = a + " is greater.";
      display.style.color = "#e65100";
    }
    else if (b > a) {
      display.innerHTML = b + " is greater.";
      display.style.color = "#e65100";
    }
    else {
      display.innerHTML = "Both numbers are equal.";
      display.style.color = "#e65100";
    }
  }
</script>
</body>
</html>
```

OUTPUT :



Number Comparator

5

6

Check Result

6 is greater.

Aim 2: Create a web page where user enters something in text input box so, when the button is click it show how many character are enters

Code :

```
<!DOCTYPE html>
<html>
<head>
<title>Character Counter</title>
<style>
    body {
        margin: 0;
        height: 100vh;
        display: flex;
        justify-content: center;
        align-items: center;
        font-family: "Courier New", monospace;

        /* BLUE GRADIENT BACKGROUND */
        background: linear-gradient(120deg, #1e3c72,
#2a5298);
    }

    .box {
        background: white;
        width: 350px;
        padding: 25px;
        border-radius: 15px;
        text-align: center;
        box-shadow: 0 10px 30px rgba(0,0,0,0.3);
    }

    h3{
        color:#1e3c72;
        margin-bottom:10px;
    }

    textarea {
        width: 95%;
        height: 80px;
        padding: 8px;
        border-radius: 8px;

        /* BLUE BORDER */
        border: 2px solid #2a5298;
    }

    textarea:focus{
```

```

        outline:none;
        border-color:#1e88e5;
        box-shadow:0 0 6px rgba(30,136,229,0.5);
    }

    button {
        margin-top: 10px;
        padding: 10px;
        width: 100%;

        /* BLUE BUTTON */
        background:
            linear-gradient(135deg,#1e88e5,#1565c0);

        color: white;
        border: none;
        border-radius: 8px;
        cursor: pointer;
        font-weight: bold;
    }

    button:hover{
        background:
            linear-gradient(135deg,#42a5f5,#1e88e5);
    }

    #output {
        margin-top: 12px;
        font-weight: bold;
        color: #1e3c72; }
</style>
</head>
<body>
<div class="box">
    <h3>Text Counter</h3>

    <textarea    id="textInput"    placeholder="Type
something..."></textarea>
    <button    onclick="countCharacters()">Count
Characters</button>


    <div id="output"></div>
</div>
<script>
    function countCharacters() {
        let text = document.getElementById("textInput").value;
        let totalChars = text.length;

        document.getElementById("output").innerHTML =

```

```
        "Total Characters Entered: " + totalChars; }  
</script>  
</body>  
</html>
```

OUTPUT :



The screenshot displays a web application titled "Text Counter" centered on a dark blue background. The application interface is contained within a white rounded rectangle. At the top of this rectangle is the title "Text Counter" in bold black text. Below the title is a text input field with a light gray border and rounded corners, containing the text "PRANAV". Underneath the input field is a solid blue button with the text "Count Characters" in white. At the bottom of the white container, the text "Total Characters Entered: 6" is displayed in bold black font.

Aim 3: Write a program where user enters name, marks and attendance percentage now when the button is used the program shows grade, pass/fail check scholarship eligibility and change result color based on performance.

Code :

```
<!DOCTYPE html>
<html>
<head>
<title>Student Performance Checker</title>
<style>
    body {
        margin: 0;
        height: 100vh;
        display: flex;
        justify-content: center;
        align-items: center;
        font-family: Tahoma;

        /* GREEN BACKGROUND */
        background: linear-gradient(120deg, #11998e,
#38ef7d);
    }

    .container {
        background: #ffffff;
        width: 400px;
        padding: 30px;
        border-radius: 18px;
        text-align: center;
        box-shadow: 0 12px 35px rgba(0,0,0,0.3);
    }

    h2{
        color:#0f7a6c;
        margin-bottom:10px;
    }

    input {
        width: 95%;
        padding: 10px;
        margin: 10px 0;
        border-radius: 8px;

        /* GREEN BORDER */
        border: 2px solid #1abc9c;
    }
```

```

        input:focus{
            outline:none;
            border-color:#0f9d58;
            box-shadow:0 0 6px rgba(15,157,88,0.4);
        }

        button {
            width: 100%;
            padding: 12px;

            /* GREEN BUTTON */
            background:
                linear-gradient(135deg,#16a085,#27ae60);

            color: white;
            border: none;
            border-radius: 8px;
            cursor: pointer;
            font-size: 15px;
            font-weight: bold;
        }

        button:hover {
            background:
                linear-gradient(135deg,#1abc9c,#2ecc71);
        }

        #resultArea {
            margin-top: 15px;
            padding: 12px;
            border-radius: 10px;
            font-weight: bold;
        }
    </style>
</head>

<body>

<div class="container">
    <h2>Student Performance Report</h2>

    <input type="text" id="sName" placeholder="Enter Student Name">
    <input type="number" id="sMarks" placeholder="Enter Marks (0-100)">
        <input type="number" id="sAttend" placeholder="Enter Attendance (%)">

```



```

<button onclick="generateReport()">Show Result</button>

<div id="resultArea"></div>
</div>

<script>
function generateReport() {

    let name = document.getElementById("sName").value;
    let marks =
parseFloat(document.getElementById("sMarks").value);
    let attendance =
parseFloat(document.getElementById("sAttend").value);
    let resultBox =
document.getElementById("resultArea");

    if (isNaN(marks) || isNaN(attendance) || name === "")
    {
        resultBox.innerHTML = "Please fill all fields
correctly!";
        resultBox.style.backgroundColor = "#f4d03f";
        resultBox.style.color = "black";
        return;
    }

    let grade;
    if (marks >= 85) grade = "A";
    else if (marks >= 70) grade = "B";
    else if (marks >= 55) grade = "C";
    else if (marks >= 40) grade = "D";
    else grade = "E";

    let status = (marks >= 40 && attendance >= 75) ?
"PASS" : "FAIL";

    let remark;
    if (marks >= 85 && attendance >= 85)
        remark = "Excellent Performance";
    else if (marks >= 60)
        remark = "Good Performance";
    else if (marks >= 40)
        remark = "Average Performance";
    else
        remark = "Needs Improvement";

    let scholarship = (marks >= 90 && attendance >= 90)
? "Scholarship Granted"
: "No Scholarship";

```

```
        resultBox.style.backgroundColor = (status === "PASS")
        ? "#27ae60" : "#e74c3c";
        resultBox.style.color = "white";

        resultBox.innerHTML =
            "Name: " + name + "<br>" +
            "Grade: " + grade + "<br>" +
            "Result: " + status + "<br>" +
            "Remark: " + remark + "<br>" +
            scholarship;
    }
</script>
</body>
</html>
```

OUTPUT :

Student Performance Report

Aditya

87

79

Show Result

Name: Aditya
Grade: A
Result: PASS
Remark: Good Performance
No Scholarship