

At first you may say like the project is not working, please go through the below info.

Create MySQL database using WorkBench with username and password as 'root'. If yours differ from this, please change the details in the file 'mysqlconnect.php' and then proceed to create the below tables.

```
mysql> describe amino;
```

```
{
    CREATE TABLE `amino` (
      `id` int(10) NOT NULL AUTO_INCREMENT,
      `pname` varchar(255) NOT NULL,
      `originalprice` int(10) DEFAULT NULL,
      `soldprice` int(10) NOT NULL,
      `imgsrc` varchar(255) NOT NULL,
      `category` varchar(255) NOT NULL,
      `image1` varchar(255) DEFAULT NULL,
      `image2` varchar(255) DEFAULT NULL,
      `image3` varchar(255) DEFAULT NULL,
      `desc` mediumtext,
      `productinfo` mediumtext,
      PRIMARY KEY (`id`)
    )
}
```

Field	Type	Null	Key	Default	Extra
id	int(10)	NO	PRI	NULL	auto_increment
pname	varchar(255)	NO		NULL	
originalprice	int(10)	YES		NULL	
soldprice	int(10)	NO		NULL	
imgsrc	varchar(255)	NO		NULL	
category	varchar(255)	NO		NULL	
image1	varchar(255)	YES		NULL	
image2	varchar(255)	YES		NULL	
image3	varchar(255)	YES		NULL	
desc	mediumtext	YES		NULL	
productinfo	mediumtext	YES		NULL	

11 rows in set (0.05 sec)

```
mysql> describe gainers;
```

```
{
    CREATE TABLE `gainers` (
      `id` int(10) NOT NULL AUTO_INCREMENT,
      `pname` varchar(255) NOT NULL,
      `originalprice` int(10) DEFAULT NULL,
      `soldprice` int(10) NOT NULL,
      `imgsrc` varchar(255) NOT NULL,
    )
}
```

```

`category` varchar(255) NOT NULL,
`image1` varchar(255) DEFAULT NULL,
`image2` varchar(255) DEFAULT NULL,
`image3` varchar(255) DEFAULT NULL,
`desc` mediumtext,
`productinfo` mediumtext,
PRIMARY KEY (`id`)
)

```

```
}

```

Field	Type	Null	Key	Default	Extra
id	int(10)	NO	PRI	NULL	auto_increment
pname	varchar(255)	NO		NULL	
originalprice	int(10)	YES		NULL	
soldprice	int(10)	NO		NULL	
imgsrc	varchar(255)	NO		NULL	
category	varchar(255)	NO		NULL	
image1	varchar(255)	YES		NULL	
image2	varchar(255)	YES		NULL	
image3	varchar(255)	YES		NULL	
desc	mediumtext	YES		NULL	
productinfo	mediumtext	YES		NULL	

```
11 rows in set (0.00 sec)

```

```
mysql> describe omega;

```

```
{

```

```

CREATE TABLE `omega` (
  `id` int(10) NOT NULL AUTO_INCREMENT,
  `pname` varchar(255) NOT NULL,
  `originalprice` int(10) DEFAULT NULL,
  `soldprice` int(10) NOT NULL,
  `imgsrc` varchar(255) NOT NULL,
  `category` varchar(255) NOT NULL,
  `image1` varchar(255) DEFAULT NULL,
  `image2` varchar(255) DEFAULT NULL,
  `image3` varchar(255) DEFAULT NULL,
  `desc` mediumtext,
  `productinfo` mediumtext,
  PRIMARY KEY (`id`)
)

```

```
}

```

Field	Type	Null	Key	Default	Extra
id	int(10)	NO	PRI	NULL	auto_increment
pname	varchar(255)	NO		NULL	
originalprice	int(10)	YES		NULL	

soldprice	int(10)	NO		NULL	
imgsrc	varchar(255)	NO		NULL	
category	varchar(255)	NO		NULL	
image1	varchar(255)	YES		NULL	
image2	varchar(255)	YES		NULL	
image3	varchar(255)	YES		NULL	
desc	mediumtext	YES		NULL	
productinfo	mediumtext	YES		NULL	

11 rows in set (0.05 sec)

```
mysql> describe proteins;
{
    CREATE TABLE `proteins` (
      `id` int(10) NOT NULL AUTO_INCREMENT,
      `pname` varchar(255) NOT NULL,
      `originalprice` int(10) DEFAULT NULL,
      `soldprice` int(10) NOT NULL,
      `imgsrc` varchar(255) NOT NULL,
      `category` varchar(255) NOT NULL,
      `image1` varchar(255) DEFAULT NULL,
      `image2` varchar(255) DEFAULT NULL,
      `image3` varchar(255) DEFAULT NULL,
      `desc` mediumtext,
      `productinfo` mediumtext,
      PRIMARY KEY (`id`)
    )
}
```

Field	Type	Null	Key	Default	Extra
id	int(10)	NO	PRI	NULL	auto_increment
pname	varchar(255)	NO		NULL	
originalprice	int(10)	YES		NULL	
soldprice	int(10)	NO		NULL	
imgsrc	varchar(255)	NO		NULL	
category	varchar(255)	NO		NULL	
image1	varchar(255)	YES		NULL	
image2	varchar(255)	YES		NULL	
image3	varchar(255)	YES		NULL	
desc	mediumtext	YES		NULL	
productinfo	mediumtext	YES		NULL	

11 rows in set (0.00 sec)

```
mysql> describe vitamins;
{
    CREATE TABLE `vitamins` (
      `id` int(10) NOT NULL AUTO_INCREMENT,
      `pname` varchar(255) NOT NULL,
```

```

`originalprice` int(10) DEFAULT NULL,
`soldprice` int(10) NOT NULL,
`imgsrc` varchar(255) NOT NULL,
`category` varchar(255) NOT NULL,
`image1` varchar(255) DEFAULT NULL,
`image2` varchar(255) DEFAULT NULL,
`image3` varchar(255) DEFAULT NULL,
`desc` mediumtext,
`productinfo` mediumtext,
PRIMARY KEY (`id`)
)

```

```

}

```

Field	Type	Null	Key	Default	Extra
id	int(10)	NO	PRI	NULL	auto_increment
pname	varchar(255)	NO		NULL	
originalprice	int(10)	YES		NULL	
soldprice	int(10)	NO		NULL	
imgsrc	varchar(255)	NO		NULL	
category	varchar(255)	NO		NULL	
image1	varchar(255)	YES		NULL	
image2	varchar(255)	YES		NULL	
image3	varchar(255)	YES		NULL	
desc	mediumtext	YES		NULL	
productinfo	mediumtext	YES		NULL	

```

11 rows in set (0.00 sec)

```

```

mysql> describe cart;

```

```

{

```

```

    CREATE TABLE `cart` (
      `sessionid` varchar(255) NOT NULL,
      `productid` int(10) NOT NULL,
      `username` varchar(255) DEFAULT NULL,
      `category` varchar(255) NOT NULL
    )

```

```

}

```

Field	Type	Null	Key	Default	Extra
sessionid	varchar(255)	NO		NULL	
productid	int(10)	NO		NULL	
username	varchar(255)	YES		NULL	
category	varchar(255)	NO		NULL	

```

4 rows in set (0.00 sec)

```

```

mysql> describe credentials;

```

```

{

```

```
CREATE TABLE `credentials` (
  `firstname` varchar(30) NOT NULL,
  `lastname` varchar(30) DEFAULT NULL,
  `username` varchar(30) NOT NULL,
  `password` varchar(30) NOT NULL,
  PRIMARY KEY (`username`),
  UNIQUE KEY `UID_UNIQUE` (`username`)
)
```

```
}
```

Field	Type	Null	Key	Default	Extra
firstname	varchar(30)	NO		NULL	
lastname	varchar(30)	YES		NULL	
username	varchar(30)	NO	PRI	NULL	
password	varchar(30)	NO		NULL	

4 rows in set (0.00 sec)