№6

Linux

2025-09-20

 $\label{eq:linux:} \operatorname{Linux:} \qquad , \qquad \qquad , \qquad \qquad \mathsf{ls, cd, pwd,}$ $\mathsf{mkdir, rmdir, rm,} \qquad \qquad .$

1.	
2.	$/{\tt tmp},$
3.	/var/spool/cron.
4.	mkdir, rmdir, rm.
5.	man ls .
6.	cd, pwd, mkdir, rmdir, rm.
7.	(history).

3.1 1.

pwd

:/home/linux

3.2 2. /tmp

2.1. /tmp:

cd /tmp

2.2. :- ls —

• ls -1 — (, ,)

:ls ,ls -l — .

```
3.3 3. cron
```

```
ls -l /var/spool | grep cron
ls -ld /var/spool/cron
...

3.4 4.
cd ~
ls -l
, linux.
```

3.5 5.

• newdir:

```
mkdir ~/newdir

• :

mkdir ~/letters ~/memos ~/misk

• :
```

rmdir ~/letters ~/memos ~/misk

3.6 6.				
•	~/newdir	rm	(-r).
•	~/newdir/mon	refun	,	·
3.7 7.	man			ls
man ls				
3.8 8.				
ls -R				
3.9 9.				
ls -lt				
ls -ltr				
3.10 10.				

history

```
?
 1.
 2.
                                        ?
pwd
, :/home/linux.
                                                      ?
3.
ls -F
 (
                              ).
 4.
ls -a
 (
                  .).
                                                    ?
                             ?
 5.
- : rm filename
      :rmdir dirname
       :rm -r dirname
                           ( -r).
, rm
                                             ?
6.
history
```

```
7.
                                                    ?
!15
                               \uparrow \downarrow.
  8.
cd /tmp && ls
pwd; date
  9.
   :
echo "Hello \$USER"
  10.
                                                   ls
                                                       -l.
ls -l
  11.
                               ?
                    :/home/linux/file.txt.
                             : ../file.txt.
                                        ?
  12.
   man:
man ls
  13.
                                                                  ?
     {\bf Tab}\ (
                                  ).
```

; - ; - man; - .