Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Assessment Number:	**40165288**	Group Score:	**83.2%**
Institution:	**Joyce University of Nursing and Health Sciences ASN**	Reliability:	**0.65**
Program Type:	**ADN**		
Group Size:	**253**		
Date Test:	**3/17/2026**		
Total # of Points:	**58**		

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Outcomes

Nursing Process	No Of Points	Group Score	Description
RN Assessment	11	80.0%	The assessment step of the nursing process involves application of nursing knowledge to the collection, organization, validation and documentation of data about a client's health status. The nurse focuses on the client's response to a specific health problem including the client's health beliefs and practices. The nurse thinks critically to perform a comprehensive assessment of subjective and objective information. Nurses must have excellent communication and assessment skills in order to plan client care.
RN Analysis/Diagnosis	17	74.0%	The analysis step of the nursing process involves the nurse's ability to analyze assessment data to identify health problems/risks and a client's needs for health intervention. The nurse identifies patterns or trends, compares the data with expected standards or reference ranges and draws conclusions to direct nursing care. The nurse then frames nursing diagnoses in order to direct client care.
RN Planning	7	86.0%	The planning step of the nursing process involves the nurse's ability to make decisions and problem solve. The nurse uses a client's assessment data and nursing diagnoses to develop measureable client goals/outcomes and identify nursing interventions. The nurse uses evidenced based practice to set client goals, establish priorities of care, and identify nursing interventions to assist the client to achieve his goals.
RN Implementation/Therapeutic Nursing Intervention	18	86.0%	The implementation step of the nursing process involves the nurse's ability to apply nursing knowledge to implement interventions to assist a client to promote, maintain, or restore his health. The nurse uses problem-solving skills, clinical judgment, and critical thinking when using interpersonal and technical skills to provide client care. During this step the nurse will also delegate and supervise care and document the care and the client's response.
RN Evaluation	2	92.0%	The evaluation step of the nursing process involves the nurse's ability to evaluate a client's response to nursing interventions and to reach a nursing judgment regarding the extent to which the client has met the goals and outcomes. During this step the nurse will also assess client/staff understanding of instruction, the effectiveness of interventions, and identify the need for further intervention or the need to alter the plan.

Priority Setting	No Of Points	Group Score	Description
Priority Setting	9	81.0%	Ability to demonstrate nursing judgment in making decisions about priority responses to a client problem. Also includes establishing priorities regarding the sequence of care to be provided to multiple clients.

Thinking Skills	No Of Points	Group Score	Description
Foundational Thinking	16	83.0%	The ability to comprehend information and concepts.
Clinical Application	21	82.0%	The ability to apply nursing knowledge to a clinical situation.
Clinical Judgment	19	79.0%	The ability to analyze and interpret elements of a clinical situation to make a decision and respond appropriately.

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Clinical Judgment	No Of Points	Group Score	Description
Recognize Cues	5	81.0%	Filter information from different sources (i.e., signs, symptoms, health history, environment). Identify relevant information related to the client's condition. Use knowledge, experience and evidence to assess clients. Use verbal, nonverbal, written, and electronic modes of communication. Recognize relevant subjective/objective client data. Identify subtle and apparent changes in client condition and related factors.
Analyze Cues	24	75.0%	Link recognized cues to a client's clinical presentation and establishing probable client needs, concerns, or problems. Compare client findings to evidence-based resources and standards of care. Analyze expected and unexpected findings in health data. Anticipate illness/injury and wellness progression. Identify client problems and related health alterations. Analyze client needs. Identify potential complications. Identify how pathophysiology relates to clinical presentation. Identify data that is of immediate concern.
Prioritize Hypotheses	2	90.0%	Establish priorities of care based on the client's health problems (i.e. environmental factors, risk assessment, urgency, signs/ symptoms, diagnostic test, lab values, etc.). Organize client assessment information according to changes, patterns and trends. Use standards of care and empirical frameworks for priority setting. Establish and prioritize client problems/needs based on the analysis of information and factors.
Generate Solutions	11	85.0%	Identify expected outcomes and related nursing interventions to ensure clients' needs are met. Collaborate with members of the interprofessional healthcare team to establish client outcomes and the plan of care. Collaborate with client and care partners to establish client outcomes and the plan of care. Identify optimal client outcomes based on information and factors. Identify evidence-based nursing actions to effectively address the clinical situation of the client's health problem. Prioritize plan of care to achieve optimal client outcomes. Prioritize nursing care when caring for multiple clients. Re-prioritize nursing actions as the client's condition changes. Modify a plan of care to assure achievement of optimal client outcomes when indicated. Determine the potential impact of selected interventions.
Take Actions	14	88.0%	Implement appropriate interventions based on nursing knowledge, priorities of care, and planned outcomes to promote, maintain, or restore a client's health. Promptly and accurately perform nursing actions based on prioritized client problems. Implement a plan of care in collaboration with members of the interprofessional health care team. Implement a plan of care in collaboration with the client and care partners. Accurately document client care data and information. Incorporate client preferences and needs when performing nursing actions. Provide education to the client and/or care partner(s) regarding their health condition and care management. Participate in coordination of care with the client and healthcare team. Monitor the client's response to interventions.
Evaluate Outcomes	2	92.0%	Evaluate a client's response to nursing interventions and reach a nursing judgment regarding the extent to which outcomes have been met. Reassess client condition to determine achievement of expected outcomes. Evaluate efficacy of nursing actions determine if client outcomes were met. Modify client outcomes and/or nursing actions based on the client's response and clinical findings when indicated. Update and revise the plan of care.

NCLEX RN	No Of Points	Group Score	Description

RN Management of Care	8	82.0%	The nurse coordinates, supervises and/or collaborates with members of the health care to provide an environment that is cost-effective and safe for clients.
RN Safety and Infection Prevention and Control	1	88.0%	The nurse uses preventive safety measures to promote the health and well-being of clients, significant others, and members of the health care team.
RN Health Promotion and Maintenance	1	82.0%	The nurse directs nursing care to promote prevention and detection of illness and support optimal health.
RN Psychosocial Integrity	1	89.0%	The nurse directs nursing care to promote and support the emotional, mental and social well-being of clients and significant others.
RN Basic Care and Comfort	11	87.0%	The nurse provides nursing care to promote comfort and assist client to perform activities of daily living.
RN Pharmacological and Parenteral Therapies	1	93.0%	The nurse administers, monitors and evaluates pharmacological and parenteral therapy.
RN Reduction of Risk Potential	9	81.0%	The nurse directs nursing care to decrease clients' risk of developing complications from existing health disorders, treatments or procedures.
RN Physiological Adaptation	10	85.0%	The nurse manages and provides nursing care for clients with an acute, chronic or life threatening illness.

Body Function	No Of Points	Group Score	Description
Cognition and Sensation	1	72.0%	The anatomical structures (brain, central and peripheral nervous systems, eyes and ears) and body functions that support perception, interpretation, and response to internal and external stimuli.
Excretion	20	80.0%	The anatomical structures (kidney, ureters, and bladder) and body functions that support filtration and excretion of liquid wastes, regulate fluid and electrolyte and acid-base balance.
Ingestion, Digestion, Absorption & Elimination	22	83.0%	The anatomical structures (mouth, esophagus, stomach, gall bladder, liver, small and large bowel, rectum , and anus) and body functions that support ingestion, digestion, and absorption of food and elimination of solid wastes from the body.
Integument	1	71.0%	The anatomical structures (skin, hair, and nails) and body functions related to protecting the inner organs from the external environment and injury.
Oxygenation	13	83.0%	The anatomical structures (nose, pharynx, larynx, trachea, and lungs) and body functions that support adequate oxygenation of tissues and removal of carbon dioxide.

Clinical Areas	No Of Points	Group Score	Description

Fundamentals	41	81.0%	Ability to apply fundamental nursing principles and skills to basic needs of clients. Topics include foundational client care concepts (ie: medical and surgical asepsis, infection control, physical assessment, therapeutic communication, medication administration, pain management integral to the delivery of safe, ethical, and legal nursing practice.
Adult Medical-Surgical	8	87.0%	Ability to apply medical-surgical nursing knowledge to clinical problems experienced by adults. Topics include care of clients with cardiovascular, hematologic, gastrointestinal, neurosensory, endocrine, fluid and electrolyte, integumentary, lymph/immune/infectious, renal and urinary, musculoskeletal, reproductive, and respiratory disorders as well as topics relevant to perioperative nursing care and emergency care/triage.
Nutrition	1	99.0%	Ability to apply nursing knowledge to normal nutrition and diet therapy. Topics include the collection of data regarding nutritional status; implementation of actions to promote normal nutrition or dietary modification in response to illness; and evaluation of the client's response to diet therapy.

QSEN	**No Of Points**	**Group Score**	**Description**
Safety	4	79.0%	The minimization of risk factors that could cause injury or harm while promoting quality care and maintaining a secure environment for clients, self, and others.
Patient-Centered Care	34	83.0%	The provision of caring and compassionate, culturally sensitive care that is based on a patient's physiological, psychological, sociological, spiritual, and cultural needs, preferences, and values.
Evidence Based Practice	16	81.0%	The use of current knowledge from research and other credible sources to make clinical judgments and provide client-centered care.

Acute/Chronic	**No Of Points**	**Group Score**	**Description**
Acute	43	81.0%	A disease, condition or injury characterized by a relatively sudden onset of symptoms that are usually severe. An episode of acute disease results in: recovery to a state comparable to the client's condition of health and activity before the disease; progression into a chronic illness; or death.
Chronic	14	83.0%	A disease or condition that persists for 6 months or more, or in which a cure is not expected. Chronic diseases generally cannot be prevented by vaccines or cured by medication, nor do they just disappear.

NLN Competency	**No Of Points**	**Group Score**	**Description**
Nursing Judgment	33	83.0%	Nursing judgment involves the use of critical thinking and decision making skills when making clinical judgments that promote safe, quality patient care.

BSN Essentials	**No Of Points**	**Group Score**	**Description**

Scholarship for Evidence-Based Practice	15	81.0%	The need for nurses to be able to understand the research process and base practice and clinical judgments upon fact-based evidence to enhance patient outcomes.
Baccalaureate Generalist Nursing Practice	6	80.0%	The need for nurses to be able to practice as a generalist using clinical reasoning to provide care to patients across the lifespan and healthcare continuum and to individuals, families, groups, communities, and populations.

Dosage Calculation	**No Of Points**	**Group Score**	**Description**
Unit of Measure	1	38.0%	Correctly converts units of measure from different measurement systems.
Parenteral Dosage	1	95.0%	Correctly calculates intramuscular, subcutaneous, intradermal, and intravenous Injectable medications.
Intravenous Drip Rate	1	95.0%	Correctly calculates IV drip rates.

Bloom's Taxonomy	**No Of Points**	**Group Score**	**Description**
Evaluate	1	92.0%	Appraise information to make a judgment based on standards.
Analyze	9	77.0%	Examine detailed information methodically to determine relationships.
Apply	35	80.0%	Use information in a variety of situations.
Understand	11	91.0%	Explain the meaning of information.
Remember	1	82.0%	Recall relevant information.

AACN Essentials	**No Of Points**	**Group Score**	**Description**
Knowledge for Nursing Practice	12	84.0%	Integration, translation, and application of established and evolving disciplinary nursing knowledge and ways of knowing, as well as knowledge from other disciplines, including a foundation in liberal arts and natural and social sciences. This distinguishes the practice of professional nursing and forms the basis for clinical judgment and innovation in nursing practice.
Person-Centered Care	25	84.0%	Person-centered care focuses on the individual within multiple complicated contexts, including family and/or important others. Person-centered care is holistic, individualized, just, respectful, compassionate, coordinated, evidence-based, and developmentally appropriate. Person-centered care builds on a scientific body of knowledge that guides nursing practice regardless of specialty or functional area.
Quality and Safety	2	82.0%	Employment of established and emerging principles of safety and improvement science. Quality and safety, as core values of nursing practice, enhance quality and minimize risk of harm to patients and providers through both system effectiveness and individual performance.

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Individual Scores

Name	Student Number	Booklet ID	Institution Benchmark Met	Individual Score	Original Points Received	Adjusted Points Received	Points Possible
Abbas, Jenna	2511189338	396877704		77.6%	45	N/A	58
Abdu, Bedrya K	S01370457	396874731		91.4%	53	N/A	58
Acheampong, Sandra	2508186624	396533466		79.3%	46	N/A	58
Ah You, Taya	2104158837	396688062		89.7%	52	N/A	58
Al tameemi, Fehr	2503182306	396846102		89.7%	52	N/A	58
Alejandre, Sandra	2406175970	396874510		74.1%	43	N/A	58
Alvarado, Dayen	A002235530	396895624		84.5%	49	N/A	58
Alvarez, Daniel	2409177688	396744777		79.3%	46	N/A	58
Anderson, Mariah		396893851		87.9%	51	N/A	58
Andrews, Taylor	2507185953	396721279		77.6%	45	N/A	58
Annan, Leonora	2508186484	396558505		89.7%	52	N/A	58
Archuletta, Nikylee		396744915		75.9%	44	N/A	58
Asay, Kristine		396633742		87.9%	51	N/A	58
Atkinson, Sandra		396535136		94.8%	55	N/A	58
Attwood, Liah		396895211		84.5%	49	N/A	58
AZEFAC, Ivo	2510188527	396893998		89.7%	52	N/A	58
Bailey, Maren	2508186969	396874720		84.5%	49	N/A	58
Baird, Heather	2310172154	396874867		84.5%	49	N/A	58
Baker, Dajsha	2412180151	396894555		84.5%	49	N/A	58
Baker, Marka	2501181093	396863210		87.9%	51	N/A	58
BANGA, WINNIE	2412180126	396744848		77.6%	45	N/A	58
Barlow, Emma		396845894		72.4%	42	N/A	58
Barratt, Cody	CDN024182118	396894051		81.0%	47	N/A	58
Baziuk, Marcus		396689920		82.8%	48	N/A	58
Bechahed, Nicole		396846007		93.1%	54	N/A	58

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

bega, sara	2502182122	396721708	82.8%	48	N/A	58
Benavides, Serena	2503182232	396632744	91.4%	53	N/A	58
Bishop, Kalliana		396696888	84.5%	49	N/A	58
Bloss, Bella	2409177722	396745013	96.6%	56	N/A	58
Boadu, Cythia	2506184572	396726101	79.3%	46	N/A	58
Boyd, Shakeyta	2510188293	396633010	84.5%	49	N/A	58
Brown, Brittany		396893993	86.2%	50	N/A	58
Brown, Jonette	2504183221	396744780	87.9%	51	N/A	58
Budd, Alyssa	2503182334	396724277	98.3%	57	N/A	58
buenrostro, Diana		396896812	84.5%	49	N/A	58
Bufford, Jennifer	2409177858	396536364	58.6%	34	N/A	58
Bunker, Brody	2408177072	396720997	81.0%	47	N/A	58
Burril, Destiny	2505184249	396664305	82.8%	48	N/A	58
Canlas, Irvin Floyd D	0895399	396825479	77.6%	45	N/A	58
Carbona, Alexis		396894773	75.9%	44	N/A	58
CARBONEL, AUBREY		396863417	82.8%	48	N/A	58
Carmody, Keely		396825636	74.1%	43	N/A	58
Castillo, Annessa	2505184148	396633030	82.8%	48	N/A	58
Chamberlain, Allison	2507186475	396874926	69.0%	40	N/A	58
Chamberlain, Elizabeth A		396663697	86.2%	50	N/A	58
Cherrington, Brooklyn	2503182375	396561853	81.0%	47	N/A	58
Cherukuri, Rachita	2505183951	396745061	81.0%	47	N/A	58
Childs, Norma	2504183358	396895273	56.9%	33	N/A	58
Clark, Shai	2505183863	396558349	62.1%	36	N/A	58
Clemente, Angelise		396744053	69.0%	40	N/A	58
Cobian-Naranjo, Elia	2507186064	396893735	87.9%	51	N/A	58
COCHRAN, ALLYSON		396532875	91.4%	53	N/A	58
Cole, Krystal	2512189763	396633246	91.4%	53	N/A	58
Cole, Rilee	2507185663	396532948	82.8%	48	N/A	58
Cooper, Halle		396664426	77.6%	45	N/A	58
Crawford, Siera	N/A	396747300	86.2%	50	N/A	58

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Curtis, Alex	2508186775	396663055	70.7%	41	N/A	58
da Silva, Franciane	2105159264	396895869	74.1%	43	N/A	58
Danner, Oakley		396743773	77.6%	45	N/A	58
Davis, KAFILAT		396825714	62.1%	36	N/A	58
Densley, Kailyn		396743558	75.9%	44	N/A	58
Diamond, Charlotte	2508186648	396726258	86.2%	50	N/A	58
djeunta, carine		396874781	91.4%	53	N/A	58
Douglas, Keyona	2412180082	396825409	75.9%	44	N/A	58
Dovel, Louise		396893695	82.8%	48	N/A	58
Dreher, Melanie		396665654	82.8%	48	N/A	58
Eagar, Addison		396721618	72.4%	42	N/A	58
Egerton, Sydney R	2507186175	396688020	86.2%	50	N/A	58
Ellison, Olivia		396633070	84.5%	49	N/A	58
Endemann, Sineva		396687612	86.2%	50	N/A	58
Euan, Didrian		396875944	72.4%	42	N/A	58
Eugene, Stephanie	2002153099	396721833	55.2%	32	N/A	58
Evans, Aylaina	2503182630	396721447	86.2%	50	N/A	58
Falatea, Randi	2108160817	396720962	84.5%	49	N/A	58
featherstone, Tawny	2506184777	396635023	98.3%	57	N/A	58
Fernandez, Casey		396825084	87.9%	51	N/A	58
Fields, Katherine	2410178850	396845777	87.9%	51	N/A	58
Flynn, Ashley	2506184834	396896018	84.5%	49	N/A	58
fofanah, massah	2507185948	396824745	60.3%	35	N/A	58
franz, zaybri	2502182063	396721519	81.0%	47	N/A	58
Frogue, Todd	2506184877	396825324	89.7%	52	N/A	58
Fuentes, Amanda	2508187045	396687719	96.6%	56	N/A	58
Gallegos, Mellisa	2412180443	396688430	84.5%	49	N/A	58
Gardner, Olivia	37415890	396633652	79.3%	46	N/A	58
Garrett, LaTorree	2510188872	396825342	67.2%	39	N/A	58
Goeckeritz, BrookLyn	2312173220	396687975	67.2%	39	N/A	58
Goins, Katherine		396558856	89.7%	52	N/A	58

Gonzales, Jonathan	2510188679	396687117	82.8%	48	N/A	58
Graff, Cameron	2506184978	396724381	67.2%	39	N/A	58
Guzman Duran, Zhara		396689495	84.5%	49	N/A	58
Hall, bridger	2505183681	396664082	79.3%	46	N/A	58
Hamblin, Ella	2502181860	396874685	81.0%	47	N/A	58
hanson, sarah	2505183689	396825818	77.6%	45	N/A	58
Harward, Maegan M		396874818	84.5%	49	N/A	58
Hawkes, Olivia	25061897	396663464	63.8%	37	N/A	58
He, DI	2502181900	396846077	74.1%	43	N/A	58
Heberling, Lindsey	2504182990	396688715	87.9%	51	N/A	58
hermann, meyah		396895924	72.4%	42	N/A	58
Herrera, Jessica	2506185146	396875053	89.7%	52	N/A	58
Herrera, Karla	2509188116	396864160	79.3%	46	N/A	58
Hess, Jessica		396687529	93.1%	54	N/A	58
Hickman, Ashley	2503182862	396893843	70.7%	41	N/A	58
Higdon, Bridget	2410178563	396721814	91.4%	53	N/A	58
Hill, Tate	2507185654	396722160	84.5%	49	N/A	58
Holte, Vivian	2407176455	396664493	77.6%	45	N/A	58
howard, bailey	2503182887	396633347	65.5%	38	N/A	58
Hutchings, Kira	2508186814	396825509	84.5%	49	N/A	58
Ibarra-Reynoso, Jacqueline	5007274631	396894223	77.6%	45	N/A	58
Igwe, Chidera	2507185796	396894035	81.0%	47	N/A	58
Ihanetu, George		396875077	77.6%	45	N/A	58
Ingram, Sheree		396633084	70.7%	41	N/A	58
Jackson, Serena		396896290	84.5%	49	N/A	58
Jaggi, Joshlyn	2506185094	396749488	87.9%	51	N/A	58
Jean-Baptiste, Dorian	2509187761	396633278	72.4%	42	N/A	58
Jeppson, Elizabeth	2508186676	396846483	89.7%	52	N/A	58
Jernigan, Jeremy	2508186536	396558161	84.5%	49	N/A	58
Johnson, Holly	2301167825	396663808	86.2%	50	N/A	58

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Jones, Walker	2504182995	396825936	86.2%	50	N/A	58
Jorgensen, Reagan	2503182872	396896585	77.6%	45	N/A	58
Juarez, krystal	2508186499	396895038	79.3%	46	N/A	58
Juarez, Yessica	2503182367	396894027	82.8%	48	N/A	58
Kanamu, Jaida	2411179778	396881673	72.4%	42	N/A	58
Kaneko, Cambria	2506184840	396688278	93.1%	54	N/A	58
Keate, Mildred		396633095	93.1%	54	N/A	58
Keim, Gabriella	2505184376	396743658	86.2%	50	N/A	58
Kelley, Dawn	2501180805	396825641	84.5%	49	N/A	58
Kovaci, Luciana		396895231	74.1%	43	N/A	58
Kunkel, Ambrea		396846657	72.4%	42	N/A	58
Kuyper, Raegan	25051838	396825635	93.1%	54	N/A	58
Lafleur, Marie	2511189359	396744555	89.7%	52	N/A	58
LaFord, Avery	2506185315	396663011	79.3%	46	N/A	58
langer, lucas		396743204	75.9%	44	N/A	58
Laret, Sam		396825400	94.8%	55	N/A	58
Leaton, Tami	2406175640	396825662	84.5%	49	N/A	58
Letuli, Janique		396745612	86.2%	50	N/A	58
Lewis-Addis, Tiffany	26844	396663191	87.9%	51	N/A	58
Leyva martinez, Bryan	2412180505	396825813	91.4%	53	N/A	58
Leyva, Cristina	2407176924	396846756	82.8%	48	N/A	58
Lindsey, Taylor		396723287	81.0%	47	N/A	58
Litster, Devyn	2501181129	396743496	86.2%	50	N/A	58
Loveday, Leslie	2512189566	396894103	89.7%	52	N/A	58
Luke, Iverson	2411179933	396897533	82.8%	48	N/A	58
Luper, Lauren	2508187056	396846797	84.5%	49	N/A	58
Marshall, Angel	253936	396722865	89.7%	52	N/A	58
Martindale, Cadence	2506184838	396744986	89.7%	52	N/A	58
Martinez, Judy	2505183907	396745155	86.2%	50	N/A	58
Martinez, Kylie		396663460	89.7%	52	N/A	58
Mayson, Maiellen		396894501	75.9%	44	N/A	58

McAllister, Kelsey	2503182462	396558315	82.8%	48	N/A	58
McElhaney, Aly	204183414	396894371	77.6%	45	N/A	58
McKenzie, Riley		396850740	87.9%	51	N/A	58
McKirdy, Hayley	2409178131	396894571	89.7%	52	N/A	58
McRaney, Ericka	2510188565	396845539	79.3%	46	N/A	58
Meinzer, Alexis V	2208165882	396896160	77.6%	45	N/A	58
Mendoza, Natally	2504183475	396845996	84.5%	49	N/A	58
Merino, Anny	2412180485	396874796	81.0%	47	N/A	58
Mickelsen, Elizabeth		396744945	67.2%	39	N/A	58
Miera, Tiana	CDN024182118	396846103	87.9%	51	N/A	58
Mills, Kiera	2504183638	396895655	86.2%	50	N/A	58
Miner, Robert	2104158899	396688559	70.7%	41	N/A	58
Miranda, Amber Y		396894817	87.9%	51	N/A	58
Mitchell, Hailey	2503182765	396558204	84.5%	49	N/A	58
Monroy Tachiquin, Kiana	2505183783	396846501	91.4%	53	N/A	58
Moretto, Giovanna		396874634	74.1%	43	N/A	58
Morgan, Kelsie		396724429	86.2%	50	N/A	58
Morris, Priscilla	2406176066	396724434	93.1%	54	N/A	58
Mortensen, Devynn	2509188024	396845925	75.9%	44	N/A	58
Murphy, BreAnna		396688704	86.2%	50	N/A	58
Myers, Kaylee		396849351	91.4%	53	N/A	58
Nario, Jasmine	2502181600	396720894	82.8%	48	N/A	58
NDUNGU, ANDREA	2502181659	396691468	86.2%	50	N/A	58
Ngo, Christina	2412180190	396743665	84.5%	49	N/A	58
Nguyen, Hailey	2505184360	396894280	77.6%	45	N/A	58
Niu, Tally K	2204163964	396895175	89.7%	52	N/A	58
Niumeitolu, Vaimoana	2505184309	396743810	84.5%	49	N/A	58
Norland, Samantha	2503182355	396691321	96.6%	56	N/A	58
Nunez, Britney	2404174814	396558954	86.2%	50	N/A	58
Ojo, Elizabeth		396864613	82.8%	48	N/A	58

Okonkwo, Sabina C		396895676	70.7%	41	N/A	58
OLALEKAN, YETUNDE	2511189015	396827244	79.3%	46	N/A	58
Omar, Nahla	2507185728	396894818	84.5%	49	N/A	58
oregel, akira	2406175944	396874594	93.1%	54	N/A	58
Ortiz, Amia		396862729	79.3%	46	N/A	58
OTLEY, SOFIA	2505184317	396895206	74.1%	43	N/A	58
Owens, Hailey	2507185540	396633238	91.4%	53	N/A	58
packham, bailee	2405175516	396687578	96.6%	56	N/A	58
Page, Christopher		396897326	77.6%	45	N/A	58
Parker, Jaime	2307170225	396688279	91.4%	53	N/A	58
Parkinson, Isabelle		396896023	82.8%	48	N/A	58
Paxton, Hayden	2502181988	396744783	81.0%	47	N/A	58
Pellerin, Taylor		396558302	67.2%	39	N/A	58
Petersen, Amy		396845822	91.4%	53	N/A	58
Petersen, Heidi	2507186084	396687912	93.1%	54	N/A	58
Petersen, Meagan	2506184790	396743888	91.4%	53	N/A	58
Petit, Alyxandrya		396846667	87.9%	51	N/A	58
Pitts, Brooklyn J	2310172232	396825964	81.0%	47	N/A	58
Pitts, Judith	2405175454	396847487	69.0%	40	N/A	58
Prakash, Aarica	2409177658	396558845	77.6%	45	N/A	58
Prather, Shalynn		396744283	82.8%	48	N/A	58
Puerto, Keyla	2503182236	396688506	69.0%	40	N/A	58
Quevedo Ledezma, Arely	30604631	396745183	79.3%	46	N/A	58
Raadgep, Jessica	2503182849	396687485	74.1%	43	N/A	58
Radebaugh, Kam	2508186860	396689342	96.6%	56	N/A	58
Rehart, Stephanie		396893867	86.2%	50	N/A	58
Reyes, Alexandra		396665903	74.1%	43	N/A	58
Reyes, Fernanda	Freyes12	396845933	72.4%	42	N/A	58
Reynolds, Jayci	2308170557	396898001	93.1%	54	N/A	58
Rich, Shurree	2508186980	396894948	84.5%	49	N/A	58

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Ritter, Chelsea	2506184971	396846417	81.0%	47	N/A	58
Romero, Kaedynce		396721026	89.7%	52	N/A	58
Ruelas, Jessica	n/a	396895086	84.5%	49	N/A	58
Rupp Taylor, Emily	2505183899	396633613	81.0%	47	N/A	58
salcido, flora	2411179906	396558902	93.1%	54	N/A	58
Salmans, Hilary	2503182688	396894244	93.1%	54	N/A	58
Sanches, Sheila		396894580	89.7%	52	N/A	58
Scammahorn, Rachel Joy	2505183781	396633039	63.8%	37	N/A	58
Schwarz, Maribel		396722362	89.7%	52	N/A	58
SEDANO CAMACHO, JOSAFAT	2507185600	396895267	60.3%	35	N/A	58
Segura, Catherine		396723782	79.3%	46	N/A	58
Senda, Lizete	2501181136	396895067	82.8%	48	N/A	58
Shin, Philip		396633040	94.8%	55	N/A	58
Silverio, Cynthia	2504182974	396893864	91.4%	53	N/A	58
Smith, Austin	2504183547	396862913	87.9%	51	N/A	58
Smith, dErricka		396877976	63.8%	37	N/A	58
Smith, Sandi		396863463	77.6%	45	N/A	58
Sobh, Ali		396893705	77.6%	45	N/A	58
Spencer, Ann L		396894765	75.9%	44	N/A	58
Stapleton, Brinley	2506184541	396825810	82.8%	48	N/A	58
Sullivan, Ashley	2504183564	396824925	82.8%	48	N/A	58
Talbot, Sophie	2505183678	396721276	82.8%	48	N/A	58
Tapia, Sean		396743855	77.6%	45	N/A	58
Tolman, Jessica	2504183599	396558789	89.7%	52	N/A	58
Tompung, Samantha		396862932	77.6%	45	N/A	58
Torres- Reyes, Camila		396558771	82.8%	48	N/A	58
Touani, Ruht M		396894770	79.3%	46	N/A	58
Valenzuela, Gisselle	2307170161	396744441	77.6%	45	N/A	58
Vickers, Rodnesha	2510188474	396864144	82.8%	48	N/A	58
Vilifiti, Tafai		396825493	75.9%	44	N/A	58

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Viramontes, Kate	2506185256	396721400	91.4%	53	N/A	58
Walgamott, Stephanie		396846020	87.9%	51	N/A	58
Wappett, Byron	2502181994	396531954	69.0%	40	N/A	58
Warburton, Kelsey	2409178003	396633428	87.9%	51	N/A	58
Wardle, Minerda	2505183885	396744162	74.1%	43	N/A	58
Ware, Kambree		396846398	77.6%	45	N/A	58
Watkins, Alicia		396558617	89.7%	52	N/A	58
Watson, Lee		396874595	86.2%	50	N/A	58
Watters, Mazie	2506184591	396874313	84.5%	49	N/A	58
Wiley, Alyssa		396744342	77.6%	45	N/A	58
Williams, Breanna	2504183093	396894782	81.0%	47	N/A	58
Wiseman, Courtney		396743719	75.9%	44	N/A	58
Yarbrough, Anahalee		396894388	77.6%	45	N/A	58
Yarbrough, Haley		396894441	81.0%	47	N/A	58
Zhang, Lijun		396532585	87.9%	51	N/A	58

Question Analysis

NUR125 Exam 3 Spring 2026 ASN

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
The nurse is caring for a client who developed a catheter-associated urinary tract infection (CAUTI). Which of the following nursing actions will support an effort to decrease CAUTIs?	**Educator**	**Multiple Choice**	**Remove the indwelling urinary catheter as soon as reasonably possible.**	**Key**	**85.8%**	**0.19**
			Apply antibiotic ointment to the catheter insertion site.	Distractor	1.2%	-0.11
			Irrigate the urinary catheter utilizing standardized precautions.	Distractor	12.6%	-0.13
			Keep the urine drainage bag on the client's bed or in their lap.	Distractor	0.4%	-0.17
The nurse is caring for a client with an indwelling urinary catheter who is reporting suprapubic pressure. The nurse notices the urine drainage bag has had no output for the past two hours. Which of the following actions should the nurse take first?	**Educator**	**Multiple Choice**	**Inspect the catheter tubing for obstruction.**	**Key**	**92.1%**	**0.10**
			Palpate the client's bladder for distention.	Distractor	4.0%	-0.01
			Notify the healthcare provider of the client's symptom.	Distractor	2.4%	-0.11
			Reposition the client into a lateral position to promote urine flow.	Distractor	1.6%	-0.07
A client requests the nurses help to transfer from the bed to the bedside commode. The nurse remains with the client and observes that the client appears frustrated and restless when unable to void. What might the nurse attribute to the reason for the client's inability to void?	**Educator**	**Multiple Choice**	**The client may feel anxious about voiding in the presence of the nurse.**	**Key**	**79.1%**	**0.24**
			The client is most likely needing a straight catherization.	Distractor	3.6%	-0.16
			The client is unable to interpret the physiological signals that indicate a need to void.	Distractor	13.4%	-0.13
			The client is most likely not drinking enough fluids to produce adequate urine output.	Distractor	4.0%	-0.12

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
A nurse is caring for a postoperative client who has not voided for 8 hours and reports lower abdominal discomfort. The provider prescribes urinary catheter insertion. What is the primary purpose of this intervention?	**Educator**	**Multiple Choice**	**To relieve urinary retention and prevent bladder distention**	**Key**	**97.2%**	**0.14**
			To prevent incontinence and discomfort	Distractor	1.2%	-0.13
			To monitor fluid intake and output	Distractor	1.2%	0.00
			To obtain routine urinalysis for screening	Distractor	0.4%	-0.14
A nurse is caring for a client who experienced urine output of 120 mL in 8 hours. Which action should the nurse perform first?	**Educator**	**Multiple Choice**	**Assess the client for bladder distention.**	**Key**	**82.2%**	**0.24**
			Encourage the client to drink more fluids.	Distractor	4.7%	0.01
			Notify the healthcare provider of decreased urine output.	Distractor	6.7%	-0.19
			Document the urine output findings.	Distractor	6.3%	-0.19
A nurse is caring for a 77-year-old client who has fallen several times throughout the night. Which recommendation by the nurse wouldbest support the client in decreasing urinary urgency at night?	**Educator**	**Multiple Choice**	**Restrict fluid intake at least 2 hours before bedtime.**	**Key**	**73.5%**	**0.30**
			Discuss increasing the dose of a prescribed diuretic medication with the healthcare provider.	Distractor	4.0%	-0.04
			Leave the hallway light on to illuminate a safe pathway to the bathroom.	Distractor	13.4%	-0.25
			Encourage the use of an incontinence brief for urination during the night.	Distractor	8.7%	-0.13
A nurse is caring for an 85-year-old client with a urinary tract infection (UTI). Which of the following clinical manifestations is unique to older adult clients with a UTI?	**Educator**	**Multiple Choice**	**Confusion**	**Key**	**92.9%**	**0.20**
			Diarrhea	Distractor	1.6%	-0.05
			Urgency	Distractor	2.4%	-0.09
			Dyspepsia	Distractor	3.2%	-0.17

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
A nurse is caring for a client who presents to a women's health clinic after a difficult vaginal delivery of a 9-pound infant five weeks ago. The client reports involuntary leakage of a small volume of urine when she sneezes or coughs. Which of the following describes the type of urinary incontinence that the client is experiencing?	**Educator**	**Multiple Choice**	**Stress**	**Key**	**81.0%**	**0.29**
			Overflow	Distractor	1.6%	-0.11
			Functional	Distractor	6.7%	-0.23
			Reflex	Distractor	10.7%	-0.13
While receiving a shift report on a 47-year-old female client, the nurse is informed that the client has been experiencing urinary incontinence. Which of the following should the nurse expect to observe upon assessment?	**Educator**	**Multiple Choice**	**Reddened, irritated skin on the perineal area**	**Key**	**80.6%**	**0.35**
			Tiny blood clots in the client's urine	Distractor	3.6%	-0.13
			Foul-smelling vaginal discharge	Distractor	5.9%	-0.23
			Change in level of consciousness (LOC)	Distractor	9.9%	-0.20
A nurse is caring for a client who has an indwelling urinary catheter and notes blood-tinged urine in the urine collection bag. The nurse recognizes this finding can be a manifestation of which of the following urinary alterations?	**Educator**	**Multiple Choice**	**Urinary tract infection (UTI)**	**Key**	**73.1%**	**0.39**
			Urinary retention	Distractor	3.6%	-0.12
			Dysuria	Distractor	15.0%	-0.26
			Prostate enlargement	Distractor	8.3%	-0.21
A nurse is providing teaching to a female client who experiences frequent urinary tract infections (UTIs) about actions to prevent future UTIs. Which of the following client statements indicates a need for further teaching?	**Educator**	**Multiple Choice**	**"I should always wipe my perineal area from back to front after each voiding or a bowel movement."**	**Key**	**92.1%**	**0.17**
			"Emptying my bladder regularly and completely will help to remove bacteria from my urinary tract."	Distractor	1.6%	-0.13
			"Urinating after sexual intercourse will help to flush out any bacteria that may have entered the urethra."	Distractor	5.1%	-0.11
			"I will limit my intake of caffeine-containing fluid intake throughout the day."	Distractor	1.2%	-0.05

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
A nurse is teaching a female client how to collect a clean-catch urine specimen. Which of the following client statements indicates correct understanding of the procedure?	**Educator**	**Multiple Choice**	**"I will begin urinating, then collect the sample midstream in the sterile cup."**	**Key**	**92.5%**	**0.10**
			"I should collect the urine as soon as I start voiding."	Distractor	3.2%	0.04
			"I will clean the perineal area from back to front before collecting the sample."	Distractor	4.3%	-0.16
			"I will clean after collecting the sample."	Distractor	0.0%	N/A
A nurse is teaching a nursing student how to prepare a sterile field. Which of the following student actions indicates correct understanding of surgical asepsis?	**Educator**	**Multiple Choice**	**The student places the sterile kit on a clean, dry surface above waist level.**	**Key**	**93.3%**	**0.12**
			The student opens the outer flap of the sterile kit toward their body.	Distractor	3.2%	-0.11
			The student touches the inside of the sterile wrapper with clean gloves on.	Distractor	1.2%	-0.14
			The student places the sterile kit on a recently disinfected surface that is still damp.	Distractor	2.4%	0.03
A nurse is caring for a client who is postoperative following abdominal surgery, with a prescription to advance diet as tolerated. Which assessment finding indicates the client is ready to progress from clear liquids to a full liquid diet?	**Educator**	**Multiple Choice**	**Passage of flatus and presence of active bowel sounds**	**Key**	**71.5%**	**0.18**
			Hypoactive bowel sounds without passage of flatus	Distractor	0.4%	0.00
			Tolerated a serving of clear liquids without vomiting last hour	Distractor	28.1%	-0.18
			Complaints of hunger and dry mouth	Distractor	0.0%	N/A
The nurse is assessing a client with a respiratory alteration. Which assessment finding indicates a late sign of hypoxia?	**Educator**	**Multiple Choice**	**Cyanosis**	**Key**	**94.5%**	**0.31**
			Increased pulse rate	Distractor	1.2%	-0.13
			Restlessness	Distractor	1.6%	-0.03
			Elevated blood pressure	Distractor	2.8%	-0.33

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
The nurse is caring for a client who presents to the emergency department (ED) and reports feeling severely anxious without relief. The nurse notes that the client is hyperventilating. Which of the following describes this state of ventilation?	**Educator**	**Multiple Choice**	**Increased rate and depth of respirations leading to low levels of carbon dioxide (CO2)**	**Key**	**73.1%**	**0.12**
			Abnormal respirations causing retention of carbon dioxide (CO2)	Distractor	18.6%	-0.03
			Depressed depth and rate of respirations causing hypoxia	Distractor	5.1%	-0.18
			Irregular rate and depth of respirations with periods of apnea	Distractor	3.2%	-0.02
A nurse is caring for a client who is prescribed oxygen at a rate of 2 L/min via nasal cannula. Which nursing action is appropriate?	**Educator**	**Multiple Choice**	**Assess for signs of skin breakdown around the ears and nostrils.**	**Key**	**94.5%**	**0.15**
			Position the client lateral to improve oxygen delivery.	Distractor	2.0%	-0.16
			Remove the nasal cannula during meals to reduce aspiration risk.	Distractor	1.2%	0.02
			Switch to a simple face mask with a tight seal if SpO2 decreases.	Distractor	2.4%	-0.09
The nurse is closely monitoring the oxygen status of an older adult client. Which finding should the nurse identify as an expected age-related change for this client?	**Educator**	**Multiple Choice**	**Diminished respiratory muscle strength causing poor chest expansion**	**Key**	**79.1%**	**0.13**
			Immobility leading to low oxygen saturation (SpO2) levels	Distractor	15.4%	-0.07
			Rapid metabolism and excretion of pharmacologic agents	Distractor	0.8%	-0.04
			Alterations in mental status preventing awareness of ineffective breathing	Distractor	4.7%	-0.11
A nurse is developing a plan of care for a client who is obese and currently experiencing dyspnea on exertion. Which of the following actions should the nurse implement first?	**Educator**	**Multiple Choice**	**Check the clients respiratory status and SpO2 levels.**	**Key**	**91.3%**	**0.23**
			Educate on the importance of weight loss through diet and exercise.	Distractor	6.3%	-0.16

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
			Document the clients response to physical exertion for the following shift.	Distractor	1.6%	-0.14
			Refer the client to a registered dietitian for nutritional counseling.	Distractor	0.8%	-0.13
The nurse is caring for a client who is prescribed oxygen via a nasal cannula. Which task can the nurse delegate to assistive personnel (AP)?	**Educator**	**Multiple Choice**	**Reapplying the nasal cannula**	**Key**	**79.1%**	**0.40**
			Educating about oxygen hazards	Distractor	11.9%	-0.16
			Assessing the client's lung sounds	Distractor	5.5%	-0.26
			Adjusting the oxygen flow rate	Distractor	3.6%	-0.29
A nurse is using a pulse oximeter to measure a client's oxygen saturation (SpO2)and obtains a reading of 95%.What is the nurse's most appropriate action?	**Educator**	**Multiple Choice**	**Document the SpO2level as an expected assessment finding.**	**Key**	**87.0%**	**0.07**
			Encourage the client to do deep breathing exercises.	Distractor	8.7%	-0.02
			Apply oxygen at 2 liters per nasal cannula.	Distractor	1.2%	-0.05
			Review the medications that the client has taken in the past 90 minutes.	Distractor	3.2%	-0.06
A nurse is caring for a client with a respiratory dysfunction who reports "I can't seem to catch my breath". Which of the following is the nurse's first action to support the client's ventilation?	**Educator**	**Multiple Choice**	**Raise the head of the bed to 45 degrees.**	**Key**	**90.9%**	**0.17**
			Apply a pulse oximeter to the client's finger.	Distractor	6.3%	-0.15
			Stay with the client and provide reassurance.	Distractor	0.4%	-0.14
			Encourage the client to deep breathe.	Distractor	2.4%	-0.03
A nurse is educating a client on measures that can be taken to prevent constipation. Which of the following statements indicates the need for further teaching?	**Educator**	**Multiple Choice**	**"I will include a lot of cheese and ice cream in my diet."**	**Key**	**94.9%**	**0.23**
			"I will eat a variety of fruits and vegetables each day."	Distractor	2.4%	-0.22
			"I will increase my water intake, especially on hot days."	Distractor	1.6%	-0.05

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
			"I will avoid sitting for long periods after eating lunch."	Distractor	0.8%	-0.08
A preoperative nurse is preparing a client for a sigmoid colostomy procedure. The client asks the nurse what to expect when they awake from anesthesia with a new stoma. Which of the following statements should the nurse include?	**Educator**	**Multiple Choice**	**"Your stoma will be located in your left lower abdomen."**	**Key**	**80.6%**	**0.16**
			"The end of the stoma will be painful after this procedure."	Distractor	3.6%	-0.12
			"Your stoma will be draining brown liquid stool."	Distractor	13.8%	-0.11
			"You should expect your stoma to be a dark purple color."	Distractor	2.0%	-0.03
A nurse is caring for a 78-year-old postoperative client. The client is receiving opioid analgesics for pain and has not had a bowel movement in 3 days. The client denies the urge to defecate but reports increasing abdominal pressure. Which action should the nurse take to promote bowel elimination?	**Educator**	**Multiple Choice**	**Assist the client into the high-Fowler position with a bedpan.**	**Key**	**70.4%**	**0.27**
			Place the client into the left lateral position with a bedpan.	Distractor	11.5%	-0.18
			Encourage the client to strain while attempting to defecate to stimulate movement.	Distractor	9.9%	-0.12
			Educate the client on following a low residual diet.	Distractor	8.3%	-0.12
A client who is 2 days postoperative after a colostomy is struggling to look at his stoma when the nurse attempts to engage him in ostomy care. Which of the following statements is most therapeutic for the nurse to make?	**Educator**	**Multiple Choice**	**"What strategies helped you to feel in control of your health before this surgery?**	**Key**	**89.3%**	**0.23**
			"I understand how you feel. My husband went through this same procedure."	Distractor	3.6%	-0.11
			"Do not worry. It really does not look as bad as you believe it will."	Distractor	1.6%	-0.11
			"Why don't we ask your wife to complete your ostomy care until you are ready to do it yourself?"	Distractor	5.5%	-0.16

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
A nurse is instructing a nursing student on the steps for administering supplemental oxygen to a client who is currently experiencing difficulty breathing. Which of the following interventions should be identified as the priority?	**Educator**	**Multiple Choice**	**Ensure the oxygen flowmeter is set to the correct liters (L) to be delivered.**	**Key**	**89.3%**	**0.12**
			Verify that the client has their call light within easy reach.	Distractor	2.4%	-0.10
			Educate the client and family about safety practices during oxygen administration.	Distractor	6.7%	-0.06
			Instruct the client to readjust the mask occasionally.	Distractor	1.6%	-0.05
A nurse is assigned to care for four clients at the clinic. Which of the following clients would be most at risk for excessive loss of carbon dioxide?	**Educator**	**Multiple Choice**	**A 22-year-old college student who is having a panic attack**	**Key**	**66.4%**	**0.35**
			A 30-year-old client with severe anemia experiencing tachycardia and mild dyspnea	Distractor	16.2%	-0.20
			A 42-year-old client who abuses opioid analgesics daily	Distractor	6.7%	-0.10
			A 40-year-old obese client who has obstructive sleep apnea	Distractor	10.3%	-0.21
The assistive personnel (AP) reports to the nurse that a client's oxygen saturation (SpO2) is 88% after taking vital signs. Upon assessment, the nurse notes that the client is alert, oriented, and does not exhibit signs of respiratory distress. Which action should the nurse take first?	**Educator**	**Multiple Choice**	**Recheck the SpO2 reading using a different pulse oximeter or sensor site**	**Key**	**87.7%**	**0.26**
			Administer oxygen via nasal cannula at 2 L/min	Distractor	4.7%	-0.05
			Notify the provider of the SpO2 reading	Distractor	5.5%	-0.16
			Document the finding and continue to monitor the client	Distractor	2.0%	-0.27
A nurse is assessing a client who has dehydration. Which of the following findings should the nurse expect?	**Educator**	**Multiple Choice**	**Dark-colored urine**	**Key**	**88.5%**	**0.22**
			Low urine specific gravity	Distractor	4.7%	-0.18
			Decreased serum sodium levels	Distractor	4.0%	-0.14
			Bounding peripheral pulses	Distractor	2.8%	-0.03

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
A nurse is teaching a client about foods and beverages that can cause diarrhea. Which of the following should the nurse include in the teaching as a potential cause of diarrhea?	**Educator**	**Multiple Choice**	**Coffee**	**Key**	**79.4%**	**0.24**
			Bananas	Distractor	2.8%	-0.08
			Yogurt	Distractor	7.5%	-0.18
			Cheese	Distractor	10.3%	-0.12
A nurse is preparing to instill 840 mL of enteral nutrition via a client's gastrostomy tube over 24 hrs. using an infusion pump. The nurse should set the infusion pump to deliver how many mL/hr? (Round the answer to the nearest whole number. Use a leading zero if it applies. Do not use a trailing zero.)	**Educator**	**Fill in the Blank Numeric**	**35**	**Key**	**95.7%**	**0.10**
The nurse is caring for a client and preparing to administer dextrose 5% in water (D5W) 1,000 mL intravenously (IV) to infuse over 8 hrs. The nurse should set the IV infusion pump to deliver how many mL/hr? (Round the answer to the nearest whole number. Do not use a trailing zero.)	**Educator**	**Fill in the Blank Numeric**	**125**	**Key**	**95.3%**	**0.30**
The nurse needs to collect a stool specimen for culture from a client. The client passed stool into the toilet instead of using the collection container. What is the next step the nurse should take?	**Educator**	**Multiple Choice**	**Reinstruct the client on use of the collection container for next bowel movement.**	**Key**	**90.9%**	**0.19**
			Collect stool and send to laboratory for culture per regular protocol.	Distractor	2.0%	-0.01
			Notify the healthcare provider the culture results will be delayed.	Distractor	4.0%	-0.16
			Document that the culture results will be delayed.	Distractor	3.2%	-0.11
A nurse is reviewing the stool characteristics of several clients. Which of the following findings is most concerning and requires immediate follow-up?	**Educator**	**Multiple Choice**	**Stool that is yellow and greasy with a foul odor**	**Key**	**84.2%**	**0.24**
			Stool that contains small white flecks from undigested seeds	Distractor	1.2%	-0.13
			Stool that is black after taking an iron supplement	Distractor	11.1%	-0.13

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
			Stool that is lumpy, dry and log shaped	Distractor	3.2%	-0.17
The nurse is caring for a client with a chronic neurologic condition that decreases peristalsis. Which of the following is the most common complication of this condition?	**Educator**	**Multiple Choice**	**Constipation**	**Key**	**85.4%**	**0.30**
			Gastrointestinal bleeding	Distractor	3.6%	-0.23
			Hemorrhoids	Distractor	1.2%	-0.04
			Stool incontinence	Distractor	9.9%	-0.20
The nurse is caring for an older adult client who is immobile, has impaired cognition, and is incontinent of both urine and feces. Which action should the nurse take to promote skin integrity and bowel elimination?	**Educator**	**Multiple Choice**	**Assist the client to use the bedpan every 2 hours and after meals.**	**Key**	**71.9%**	**0.16**
			Limit fluid intake to reduce the frequency of incontinence episodes.	Distractor	1.6%	0.00
			Encourage the client to ambulate to the bathroom after meals.	Distractor	3.6%	0.00
			Apply a moisture barrier cream and check the clients brief every shift.	Distractor	22.9%	-0.17
A nurse is teaching a group of older adult clients about nutrition strategies to promote regular bowel elimination. Which dietary recommendation should the nurse include?	**Educator**	**Multiple Choice**	**Increase intake of foods high in soluble fiber such as oatmeal and apples.**	**Key**	**99.2%**	**0.06**
			Limit fluid intake to prevent constipation.	Distractor	0.0%	N/A
			Consume lactose-free dairy products such as cheese and yogurt.	Distractor	0.4%	-0.09
			Avoid raw fruits and vegetables to reduce gas and bloating.	Distractor	0.4%	0.00
A nurse is educating a group of middle-aged adults about health promotion strategies. Which of the following statements by a participant indicates the need for further teaching?	**Educator**	**Multiple Choice**	**"I will schedule my first colonoscopy screening at 55 years of age."**	**Key**	**72.7%**	**0.25**
			"I will perform monthly skin checks to look for new or changing moles."	Distractor	5.9%	-0.06
			"I will have annual blood draws to monitor my cholesterol levels."	Distractor	6.3%	-0.18

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
			"I will do 150 minutes of moderate-intensity aerobic exercise each week."	Distractor	15.0%	-0.15
A nurse is caring for a postoperative client with an indwelling urinary catheter. The nurse notes the 12-hour urine output is 240 mL. The client's skin is dry, and blood pressure is low. Which action should the nurse take first?	**Educator**	**Multiple Choice**	**Contact the healthcare provider to report the clients urine output.**	**Key**	**72.3%**	**0.21**
			Continue to monitor the clients urine output for the oncoming shift.	Distractor	6.7%	-0.13
			Ask the charge nurse to review the clients urinary output and assessment findings.	Distractor	17.8%	-0.15
			Instruct assistive personnel (AP) to measure the clients urinary output more frequently.	Distractor	2.8%	-0.01
A nurse is assessing a clients abdomen and notes that it is firm, distended, and tender over the symphysis pubis. Which of the following findings should the nurse recognize as the most likely cause?	**Educator**	**Multiple Choice**	**Urinary retention**	**Key**	**71.1%**	**0.43**
			Constipation	Distractor	17.0%	-0.33
			Small bowel obstruction	Distractor	10.7%	-0.18
			Gallbladder inflammation	Distractor	1.2%	-0.14
A nurse is assisting a client who must remain in the low-Fowler position and is experiencing difficulty having a bowel movement on a bedpan. What is the most likely reason for this problem?	**Educator**	**Multiple Choice**	**This position does not support effective defecation.**	**Key**	**90.9%**	**0.16**
			The client is embarrassed to use the bedpan.	Distractor	1.6%	-0.02
			The client has not received enough dietary fiber.	Distractor	3.6%	-0.04
			The nurse failed to provide privacy during elimination.	Distractor	4.0%	-0.19
A nurse is caring for a postoperative client who has not had a bowel movement for two days. The client reports abdominal discomfort and bloating. Which of the following interventions will the nurse take firstto promote bowel elimination?	**Educator**	**Multiple Choice**	**Assist with ambulation and encourage increased fluid intake.**	**Key**	**82.2%**	**0.30**
			Offer a stimulant laxative as prescribed by the healthcare provider.	Distractor	15.8%	-0.30
			Instruct the client to establish a regular time each day for attempting to defecate.	Distractor	2.0%	-0.06

QUESTION	SOURCE	QUESTION TYPE	ANSWER OPTION	KEY/ DISTRACTOR	% SELECTED	DISCRM
			Encourage the client to avoid using the bathroom until a strong urge to defecate occurs.	Distractor	0.0%	N/A
The nurse is calculating the total output for a client receiving continuous bladder irrigation (CBI). The client's total output is 4200 milliliters (mL) in the catheter drainage bag, and the CBI irrigation input is 1380 mL. What is the total urine output in mL? (Round the answer to the nearest whole number.)	**Educator**	**Fill in the Blank Numeric**	**2820**	**Key**	**77.9%**	**0.30**
A nurse is monitoring the intake and output for a client. At breakfast the client drinks two 10-ounce cups of coffee. At lunch the client consumes 24 ounces of ice chips, and they drink one 12-ounce can of a carbonated beverage. What is the total intake for this client in milliliters (mL)? (Round the answer to the nearest whole number.)	**Educator**	**Fill in the Blank Numeric**	**1320**	**Key**	**38.7%**	**0.35**

Group Performance Profile
NUR125 Exam 3 Spring 2026 ASN

Question	Source	Question Type	Average Score	Points Possible	Discrm
Based on the client's chart information, complete the following sentence using the list of options.	**Educator**	**Drop Down Rationale Dyad**	**0.7**	**1**	**0.34**
Highlight the data that requires the nurse to report to the healthcare provider.	**Educator**	**Highlight Text**	**2.6**	**4**	**0.41**
Complete the following sentence by using the lists of options.	**Educator**	**Drop Down Cloze**	**1.5**	**2**	**0.32**
The nurse has reviewed the client's information and is preparing to provide education to the client and the client's partner. Which of the following are possible contributing factors to the client experiencing constipation?	**Educator**	**Multiple Response-Select All That Apply**	**3.8**	**4**	**0.28**
Complete the following sentence by using the list of options provided.	**Educator**	**Drop Down Cloze**	**1.5**	**2**	**0.23**

Score Explanation and Interpretation
Group Performance Profile

ITEM SCORING

ATI follows NCSBN guidance for item scoring. Accordingly, each item is worth one or more points. Depending on the item-specific scoring method, a student's response may earn full, partial, or no points.

GROUP SCORE

The group score is the average of the individual scores for this group of students. It is on a scale of 0% to 100%.

% OF GROUP MEETING INSTITUTION BENCHMARK

This is the percentage of students in this group who scored at or above your institution benchmark for this assessment. If your institution has not set a benchmark for this assessment, this field will be reported as "N/A."

RELIABILITY

Reliability assesses the extent to which the items on an assessment tend to measure the same trait or knowledge domain. The metric used is Cronbach's alpha. If the assessment contains only dichotomously scored items, this is equivalent to Kuder-Richardson 20 (KR-20).

SCORING APPROACHES

Assessments may contain dichotomously or polytomously scored items. Dichotomously scored items have only two possible scores. This is the approach used for standard item types such as multiple choice. Polytomously scored items have more than two possible scores. Many of the NGN item types are polytomously scored. Please see the ATI Next Generation NCLEX (NGN) Item Scoring Guide for additional details.

QUESTION ANALYSIS

Key: The term "key" refers to the correct answer option for a question.

Partial Key: The term "partial key" refers to the options that comprise the key for a multiple select question.

Distractor: The term "distractor" refers to the incorrect answer options for a question.

Percent selected: The percentage of examinees who selected a given option. When referring to the correct option (key), this is the percentage of examinees who answered the question correctly.

Discrimination: Discrimination indicates how well an item is able to differentiate between low and high performing students. It is the Pearson correlation between scores on the item and total test scores. The discrimination can range from -1 to 1 and is interpreted the same regardless of how the item is scored. Strong positive item discrimination values are desired, as this indicates that higher ability students have a tendency to get higher scores on the item than lower ability students. For dichotomously scored items, the discrimination is equivalent to a point-biserial correlation. Discrimination values are also provided at the option-level for multiple choice items. For this item type, the discrimination for the item and key will be the same. Ideally, the discrimination value for the distractors (i.e., the incorrect options) will be negative, indicating that lower ability students tend to select that option more often than higher ability students.

Average Score: The average score achieved on the item for this group of students.

Points Possible: The maximum number of points that can be earned on the item.

Option-level analyses are presented for multiple choice items only. Due to the complexity of other item types in terms of scoring and interactions between options, only item-level analyses will be presented for non-multiple choice items.

INTERPRETING STATISTICS FOR THE ITEM*

Percent selected	**Discrimination**		
	-1.0 to 0.10	0.11 to 0.29	0.30 and higher
0% to 29% Difficult	Revise item: Item is difficult and has poor discrimination.	Consider revision: Item is difficult and has fair discrimination.	Keep item: Item is difficult and has good discrimination.
30% to 80% Average	Revise item: Item is of average difficulty and has poor discrimination.	Consider revision: Item is of average difficulty and has fair discrimination.	Keep item: Item is of average difficulty and has good discrimination.
81% to 100% Easy	Revise item: Item is easy and has poor discrimination.	Consider revision: Item is easy and has fair discrimination.	Keep item: Item is easy and has good discrimination.

INTERPRETING STATISTICS FOR THE DISTRACTORS*

Percent selected	**Negative discrimination**	**Positive discrimination**
Less than 10%	Consider revision: Distractor is not plausible and has a tendency to be selected by low ability students.	Revise item: Distractor is not plausible and has a tendency to be selected by high ability students.
10% to 40%	Keep item: A sufficient number of students are selecting this distractor, and the students who select it tend to be of low ability.	Revise item: A sufficient number of students are selecting this distractor, but the students who select it tend to be of high ability.
Greater than 40%	Consider revision: Distractor may be partially correct and has a tendency to be selected by low ability students.	Revise item: Distractor may be partially correct and has a tendency to be selected by high ability students.

RELIABILITY

Recommended Range	
< 0.50	Assessment has poor reliability and should be revised.
0.50 to 0.70	Reliability for this assessment is lower than the targeted range but could be considered acceptable if the test is short (<10 items).
0.70 to 1.0	Assessment has good reliability.

**The item and test level statistics (i.e., item scores, discrimination, and reliability) depend largely on the variability of test scores. When the number of items and/or the number of students taking an assessment is small, the variability of scores naturally decreases and the statistics in these situations should be interpreted conservatively. To ensure robust item and exam reliability estimates, we recommend administering tests of at least 35 items to 100 or more students. The reliability will not be reported for tests with less than three items, 30 students, or in cases where all students receive the same score.*

Copyright 2024 Assessment Technologies Institute, L.L.C. All rights reserved. This resource is copyright protected material of ATI and is provided for use solely under license by ATI. Copying, distributing, or posting this material on the internet or social media is strictly prohibited. Posting on institution LMS requires ATI's prior written permission.