

amigurio Pattern

****Materials****

- * Yarn "MEHORKA Azhurnaya" color "Chaynaya roza" (Tea Rose) one skein (50g / 280 m)
- * Aluminum wire 1 mm (15 cm) and 2 mm (30 cm)
- * Scissors
- * Hook 0.6 mm
- * T-pin 1.6x20 mm (2 pcs)
- * Pin with a round head 1.2x16 mm (2 pcs)
- * Stuffing
- * Cardboard disc 15 mm (4 pcs), 6 mm (4 pcs)
- * Sticks for stuffing of various sizes (e.g., toothpick or skewer)

Note: You can use any materials you are accustomed to working with, but be aware that quantities of wire, etc., may need to be adjusted.

****Abbreviations****

- * ****MR**** - Magic Ring
- * ****CH**** - Chain
- * ****SC**** - Single Crochet
- * ****DC**** - Double Crochet
- * ****HDC**** - Half Double Crochet
- * ****inc**** - Increase
- * ****dec**** - Decrease
- * ****SL ST**** - Slip Stitch
- * ****FLO**** - Front Loop Only (loop closest to you)
- * ****BLO**** - Back Loop Only (loop furthest from you)



****General Notes****

- * This pattern is free and may be distributed by third parties with credit to amigurio.
- * All crocheting is done inside out for a neater finish, especially on the face.
- * Using the specified materials, the doll should be approximately 14 cm tall.
- * To avoid size differences in paired parts (arms, legs), it is recommended to crochet them in parallel (crochet a few rows of one part, then a few rows of the other).
- * This pattern uses "v-stitches" (hook goes under the yarn), which creates a less dense fabric.
- * The stitch marker will deviate and move upwards in a spiral. Do not be concerned if increases and decreases appear asymmetrical.
- * For stuffing, it is helpful to use both thick and thin sticks. Rounding the ends of the sticks will make stuffing easier.

****Instructions****

****Right Arm****

Make 4 fingers first:

1. (3)
2. (4)
3. 5 CH, 4 SL ST. (4)
4. 5 CH, 4 SL ST. (4)

Continue with the hand:

****R5.**** Crochet across the top of all fingers: 5 SC along one side of the fingers, (1 SC, 1 inc) twice, 1 SC. (12)

****R6.**** 12 SC. (12)

****R7.**** (4 CH, 3 SC along the chain), 12 SC.

****R8.**** 2 SC over the thumb, 12 SC. (14)

****R9.**** 9 SC, 5 SC in FLO. (14)



****R10.**** 1 dec, 7 SC, (in BLO of R9: 2 SC, 1 inc, 2 SC). (14)

****R11-16.**** 14 SC. (14)

****R17.**** 4 SC, 1 dec, 8 SC. (13)

****R18-20.**** 13 SC. (13)

****R21.**** 4 SC, 1 dec, 7 SC. (12)

****R22-23.**** 12 SC. (12)

****R24.**** 4 SC, 1 dec, 6 SC. (11)

****R25-26.**** 11 SC. (11)

****R27.**** 5 SC, 1 CH, skip 1 st, 5 SC. (11)

Insert a 1.2x16 mm pin with a 6 mm disc into the opening. Measure and insert the required length of 1 mm wire into the arm, then stuff.

****R28.**** 3 dec, 1 SC, 2 dec. (6)

Close the remaining opening.

****Left Arm****

Make 4 fingers as for the Right Arm.

Continue with the hand:

****R5.**** Crochet along the fingers: 5 SC along one side of the fingers, (1 SC, 1 inc) twice, 1 SC. (12)

****R6.**** 12 SC. (12)

****R7.**** 5 SC, (4 CH, 3 SC along the chain), 7 SC. (12)

****R8.**** 5 SC, 2 SC over the thumb, 7 SC. (14)

****R9.**** 8 SC, 5 SC in FLO, 1 SC. (14)

****R10.**** 6 SC, 1 dec, (in BLO of R9: 2 SC, 1 inc, 2 SC), 1 SC. (14)

****R11-16.**** 14 SC. (14)

****R17.**** 3 SC, 1 dec, 9 SC. (13)



****R18-20.**** 13 SC. (13)

****R21.**** 3 SC, 1 dec, 8 SC. (12)

****R22-23.**** 12 SC. (12)

****R24.**** 3 SC, 1 dec, 7 SC. (11)

****R25-26.**** 11 SC. (11)

****R27.**** 4 SC, 1 CH, skip 1 st, 6 SC. (11)

Insert a 1.2x16 mm pin with a 6 mm disc into the opening. Measure and insert the required length of 1 mm wire into the arm, then stuff.

****R28.**** 2 dec, 1 SC, 3 dec. (6)

Close the remaining opening.

****Left Leg****

Before starting, cut a piece of yarn 50 cm long for the heel.

Begin with the toes:

1. ****Big toe:**** 3 CH, 2 SC. (2)

2. 4 CH, 2 SL ST. (2)

3. 3 CH, 2 SL ST. (2)

4. 3 CH, 2 SL ST. (2)

5. 2 CH, 1 SL ST. (1)

Continue with the foot:

****R6.**** Join the toes: 7 SC along one side of the toes, 1 SC, 1 inc, 2 SC, 1 inc, 1 SC. (15)

****R7-9.**** 15 SC. (15)

****R10.**** 3 SC, 1 dec, 4 SC, 6 SC in FLO. (14)

Make the heel:

Take the 50 cm piece of yarn. Count 2 stitches from the end of R10 and fasten the yarn in the 3rd stitch.



1. 4 SC, CH, turn. (4)
2. 4 SC, CH, turn. (4)
3. 4 SC, CH, turn. (4)
4. 4 SC, CH, turn. (4)

Return to the main yarn and continue with the leg:

****R11.**** 1 dec, 3 SC along the side of the heel, (across the top of the heel: 1 SC, 1 dec, 1 SC), 3 SC along the other side of the heel, 1 dec, (in BLO of R10: 1 SC, 1 inc, 2 SC, 1 inc, 1 SC). (19)

****R12.**** 19 SC. (19)

****R13.**** 5 SC, 1 dec, 8 SC, 1 inc, 3 SC. (19)

****R14.**** 5 SC, 2 inc in BLO, 12 SC. (21)

****R15-18.**** 21 SC. (21)

****R19.**** 5 SC, 2 dec, 12 SC. (19)

****R20.**** 4 SC, 5 SC in FLO, 5 SC, (in BLO: 1 inc, 1 SC, 1 inc), 2 SC. (21)

****R21.**** 4 SC, (in BLO of R20: 2 inc, 1 SC, 2 inc), 12 SC. (25)

****R22.**** 6 SC, (1 inc, 1 SC) twice, 1 inc, 7 SC, 1 dec, 1 SC, 1 dec, 2 SC. (26)

****R23.**** 8 SC, 1 inc, 2 SC, 1 inc, 8 SC, 1 dec, 2 SC, 1 dec. (26)

****R24.**** 23 SC, 1 dec, 1 SC. (25)

****R25-30.**** 25 SC. (25)

****R31.**** 5 SC, (1 dec, 4 SC) twice, 1 CH, skip 1 st, 5 SC, 1 dec. (22)

****R32.**** (4 SC, 1 dec) twice, 8 SC, 1 dec. (19)

Insert a T-pin into a 15 mm disc and place it into the skipped stitch of R31. Prepare the wire frame, insert it into the leg, and stuff.

****R33.**** 3 SC, 1 dec, 4 SC, 1 dec, 6 SC, 1 dec. (16)

****R34.**** 2 SC, 1 dec, 3 SC, 1 dec, 5 SC, 1 dec. (13)

Make 7 decreases and close the opening.



****Right Leg****

Before starting, cut a piece of yarn 50 cm long for the heel.

****R1-6.**** Same as Left Leg. (15)

****R7-9.**** 15 SC. (15)

****R10.**** 3 SC, 1 dec, 4 SC, 6 SC in FLO. (14)

Make the heel (same as Left Leg):

Take the 50 cm piece of yarn. Count 2 stitches from the end of R10 and fasten the yarn in the 3rd stitch.

1. 4 SC, CH, turn. (4)

2. 4 SC, CH, turn. (4)

3. 4 SC, CH, turn. (4)

4. 4 SC, CH, turn. (4)

Return to the main yarn and continue with the leg:

****R11.**** 1 dec, 3 SC along one side of the heel, (across the top of the heel: 1 SC, 1 dec, 1 SC), 3 SC along the other side of the heel, 1 dec, (in BLO of R10: 1 SC, 1 inc, 2 SC, 1 inc, 1 SC). (19)

****R12.**** 19 SC. (19)

****R13.**** 5 SC, 1 dec, 8 SC, 1 inc, 3 SC. (19)

****R14.**** 5 SC, 2 inc in BLO, 12 SC. (21)

****R15-18.**** 21 SC. (21)

****R19.**** 5 SC, 2 dec, 12 SC. (19)

****R20.**** 4 SC, 5 SC in FLO, 6 SC, (in BLO: 1 inc, 1 SC, 1 inc), 1 SC. (21)

****R21.**** 4 SC, (in BLO of R20: 2 inc, 1 SC, 2 inc), 12 SC. (25)

****R22.**** 6 SC, (1 inc, 1 SC) twice, 1 inc, 8 SC, (1 dec, 1 SC) twice. (26)

****R23.**** 8 SC, 1 inc, 2 SC, 1 inc, 8 SC, 1 dec, 2 SC, 1 dec. (26)

****R24.**** 23 SC, 1 dec, 1 SC. (25)

****R25-30.**** 25 SC. (25)

****R31.**** 1 dec, 5 SC, 1 CH, skip 1 st, (4 SC, 1 dec) twice, 5 SC. (22)



****R32.**** 1 dec, 8 SC, (1 dec, 4 SC) twice. (19)

Insert a T-pin into a 15 mm disc and place it into the skipped stitch of R31. Prepare the wire frame, insert it into the leg, and stuff.

****R33.**** 1 dec, 6 SC, 1 dec, 4 SC, 1 dec, 3 SC. (16)

****R34.**** 1 dec, 5 SC, 1 dec, 3 SC, 1 dec, 2 SC. (13)

Make 7 decreases and close the remaining opening.

****Body****

****R1.**** 6 SC in MR. (6)

****R2.**** 6 inc. (12)

****R3.**** (1 inc, 1 SC) six times. (18)

****R4.**** (1 inc, 2 SC) six times. (24)

****R5.**** (1 inc, 3 SC) six times. (30)

****R6.**** 1 SC, 4 inc, 7 SC, 1 inc, 4 SC, 1 inc, 7 SC, 4 inc, 1 SC. (40)

****R7.**** 40 SC. (40)

****R8.**** 1 SC, (1 SC, 1 inc) three times, 9 SC, 1 inc, 6 SC, 1 inc, 9 SC, (1 inc, 1 SC) three times, 1 SC. (48)

****R9.**** 13 SC, 1 CH, skip 1 st, 20 SC, 1 CH, skip 1 st, 13 SC. (48)

****R10.**** 19 SC, 1 inc, 8 SC, 1 inc, 19 SC. (50)

****R11.**** 50 SC. (50)

****R12.**** 13 SC, 1 inc, 22 SC, 1 inc, 13 SC. (52)

****R13.**** 14 SC, 1 inc, 22 SC, 1 inc, 14 SC. (54)

Insert the legs into the skipped stitches of R9. Place 15 mm discs onto the pins from the inside and secure them tightly by bending the pin ends.

****R14.**** 54 SC. (54)



[Note: Instructions for R15-16 are unclear in the source text. R17 begins with 46 stitches.]

****R17.**** (1 SC, 1 dec) twice, 34 SC, (1 dec, 1 SC) twice. (42)

****R18-20.**** 42 SC. (42)

****R21.**** 15 SC, (1 dec, 1 SC) five times, 12 SC. (37)

****R22-23.**** 37 SC. (37)

****R24.**** 11 SC, 1 CH, skip 1 st, 18 SC, 1 CH, skip 1 st, 6 SC. (37)

****R25-26.**** 37 SC. (37)

Insert the arms into the skipped stitches of R24. Place 6 mm discs onto the pins from inside the body and secure them firmly.

****R27.**** 7 SC, 1 dec, 5 SC, 1 dec, 10 SC, 1 dec, 5 SC, 1 dec, 2 SC. (33)

****R28.**** 6 SC, 1 dec, 5 SC, 1 dec, 8 SC, 1 dec, 5 SC, 1 dec, 1 SC. (29)

****R29.**** (5 SC, 1 dec) twice, 6 SC, 1 dec, 5 SC, 1 dec. (25)

****R30.**** 7 SC, 2 dec, 8 SC, 2 dec, 2 SC. (21)

Prepare an 11 cm piece of 2 mm wire for the neck. Insert the wire and stuff the body firmly.

****R31.**** 21 SC. (21)

****R32.**** 10 dec, skip 1 st. (10) Stuff firmly.

****R33-51.**** 10 SC. (10) [19 rounds total for the neck]

Cut the yarn, close the opening.

****Head****

****R1-2.**** 12 SC, SL ST, CH. (12)

****R3-4.**** 12 SC. (12)

****R5.**** 12 inc. (24)

****R6.**** 6 SC, (3 SC in one st, 5 SC) three times. (30)

****R7.**** 7 SC, 1 inc, 7 SC, 3 SC in one st, 7 SC, 1 inc, 6 SC. (34)

****R8.**** 7 SC, 1 inc, 9 SC, 3 SC in one st, 9 SC, 1 inc, 6 SC. (38)



- **R9.** 7 SC, 1 inc, 11 SC, 3 SC in one st, 11 SC, 1 inc, 6 SC. (42)
- **R10.** 7 SC, 1 inc, 13 SC, 3 SC in one st, 13 SC, 1 inc, 6 SC. (46)
- **R11.** (inc, 2 SC) twice, 37 SC, 1 inc, 2 SC. (49)
- **R12.** 1 SC, (1 inc, 3 SC) twice, 1 inc, 31 SC, (1 inc, 3 SC) twice. (54)
- **R13.** (inc, 4 SC) twice, 39 SC, 1 inc, 4 SC. (57)
- **R14.** 14 SC, 1 inc, 6 SC, 1 inc, 7 SC, 5 SC in FLO, 7 SC, 1 inc, 6 SC, 1 inc, 8 SC. (61)
- **R15.** 3 SC, 1 inc, 6 SC, 1 inc, 20 SC, 5 SC in FLO, 20 SC, 1 inc, 4 SC. (65)
- **R16.** 64 SC. (64)
- **R17.** 35 SC, (in one stitch: SL ST, 6 SC, SL ST), 28 SC. (71)
- **R18.** 35 SC, SL ST, 6 SC, SL ST, 28 SC. (71)
- **R19.** 24 SC, 4 dec, 3 SC, (skip 1 st, 1 SC) four times, 3 SC, 4 dec, 17 SC. (59)
- **R20.** 17 SC, 1 inc, 14 SC, 3 SC together, 14 SC, 1 inc, 9 SC. (59)
- **R21-22.** 59 SC. (59)
- **R23.** 26 SC, 1 inc, 14 SC, 1 inc, 17 SC. (61)
- **R24-34.** 61 SC. (61)
- **R35.** (1 dec, 10 SC) five times, skip 1 st. (55)
- **R36.** (1 dec, 9 SC) five times. (50)
- **R37.** (1 dec, 8 SC) five times. (45)
- **R38.** (1 dec, 7 SC) five times. (40)
- **R39.** (1 dec, 6 SC) five times. (35)
- **R40.** (1 dec, 5 SC) five times. (30)
- **R41.** (1 dec, 4 SC) five times. (25)

Push the first 4 rows inside the head. Put the head onto the doll's neck and stuff firmly.

- **R42.** (1 dec, 3 SC) five times. (20)
- **R43.** (1 dec, 2 SC) five times. (15)
- **R44.** (1 dec, 1 SC) five times. (10) Stuff more if needed.
- **R45.** 5 dec. (5)



Cut the yarn and close the remaining opening.

****Lips****

Cut 2 pieces of yarn, each 30 cm long.

* ****Upper Lip:**** Attach the first piece of yarn to a back loop of R15 of the head. Make 1 CH, then in the next stitch work: 1 SC, 1 inc, 1 SC, SL ST.

* ****Lower Lip:**** Attach the second piece of yarn to a back loop of R14 of the head. Make 1 CH, then in the next stitch work: 3 SC, SL ST.

Bring the yarn ends to the base of the head and fasten them.

****Ears (Make 2)****

****R1.**** In MR: 1 HDC, 7 DC, 1 SC, CH, turn. (9)

****R2.**** SL ST, 1 HDC, 2 DC, 1 DC inc, 2 HDC, 1 SC, SL ST. (10)

Leave yarn ends of about 5 cm for sewing. Attach the ears to the head after embroidering the face.

****Finishing****

- * Embroider the face details.
- * Make and attach hair.
- * Crochet underwear and a headband as desired.