

amigurio Pattern

Wire-Frame Doll: "Little Red Riding Hood"

This pattern is an original design by amigurio. Use of this pattern is strictly for personal purposes. When publishing, please credit amigurio.

Materials

- * **Yarn:** Fingering weight yarn (e.g., Pekhorka Openwork, Miss Alize, Seam Anna 16, or Vita Pelikan). You will also need scraps of similar weight yarn for the clothes.
- * **Hook:** 0.75 mm, or a size appropriate for your yarn and tension.
- * **Wire:** 45-50 cm of 2-2.5 mm gauge wire for the body frame, and 18 cm of 1-1.5 mm gauge wire for the arms.
- * **Other:** Holofiber (polyfill), fabric adhesive tape, wire cutters, needle for sewing details.
- * **Finished Size:** Approximately 22 cm tall with the recommended yarn.

Abbreviations

- * **ch:** chain
- * **sc:** single crochet
- * **inc:** increase (2 sc in one stitch)
- * **dec:** decrease (2 sc together)
- * **sl st:** slip stitch
- * **hdc:** half double crochet
- * **dc:** double crochet
- * **MR:** magic ring
- * **st(s):** stitch(es)



Instructions

Head


1. 8 sc in MR (8)
2. 8 inc (16)
3. (1 sc, inc) x 8 (24)
4. (3 sc, inc) x 6 (30)
5. (4 sc, inc) x 6 (36)
6. (5 sc, inc) x 6 (42)
7. (6 sc, inc) x 6 (48)
- 8-11. 48 sc (4 rows) (48)
12. (6 sc, dec) x 6 (42)
- 13-15. 42 sc (3 rows) (42)
16. (5 sc, dec) x 6 (36)
- 17-18. 36 sc (2 rows) (36)
19. 11 sc, 5 inc, 4 sc, 5 inc, 11 sc (46)
- 20-21. 46 sc (2 rows) (46)
22. (4 sc, dec) x 2, 22 sc, (dec, 4 sc) x 2 (42)
23. 3 sc, dec, 4 sc, dec, 7 sc, 2 inc, dec, 7 sc, dec, 4 sc, dec, 3 sc (38)
24. 1 sc, (dec, 4 sc) x 2, dec, 2 sc, 4 inc, 2 sc, dec, (4 sc, dec) x 2, 1 sc (36)
25. (4 sc, dec) x 6 (30)
26. (3 sc, dec) x 6 (24)
27. (2 sc, dec) x 6 (18)

Stuff the head with holofiber.

28. 9 dec (9)

Fasten off and cut the thread.

Hands (Make 2)



1. Make 4 fingers: [Ch 3, starting in 2nd ch from hook, work 2 sl st] x 4.
2. Work around the base of the fingers to create a round of 9 sc. (9)
3. 9 sc (9)
4. 1 sc, [Ch 3, starting in 2nd ch from hook, work 2 sl st] (this forms the thumb), 8 sc (9)
5. 9 sc (9)
6. 8 sc (8)
7. 7 sc (7)
8. 6 sc (6)
- 9-11. 6 sc (3 rows) (6)
12. 7 sc (7)
13. 8 sc (8)
- 14-18. 8 sc (5 rows) (8)
19. 2 inc, 6 sc (10)
- 20-26. 10 sc (7 rows) (10)

Fasten off. Cut the thread, leaving a long tail for sewing.

Legs (Make 2)

1. 6 sc in MR (6)
2. (1 sc, 2 inc) x 2 (10)
- 3-7. 10 sc (5 rows) (10)
8. 2 inc, 8 sc (12)
9. 1 sc, 2 inc, 9 sc (14)
10. 1 sc, 2 dec, 9 sc (12)
11. 2 dec, 8 sc (10)
12. 9 sc (9)
- 13-14. 9 sc (2 rows) (9)

Insert the wire frame into the leg. Cut a 25 cm piece of wire and bend it into a loop the size of the foot.



15-17. 9 sc (3 rows) (9)

Adjust the stitch marker to the center of the heel. All future increases and decreases should be placed over the heel.

18. 3 sc, inc, 8 sc (10)

19. 10 sc (10)

20. 1 sc, inc, 8 sc (11)

21. 11 sc (11)

22. 2 sc, inc, 8 sc (12)

23. 12 sc (12)

24. 2 sc, inc, 9 sc (13)

25-28. 13 sc (4 rows) (13)

29. 2 sc, dec, 9 sc (12)

30. 12 sc (12)

31. 2 sc, dec, 8 sc (11)

32. 11 sc (11)

33. 7 sc, 3 inc, 1 sc (14)

You are now creating the knee. Use shift stitches if needed to position it correctly.

34. 14 sc (14)

Add stuffing to the shin.

35. 2 sc, dec, 10 sc (13)

Decreases should be located at the back (over the heel). Adjust the stitch marker if necessary.

36. 13 sc (13)

37. 2 sc, inc, 10 sc (14)

38. 14 sc (14)

39. 3 sc, inc, 10 sc (15)

40. 15 sc (15)

41. 4 sc, inc, 10 sc (16)

42-51. 16 sc (10 rows) (16)



For the first leg, cut the thread and fasten off. For the second leg, do not cut the thread.

Body

Continue from the second leg.

52. 16 sc on the current leg, ch 4, 16 sc on the first leg, ch 2 (38)

Place a stitch marker. It should run up the middle of the back. If the marker shifts, use shift stitches to reposition it.

53. 1 sc, 4 inc, 30 sc, 4 inc, 1 sc (48)

54-58. 48 sc (5 rows) (48)

59. 1 sc, (2 sc, dec) x 3, 22 sc, (dec, 2 sc) x 3, 1 sc (42)

60. 1 sc, (1 sc, dec) x 3, 22 sc, (dec, 1 sc) x 3, 1 sc (36)

61. 1 sc, 3 dec, 22 sc, 3 dec, 1 sc (30)

62. 2 sc, dec, 22 sc, dec, 2 sc (28)

63. 4 sc, dec, 16 sc, dec, 4 sc (26)

64-69. 26 sc (6 rows) (26)

Add stuffing to the body. Distribute it evenly, especially in the buttocks area.

70. 2 sc, inc, 20 sc, inc, 2 sc (28)

71. 28 sc (28)

72. 3 sc, inc, 20 sc, inc, 3 sc (30)

73-76. 30 sc (4 rows) (30)

Position the arms for joining. Align them at the sides, leaving 12 unworked stitches on the front and 12 on the back.

77. 6 sc on back, 8 sc across arm, 12 sc on front, 8 sc across other arm, 6 sc on back (40)

Insert the wire frame into the arms. Cut an 18 cm piece of thin wire. Bend both ends into a loop and secure with adhesive tape.

78. 40 sc (40)

79. 7 sc, 3 dec, 14 sc, 3 dec, 7 sc (34)

80. 5 sc, 3 dec, 12 sc, 3 dec, 5 sc (28)



Distribute stuffing evenly throughout the body and shoulders.

81. 3 sc, 2 dec, 8 sc, 2 dec, 3 sc (18)

82. (1 sc, dec) x 6 (12)

83-88. 12 sc (6 rows) (12)

Do not attach the head yet. This will be done at the very end.

Skirt

All rows of the skirt are worked as turning rows with turning chains.

1. Ch 34.

2-3. 34 sc (2 rows).

4. (2 sc, inc) x 10. Leave the remaining 4 stitches unworked for the fastener. (40)

5. Make pleats. The sample skirt was made with pleats at a step of 4 stitches, resulting in 85 stitches. (85)

6-11. 85 sc (6 rows).

Join to work in the round. Continue to use turning chains.

12-25. 85 sc (14 rows).

26. Work this row in the front loops only.

27-31. 85 sc (5 rows). Work through both loops as usual.

Frill:

Sew your chosen frill or lace to the back loops of row 26.

Hide all yarn tails and sew a button onto the fastener.

Pants

Work all rows with turning chains. Try the pants on the doll as you go to ensure a good fit.

1. Ch 41 and join with a sl st to form a ring.

2-4. 40 sc (3 rows) (40)

5. 10 sc, turn.



6. 10 sc, turn.

Continue working in turning rows to create the front and gusset panels, trying on the doll for length.

Once the panels are complete, trim the inner perimeter of the pants with slip stitches.

Embroider a flower or attach a satin ribbon bow to the front.

Jacket

Work all rows with turning chains.

With brown yarn:

1. Ch 15. Work into the back loops only for this row. 15 sc.
2. 6 sc. Turn your work (shortened row).
3. 6 sc.
4. 15 sc (work 6 sc on the shortened row, then 9 sc on the main row).

Repeat rows 1-4 another 14 times, or to the desired length.

Along the top edge, pick up 32 stitches.

Change color to white.

1. 32 sc.
- 2-3. 32 sc (2 rows).
4. 5 sc, ch 5, skip 5 sts, 12 sc, ch 5, skip 5 sts, 5 sc. (Armholes created)
5. 32 sc (work into chains and stitches).
6. 4 sc, dec, 4 sc, dec, 8 sc, dec, 4 sc, dec, 4 sc (28).

Cut thread, fasten off, and hide the tail. Sew on a bow or other ornament and add fasteners to the back.

Footwear (Make 2)

1. Ch 7. Starting from the second ch from the hook, work in a round.
2. Inc, 4 sc, 3 sc in next st, 5 sc (14)



3. 2 inc, 4 sc, inc, 3 sc in next st, inc, 4 sc, inc (21)
4. (1 sc, inc) x 2, 7 sc, 3 sc in next st, 8 sc, inc (26)
5. In front loops only: 26 sc (26)
6. 13 sc, dec 3 stitches together, 10 sc (24)
7. 12 sc, dec 3 stitches together, 9 sc (22)
8. 11 sc, dec 3 stitches together, 8 sc (20)
9. 9 sc (work until you reach the front decreases), turn, 2 sc, 2 hdc, 8 dc, 2 hdc, 2 sc.

Cut thread and hide the tail.

Hat

1. 6 sc in MR (6)
2. 6 inc (12)
3. (1 sc, inc) x 6 (18)
4. (2 sc, inc) x 6 (24)
5. (3 sc, inc) x 6 (30)
6. (4 sc, inc) x 6 (36)
7. (5 sc, inc) x 6 (42)

Begin working in turning rows with turning chains.

8. In back loops only: 42 sc (42)

Continue working through both loops.

- 9-10. 42 sc (2 rows) (42)
11. (6 sc, inc) x 6 (48)
12. 48 sc (48)
13. (inc, 7 sc) x 6 (54)
14. 54 sc (54)
15. (8 sc, inc) x 6 (60)
16. 60 sc (60)
17. (inc, 9 sc) x 6 (66)



18. 66 sc (66)

19. (10 sc, inc) x 6 (72)

20. In back loops only: 72 sc (72)

The following rows form the brim. Work as usual.

21. 1 sc, inc, 68 sc, inc, 1 sc (74)

22. 1 sc, inc, 70 sc, inc, 1 sc (76)

23. 1 sc, inc, 72 sc, inc, 1 sc (78)

24. 1 sc, inc, 74 sc, inc, 1 sc (80)

25. 1 sc, inc, 76 sc, inc, 1 sc (82)

26. 1 sc, inc, 78 sc, inc, 1 sc (84)

27. 1 sc, inc, 80 sc, inc, 1 sc (86)

Edge the hat's outer brim with sc or crab stitch. Edge the unworked front loops from row 8 with crab stitch.

Cut threads and hide tails.

Hair

Hair can be made from felting wool and attached to the head.

Face Decoration

1. ****Eyes:**** Position printed or plastic safety eyes on the head. Glue them in place with strong craft glue.
2. ****Nose:**** Embroider the nose with 3-4 stitches using the main yarn color.
3. ****Eyelashes:**** Cut false eyelashes in half and glue them along the upper contour of the eyes.
4. ****Eyelids:**** Using the main yarn color, stitch eyelids over the top of the eyelashes.
5. ****Lips:**** Embroider the lips (Rococo stitch or a simple straight stitch).
6. ****Eyebrows:**** Embroider the eyebrows.
7. Add blush or other toning to the cheeks as desired.

Final Assembly



1. Sew the head securely to the neck opening of the body.
2. Dress the doll in her clothes.
3. Style the hair.

