amigurio Pattern

This is an original design by amigurio, intended exclusively for personal use. Distribution and sale of this pattern are prohibited.

Toys crocheted based on this pattern can be disposed of at your discretion. When publishing works related to this amigurio pattern, please mention amigurio.

Materials

- * Yarn for the body: white and flesh colors
- * Yarn for heels: Gray (e.g., Iris Gamma No. 0853)
- * Yarn for Dress, Apron, and Pants: White crochet thread (e.g., Canaris Ari Art or Pechorka White Lace)
- * Hook: 0.75 mm for the body
- * Hook: 0.5 mm for the clothes
- * White lace: 1 cm wide
- * Wire for the frame: 1.5 mm in diameter
- * Wire for arms: 0.8 mm in diameter
- * Round nose pliers
- * Adhesive plaster or electrical tape
- * Fiberfill for stuffing
- * Pins for sewing
- * Mouline thread for embroidering lips (e.g., linen color for hair, or thin acrylic)
- Acrylic paints for eyes
- * Eyelashes
- * Glue (e.g., Moment Crystal)
- * Synthetic brushes: sizes 0 and 00
- Pastel for toning



- * **sc** Single Crochet
- * **inc** Increase (2 sc in one stitch)
- * **dec** Decrease (sc 2 together)
- * **sl st** Slip Stitch
- * **3in1** Triple Increase (3 sc in one stitch)
- * *Numbers in parentheses () at the end of a round indicate the total number of stitches.*

```
### **Head**
```

R1: 8 sc in MR (8)

R2: 8 inc (16)

R3: (1 sc, inc) x 8 (24)

R4: (3 sc, inc) x 6 (30)

R5: (4 sc, inc) x 6 (36)

R6: (5 sc, inc) x 6 (42)

R7: (6 sc, inc) x 6 (48)

R8-11 (4 rounds): 48 sc

R12: (6 sc, dec) x 6 (42)

R13-15 (3 rounds): 42 sc

R16: (5 sc, dec) x 6 (36)

R17-18 (2 rounds): 36 sc

R19: 11 sc, 5 inc, 1 sc, 2 inc, 1 sc, 5 inc, 11 sc (48)

R20: 22 sc, 4 inc, 22 sc (52)

R21: 23 sc, skip 6 stitches, 23 sc (46)

- * This forms the nose. The remaining hole will not be noticeable.*
- **R22:** (4 sc, dec) x 2, 22 sc, (dec, 4 sc) x 2 (42)
- **R23:** 3 sc, dec, 4 sc, dec, 7 sc, dec, 21 sc, dec, 7 sc, dec, 4 sc, dec, 3 sc (38)
- **R24:** 1 sc, (dec, 4 sc) x 2, dec, 2 sc, 4 inc, 2 sc, dec, (4 sc, dec) x 2, 1 sc (36)





```
**R26:** (3 sc, dec) x 6 (24)

**R27:** (2 sc, dec) x 6 (18)

**R28:** (1 sc, dec) x 6 (12)
```

Fasten off, leaving a small tail to hide inside the head. Stuff the head firmly, paying special attention to the cheeks and chin.

```
### **Ears (Make 2)**

**R1:** 9 sc in MR.
```

Do not close the circle. Tighten the yarn and leave a long tail for sewing.

```
### **Legs (Make 2)**
```

* Note: The pattern is worked in a spiral. The heel is used as a guide, with increases and decreases placed at the back. Adjust with slip stitches if needed to keep the marker at the center back.*

```
Start with white yarn.
```

R25: inc. 11 sc (13)

```
**R1:** 6 sc in MR (6)

**R2:** (2 sc, 3in1) x 2 (10)

**R3-8 (6 rounds):** 10 sc

**R9:** 2 (3in1), 8 sc (14)

**R10:** 1 sc, 4 inc, 9 sc (18)

**R11:** 2 sc, (3 sc together) x 2, 10 sc (14)

**R12:** 1 sc, 2 dec, 9 sc (12)

**R13:** 2 dec, 8 sc (10)

**R14:** dec, 8 sc (9)

**R15-18 (4 rounds):** 9 sc

**R19:** inc, 8 sc (10)

**R20-22 (3 rounds):** 10 sc

**R23:** inc, 9 sc (11)

**R24:** inc, 10 sc (12)
```



```
**R26:** inc, 12 sc (14)

**R27-32 (6 rounds):** 14 sc

**R33:** 2 dec, 10 sc (12)

**R34:** dec, 10 sc (11)

**R35:** 11 sc

**R36:** 5 sc, 3 inc, 3 sc (14)

* This shapes the knee; ensure it is at the front.*

**R37:** 14 sc

**R38:** 5 sc, 3 dec, 3 sc (11)

**R39:** inc, 10 sc (12)

**R40:** inc, 11 sc (13)

**R41:** inc, 12 sc (14)

**R42:** inc, 13 sc (15)

**R43-47 (5 rounds):** 15 sc
```

* Insert the wire frame: Cut a 25 cm wire, make a loop at one end the length of the foot. Stuff the heel first, then insert the frame into the foot.*

Change to flesh color yarn.

R48-57 (10 rounds): 15 sc

For the first leg, fasten off and cut the yarn. For the second leg, do not cut the yarn; continue to crochet the body.

Body

- * Ensure the last stitch of the second leg is on the inner side of the thigh. Use slip stitches to adjust if needed.*
- **R58:** Chain 4, 15 sc on the first leg, 4 sc along the chain, 15 sc on the second leg, 4 sc along the chain (38)
- * Place a marker at the center back. Decreases and increases will be symmetrical to i
- **R59:** 1 sc, 6 inc, 24 sc, 6 inc, 1 sc (50)

```
**R60-62 (3 rounds):** 50 sc
**R63:** 1 sc, dec, 44 sc, dec, 1 sc (48)
**R64:** 1 sc, dec, 42 sc, dec, 1 sc (46)
**R65:** (1 sc, dec) x 3, 28 sc, (dec, 1 sc) x 3 (40)
**R66:** 1 sc, 3 dec, 26 sc, 3 dec, 1 sc (34)
**R67:** 1 sc, dec, 28 sc, dec, 1 sc (32)
**R68:** 1 sc, dec, 26 sc, dec, 1 sc (30)
**R69:** 1 sc, dec, 24 sc, dec, 1 sc (28)
**R70-76 (7 rounds):** 28 sc
* Stuff the body firmly as you go.*
**R77:** 8 sc, inc, 10 sc, inc, 8 sc (30)
**R78-79 (2 rounds):** 30 sc
**R80:** 8 sc, inc, 12 sc, inc, 8 sc (32)
**R81:** 8 sc, inc, 14 sc, inc, 8 sc (34)
**R82-86 (5 rounds):** 34 sc
* Stuff the torso. Check that the marker is at the center back.*
```

R87: 5 sc, dec, (3 sc together), dec, 10 sc, dec, (3 sc together), dec, 5 sc (26)

R88: 4 sc, 3 dec, 6 sc, 3 dec, 4 sc (20)

R89: 2 sc, 3 dec, 4 sc, 3 dec, 2 sc (14)

R90: (2 sc, dec) x 3, 2 sc (11)

* Stuff the shoulders evenly.*

R91: dec, 8 sc (10)

R92-97 (6 rounds): 10 sc (for the neck)

Fasten off, leaving a long tail for sewing the head to the body.

Arms (Make 2)

R1: *Fingers:* (Chain 4, turn, 3 sl st back down the chain) x 4. Pick up 4 sc along the the fingers.

R2: Pick up 9 sc around the edge of the hand (9)

```
**R3:** 9 sc
```

R4: *Thumb:* Chain 4, turn, 3 sl st back down the chain. 9 sc around the hand.

```
**R5-6 (2 rounds):** 9 sc
```

R7: (1 sc, dec) x 3 (6)

R8-11 (4 rounds): 6 sc

R12: 5 sc, inc (7)

R13: 7 sc

R14: 5 sc, inc, 1 sc (8)

R15: 8 sc

R16: 4 sc, inc, 3 sc (9)

R17: 9 sc

R18: inc, 8 sc (10)

R19-38 (20 rounds): 10 sc

R39: Decrease until the hole closes.

- * **Left/Right Arm:** For the left arm, in R4, make 2-3 extra sc before creating the thumb to shift its position.
- * **Frame:** Cut a 12-15 cm wire, make a loop for the palm, and insert it. Lightly stuff the forearm.
- * **Assembly:** Insert the arm wires into the body at the decreases of R87. Sew the arms securely.

Pants

* Make 2 pant legs. Work in joined rounds with a turning chain.*

Pant Leg (Make 2):

R1: Chain 24, sl st to join into a ring.

R2: 24 sc

R3: (2 sc, inc) x 8 (32)

R4-12 (9 rounds): 32 sc

* For the first leg, fasten off. Continue from the second leg to join.*



```
**Joining:**
```

R13: Chain 3, 32 sc on the first leg, 3 sc along the chain, 32 sc on the second leg, 3 sc along the chain (70)

* Place decreases on the sides of the pants.*

```
**R14-18 (5 rounds):** 70 sc
```

R19: 15 sc, dec, 33 sc, dec, 18 sc (68)

R20: 15 sc, dec, 31 sc, dec, 18 sc (66)

R21: 15 sc, dec, 29 sc, dec, 18 sc (64)

R22: 15 sc, dec, 27 sc, dec, 18 sc (62)

R23: 31 dec (31)

R24-25 (2 rounds): 31 sc

Fasten off and hide the tail. Sew lace along the bottom edge of the pant legs.

Dress

* Note: DC (Double Crochet) is used only where specified.*

Skirt:

* Work in turning rows with a turning chain.*

Chain 40.

Row 1: 40 sc

Row 2: 3 DC in each stitch (120)

Row 3-9 (7 rows): 120 sc

Row 10: 120 sc. At the end of this row, join with a sl st to work in the round.

R11-50 (40 rounds): 120 sc

Fasten off and hide the tail.

* Join yarn to the foundation chain (Row 1) of the skirt. Work in turning rows.*



^{**}Bodice:**

```
**First Half of Back:**
**Row 11 (partial row):** 8 sc, dec, turn (9)
**Rows 12-17 (6 rows):** 9 sc
**Row 18:** 6 sc, dec, turn (7)
**Row 19:** dec, 5 sc (6)
Fasten off, leaving a tail for sewing the shoulder.
  **Second Half of Back:**
Crochet similarly on the other side of the bodice opening.
  **Front:**
Skip 2 stitches from the edge of one back panel to create the armhole.
**Row 1:** dec, 12 sc, dec (14)
**Rows 2-6 (5 rows):** 14 sc
**Row 7 (neckline shaping):** 6 sc, 2 sl st, 6 sc (14)
**Row 8:** 5 sc, 2 sl st, 5 sc (12)
**Row 9:** 4 sc, 6 sl st, 4 sc (14)
**Sleeves (Make 2):**
* Work in joined rounds with a turning chain unless specified.*
**R1:** Chain 14, sl st to join into a ring.
**R2-3 (2 rounds):** 14 sc
**R4:** 14 inc (28)
```

* Begin working in short turning rows to shape the sleeve cap.*

Row 7: 2 sl st, 24 sc, turn (26)

Row 8: dec, 20 sc, dec, turn (22)

R5-6 (2 rounds): 28 sc

Row 9: dec, 18 sc, dec, turn (20)

Row 10: dec, 16 sc, dec, turn (18)



```
**Row 11:** dec, 14 sc, dec, turn (16)
**Row 12:** dec, 12 sc, dec, turn (14)
**Row 13:** 7 dec (7)
Fasten off, leaving a tail for sewing.
**Assembly:**
Sew shoulder seams. Sew on sleeves. If the dress is removable, add a border and buttons or snaps to
the back opening. Decorate the neckline with lace or a collar.
### **Apron**
* Work in turning rows with a turning chain.*
Chain 15.
**Rows 1-11 (11 rows):** 15 sc
**Row 12:** 3 DC in each stitch (45)
**Rows 13-45 (33 rows):** 45 sc
* Adjust length as desired.*
Crochet a border of sc around the apron, adding loops for ties.
**Pocket:**
Chain 10.
**Rows 1-10 (10 rows):** 10 sc
**Row 11 (front loop only):** 3 DC in each stitch (30)
**Rows 12-13 (2 rows):** 10 sc (worked into the back loops of Row 10)
Fasten off, leaving a tail for sewing. Sew the pocket to the apron.
### **Belt**
```

* The following piece is labeled "Belt" but creates a cone shape. Follow instructions as written.*

Chain 60, sl st to join into a ring.

R11: 2 DC in each stitch (120)

R1-10 (10 rounds): 60 sc



R12-17 (6 rounds): 120 sc

R18: (2 sc, dec) x 30 (90)

R19: 90 sc

R20: (1 sc, dec) x 30 (60)

R21: (8 sc, dec) x 6 (54)

R22: (7 sc, dec) x 6 (48)

R23: (6 sc, dec) x 6 (42)

R24: (5 sc, dec) x 6 (36)

R25: (4 sc, dec) x 6 (30)

R26: (3 sc, dec) x 6 (24)

R27: (2 sc, dec) x 6 (18)

R28: (1 sc, dec) x 6 (12)

R29: 6 dec (6)

Pull the yarn tight to close the hole. Fasten off and hide the tail.

