

Marketing Cloud Readiness Team

Driving Readiness, Maximizing Success in the Cloud.



MC Next / Agentforce Marketing Training – Cumulative Q&A & Outstanding Actions

Overview

This document captures all questions, answers, and outstanding asks from the **MC Next / Agentforce Marketing Hands-On Training** held in Indianapolis on **April 8–9, 2026**. Questions were sourced from the live transcripts (Days 1 & 2) and the  private channel Slack channel.

1 Product & Naming

Q: Is "Agentforce Marketing" the official product name?

A: Yes. The customer-facing name for the next-generation set of capabilities is **Agentforce Marketing**, replacing the internal name "Marketing on Core" and last year's branding of "Marketing Cloud Next." The underlying product has not changed — only the official branding.

2 Data, Identity Resolution & Data Graphs

Q: What is the difference between an "Individual" and a "Unified Individual"?

A: The *Individual* is the source record for a specific system (e.g., the subscriber in a marketing automation system or the person in a CRM). The *Unified Individual* is a superset that aggregates all various "individuals" across different disparate systems into one profile. The Unified Individual is used when deep cross-system context is needed (e.g., knowing a customer has an open service case before sending a marketing email).

Q: Can the Data Graph reference cross-IR objects? (e.g., personalize a Unified Individual email with attributes from a Unified Account)

A: The data graph is built on the Unified Individual and related objects (Account, Contact, Lead). Cross-IR rule references are currently not natively supported. A follow-up session on this use case was requested. (See

Outstanding Asks below.)

Q: What are the current limits on Data Graphs?

A:

- **10 standard** and **10 real-time** data graphs per org, plus **5 in draft** for real-time
- You can only designate **one** data graph for personalization at a time
- You cannot remove a field from a data graph once created — only add
- Deleting a data graph is "doable but difficult" — dependencies must be removed first
- Having multiple data graphs is "incredibly unnecessarily expensive" — build **one good one**

Q: If I want to change my implementation and hit my data graph limit, can I delete a data graph?

A: Yes, but it requires removing all dependencies first (e.g., personalizations, content, associations). It's recommended to turn off the resolution window for unused data graphs rather than deleting them, to avoid paying for consumption while preserving prior personalizations.

Q: Can I just add fields to an existing data graph?

A: Yes — **adding** fields to an existing data graph is supported. **Removing** fields is not possible once the graph is created.

Q: Are Marketing Objects going to be available in Flow Decision conditions in the future?

A: Yes — Marketing Data Objects will be coming into the Flow decision conditions, alongside existing data graphs. Currently, data graphs focus primarily on the Unified Individual.

Q: Will Marketing Objects be able to sync with Data Cloud?

A: Yes — when marketing objects arrive, they will be able to sync with Data Cloud using a data stream, and will be "first-class citizens" in Flow.

Q: What constitutes a "row" in MCA? (similar to how MCI defines a row as a date + metric)

A: This was raised but **not fully answered**. Follow-up is needed from the product team. *(See Outstanding Asks.)*

Q: What is Identity Resolution for, and how should we handle its credit consumption?

A: IR is for **unification, not duplication** — merging records from multiple sources into a single Unified Individual profile. Enterprise customers must be very deliberate about their IR rule to manage consumption; small rule changes can significantly impact usage. Recommendation: start with **normalize email only** as your minimum viable criteria. Only 4 manual IR runs per 24-hour period are allowed (resource-intensive by design).

Q: What enablement exists for MDM best practices (e.g., customers using Informatica,

LPID) when IT teams get involved with Identity Resolution?

A: This was flagged as a gap — specifically for customers who use their own IDs (e.g., Labcorp LPID) and won't accept fuzzy matching. Charlotte noted this in the channel [1](#) but a definitive answer or resource was not provided. (See *Outstanding Asks*.)

3 Consent

Q: How does consent work in Agentforce Marketing / MC Next?

A: Consent is stored in **Data 360 / Data Cloud** and managed at the **L4 (subscription) level** via Communication Subscriptions. Consent is **explicit** — opt-in is required. Consent is associated with **contact point values** (e.g., an email address), not the individual. L3 (channel-level) consent is coming in the **fall release**.

Q: Can AMPScript access the centralized managed consent data model object?

A: Not in the initial release. Future possibilities are being explored, balancing the need for a centralized consent object against customer flexibility.

Q: What happens when an unsubscribe occurs in MCA/MCN — how does it flow back to DC, Snowflake, CRM, and MCE?

A: Charlotte answered in the channel [2](#) — the Consent Synchronization slides from Dustin South were referenced for this: [MCE+ Consent Synchronization](#). In summary, consent flows through supported consent actions only (LWC, flow invocable action, or email unsubscribe). Using unsupported invocable actions can cause compliance/drift issues.

Q: For high-volume initial consent uploads (e.g., 25 million records), what's the approach?

A: Upload directly to the Communication Subscription Consent DMO using **file upload**. To prevent drift between the consent cache and displayed data, **only use supported consent actions** going forward.

Q: Can you set up a dynamic table for different organization addresses in emails (instead of the single org-level address)?

A: Not currently — the system anchors to the main org address. It is **on the roadmap**. A temporary workaround is to white-out the hardcoded text and manually insert a local address, though this risks CAN-SPAM violations if misused.

4 Campaign Building, Flow & Orchestration

Q: Why isn't provisioning automated on the backend when a customer purchases a SKU?

A: This is a valid feedback point. The self-serve setup model is intentional and still maturing. Gordon noted it's a

work in progress — the "why" behind setup steps needs to be better documented 3 🗳️.

Q: Have the Campaign Object and Campaign Member Object size/concurrency limitations been addressed for Agentforce Marketing?

A: The campaign execution begins in CRM, pushes to Data Cloud, and uses High Scale Flow. The campaign object is the **same object** as in Sales/Service Cloud. Gordon's response (in thread) noted that while the same object is used, the marketing workspace has its own layout, and the concurrency concern is largely addressed by the architecture shift to High Scale Flow 4 🗳️.

Q: Does Agentforce Marketing support Campaign Hierarchies?

A: **No** — campaign hierarchies are not currently supported. This has change management consideration, especially for the MCAE customer base. A writeup on the impact and strategy was shared: Campaign Hierarchy Loss in MC Next.

Q: Could a customer with tighter security restrictions use Change Sets or Copado to promote a Marketing Flow to production?

A: Yes — the standard Salesforce DevOps lifecycle applies. Customers should start flows in a **sandbox environment**. Change Sets and tools like Copado can be used. However, there is currently **no automatic content promotion** between environments (campaign records, images, etc.) — a robust content syndication strategy is needed.

Q: What is the throughput limit for High Scale Flow and can it be increased?

A: The current limit is **15 million actions per hour per org**, throttled by product leadership for cost reasons (the architecture can technically reach 60 million). If exceeded, the flow is throttled but there is **no customer-facing monitoring interface** for this today. Submit a DSR if your customer needs higher throughput.

Q: Are API calls from MCN to inject into MCE Journeys going to be allowlisted to avoid double-billing (MCN action + MCE API call)?

A: This was discussed in depth in the channel 5 🗳️. As of training, there is no definitive answer — this is being tracked as a known concern. (*See Outstanding Asks.*)

Q: Will there be familiar "Einstein" nodes as Flow elements (e.g., Send Time Optimizer, Path Optimizer)?

A: Path Experimentation is on the roadmap and is positioned as **superior to Journey Builder's Path Optimizer** because the winner can be chosen based on any custom event (not just email engagement). Dynamic traffic allocation (multi-arm bandit) is the next planned improvement.

Q: Is Automation Event Triggered Flow how we would add Agentforce actions to two-way or agentic email/SMS flows?

A: Gordon confirmed — Automation Event Triggered Flows use a payload from Data Cloud events and support

Agentforce actions. They are well-suited for these use cases. Deep-dive resources: [Flow Types Comparison Matrix](#) and [Flow Templates Reference Guide](#).

Q: Does BH (Bounce Handling) testing consume flex credits in Agentforce Marketing / MCN?

A: Charlotte answered in thread [6](#) — this was escalated to the product team for a definitive answer. (See *Outstanding Asks*.)

Q: Will Flow support SMS Unified Messaging for customers currently using Marketing Cloud APIs for SMS?

A: This was raised by Katie Winston [7](#). SMS quiet windows **can** be done in Flow (unlike Journey Builder). The transition path for API-based SMS senders is still being defined. (See *Outstanding Asks*.)

Q: What flow types are supported and what are the differences?

A: See [Flow Types Comparison Matrix](#). Summary:

- **On-Demand Flow** — API-triggered, 1–3 second latency, good for transactional
 - **Automation Event Triggered** — payload-driven via Data Cloud events, ~7–15 min latency
 - **Segment Triggered** — similar to JB data extension entry source
 - **Broadcast Flow** — for large-scale, Disney-style use cases
 - **Activation** — Data Cloud feature to enrich segment data and send to external platforms
-

5 Personalization & Content

Q: Can casing be adjusted (e.g., proper-case a first name) in a declarative/UI-based way?

A: Not currently as a declarative option. It is possible today using **Handlebars** and editing HTML in Code View. **AMPScript** (coming in the summer release) will make this more robust. Both Handlebars and AMPScript will coexist, with AMPScript expected to become the de facto language.

Q: If AMPScript is wrapped in Handlebars functions, does that mean Handlebars are more performant?

A: Answered in thread [8](#) — likely yes in the short term, but AMPScript is preferred long-term for its added functionality and better performance with large data sets.

Q: Does dynamic content reporting exist today?

A: It is complex — requires matching engagement signals with message sends and personalization points. Documentation was shared by P.J. Nix: [Email Click Tracking with Dynamic Content](#). Out-of-box heat mapping is on the roadmap.

Q: Will MCA have an equivalent to Reply Mail Management (RMM) from MCE?

A: Discussed in thread [9](#) . Currently, Conversational Email is the closest analog. A formal roadmap commitment was not confirmed. (See *Outstanding Asks*.)

6 Analytics & Reporting

Q: If customers have Tableau or MCI/Datorama, should we continue pushing those vs. MCN Reporting?

A: Answered by Adam in thread [10](#)  — for enterprise reporting needs, yes, continue using those tools. MCN Reporting (Tableau Next dashboards) is included out of the box but is static and locked. Custom reports via the Semantic Data Model (SDM) in Lightning Report Builder are available for all users.

Q: Can customers report out of Individual records in Data Cloud without cluttering CRM with Contacts/Leads?

A: Yes, but it requires correct data model configuration. All engagement data from MCA sends will be reflected in the marketing performance dashboard, campaign dashboard, and SDM custom reports. For a full unified view, the AEDC connector must also be configured to flow MCAE engagement into those reports.

Q: Is cross-data space reporting available (e.g., across 22 business units)?

A: **Not yet.** Currently all reporting is confined to a single data space/business unit. This is a recognized need and is on the roadmap.

Q: Is email-level reporting available with multiple metrics in a single report (e.g., email name + clicks + sends)?

A: Charlotte answered in thread [11](#)  — this is possible via the SDM report type in the Analytics tab. The out-of-box Tableau Next dashboards are single-metric views, but custom reports can combine metrics.

Q: When data is mapped from MCE to MCA, does historical data pipe in as well? Does MCA solve for MCE's 6-month data retention limit?

A: Addressed in thread [12](#)  — historical data does flow in from MCE via the connector, and Data Cloud's longer retention can help address the 6-month MCE limitation. Full confirmation of scope pending. (See *Outstanding Asks*.)

Q: Are MCE Journey metrics in Marketing Performance expected to be 1:1 with Journey Builder? And does "suppress from send tracking" in JB suppress data from MCN?

A: Answered in thread [13](#)  — partial answer provided. Source of truth and suppress behavior clarification is still needed. (See *Outstanding Asks*.)

Q: Is MCN reporting from MCE sends available only with the MCE+ SKU?

A: Addressed in thread [14](#) — confirmed by the product team in thread: the MCE+ SKU is required. If a customer adds MCA only (not MCE+) mid-cycle, the MCE journey connection and reporting integration is not available.

Q: Is the MCA Campaign + MCE Journey connection only available on the MCE+ SKU?

A: Yes, confirmed in thread [15](#) — MCE+ SKU is required for this integration.

Q: Can slides 64–66 (Journey Builder vs. Flow best practices decision tree) be made into a standalone customer-facing document?

A: Requested by an Onboarding Guide [16](#). The decision tree slides are linked in the Day 2 deck. A standalone document has not been created yet. (See *Outstanding Asks*.)

Q: Which slides from both training days are customer-facing?

A: Addressed in thread [17](#) — Gordon and the MCE+ team are clarifying. Day 2 MCE+ deck link: [2026 - Indy Hands-On MCE+ Workshop](#).

7 Credit Consumption & Digital Wallet

Q: How are credits consumed for Identity Resolution, segmentation, and high-scale flow?

A: With a sufficient number of **Data Cloud Profiles**, actions like IR, segmentation, and activation become **unmetered**. Without that profile tier, these actions consume flex credits. See: Marketing Cloud Consumption & Digital Wallet.

Q: Should customers use one shared credit bucket with tagging for chargeback, or separate data spaces for governance?

A: This is an **architectural pre-sales decision**. Using separate data spaces provides better isolation; using one bucket with custom tagging via Digital Wallet enables chargeback models. Both approaches are valid. The Digital Wallet tagging strategy deck was shared: [Digital Wallet Consumption Tagging Strategy](#).

Q: A customer owns MC Advanced from a July 2025 SELA renewal and hasn't provisioned it. Are the credits DC credits or Flex Credits?

A: Addressed in thread [18](#) — Gordon noted that credits from July 2025 SELAs would likely be **DC credits (70M credits/1M rows)**, not the newer unmetered Flex Credit model. Confirm with the commercial/licensing team for this specific SELA. (See *Outstanding Asks*.)

Q: Will there be proactive monitoring for MCA on the roadmap this year?

A: Addressed in thread [19](#) — Stacy and Charlotte responded. This is being tracked but not yet confirmed for

this year. (See *Outstanding Asks*.)

8 Account Engagement Plus (MCAE+)

Q: Is there a limit of 2 scoring models in MCAE? Is an increase on the roadmap?

A: Yes, the current limit is 2. Danielle Grau confirmed an increase is likely on the roadmap but no specific timeline was given.

Q: Will migration of existing MCAE scoring models into MCA be supported?

A: Danielle confirmed this is being considered from a tooling perspective.

Q: Can forms funnel data into Individual records directly (instead of Contact/Lead)?

A: Not currently — the form execution model supports Account, Person Account, Lead, Contact, and Prospect, but **not Individual**. Marketing Objects and Actionable Lists (coming in **June 2026**) may provide a path for this use case.

Q: Will there be plans to surface Engagement Studio program steps within the construct of a Flow?

A: Danielle confirmed no customer demand for this has been received yet. The current roadmap includes **replicating Engagement Studio in Flow** and potentially replacing Engagement Studio programs with Flow altogether. If you have customer requests, submit them.

Q: You can connect more than one MCN account to an MCE account — the link ordering can't be changed. Is this going to be fixed?

A: Addressed in thread [20](#) — confirmed as a known limitation. Being tracked for a future fix.

9 Resources & Enablement Requests

Q: Will we cover SMS Unified Messaging in this training?

A: Not in depth during this session. SMS quiet windows **can** be done in Flow. The enablement path for API-based SMS customers is still TBD.

Q: Are we developing a Trailhead Academy workshop for MCE+ customers?

A: Charlotte answered in thread [21](#) — this is actively being explored. MOC 001/002 workshops exist for MCN; an MCE+ equivalent workshop has been requested.

Q: How will CSMs get visibility into what customers are deploying in Agentforce Marketing? (e.g., Signature Smart Slides analog)

A: Gordon addressed in thread [22](#) — this is being worked on. No specific tooling committed yet. (See *Outstanding Asks*.)

Q: Do we have a solution implementation template or recommended order of operations to guide customers through setup?

A: Partially addressed [23](#) — the **6A Action Plan** from the Product Management team was called out as the recommended resource. See also the Delivery Readiness Document (DRD).

Q: For the Rawlings and Indiana Wesleyan customer stories — did they use a partner/SF Services, or did they do this in-house?

A: Addressed in thread [24](#) — follow-up details were shared by the MCE+ team in thread. Rawlings worked with SF Services; Indiana Wesleyan may have been in-house. Confirm with Jorja/the MCE+ team directly.

Outstanding Asks, Action Items & Requests for Additional Content

Item	Ask / Action	Owner	Status	F
1	Dedicated 1-hour Data Graph deep dive session (with experts like @Rahmaan Lodhia) — requested via feedback channel	Readiness / Leadership	 Requested — submit via feedback Slack channel	
2	Cross-IR data graph reference — how to personalize Unified Individual emails with Unified Account attributes	Product / SA Follow-up	 No answer yet	
3	MDM best practices enablement for customers using Informatica, custom IDs (e.g., LPID), not comfortable with fuzzy matching	Product / Enablement	 Gap identified	
4	BH (Bounce Handling) credit consumption behavior in Agentforce Marketing	Product	 Needs product answer	

5	What constitutes a "row" in MCA (vs. MCI's definition)	Product	 Needs product answer	
6	Reply Mail Management equivalent in MCA – roadmap status?	Product	 Needs roadmap confirmation	
7	SMS Unified Messaging path for API-based SMS customers using Flow (quiet windows, MCN migration)	Product / Readiness	 In progress	
8	Allowlisting API calls from MCN to MCE JB to avoid double-billing	Product / Engineering	 No confirmation yet	
9	Journey metric 1:1 fidelity in Marketing Performance vs. Journey Builder, and suppress-send-tracking behavior	Product / Support	 Needs product answer	
10	Historical MCE data retention — does MCA/DC solve the 6-month MCE retention limit?	Product	 Partial answer	
11	Credit type for July 2025 SELA renewals — DC credits vs. Flex Credits for MCA POC	Commercial / Licensing	 Needs commercial team confirmation	
12	Proactive Monitoring for MCA — roadmap confirmation for this year	Product / Readiness	 Not confirmed	
13	CSM visibility into customer deployments — Agentforce Marketing equivalent of Signature Smart Slides	Product	 In discussion	
14	Journey Builder vs. Flow best practices — standalone customer-facing doc (slides 64–66)	Readiness / Enablement	 Not yet created	

15	Customer-facing slide designation across both training days	Readiness / MCE+ team	 Gordon clarifying
16	Demo of Agentforce Campaign Creation setup and hands-on config (not covered in depth)	Readiness	 Deck with clickable steps shared: Agentforce Marketing Campaign Creation Onboarding Guide
17	More hands-on exercises and guided walkthroughs requested — especially for data graph building	Readiness	 Feedback submitted
18	Access to full product presentation decks	Readiness	 Deck shared in channel
19	Readiness Hub canvas as the one-stop-shop for all MC readiness	Readiness	 Marketing Cloud Readiness Hub
20	@P.J. Nix : Confirm how marketing objects feed data — manual import or Data Cloud automation (summer release?)	PJ / Product	 Summer release TBD
21	Submit DSR for send throttle productization	CSM / SA teams	 Action needed
22	Escalate high-volume sender scale issues to Prolog/Bill	CSM / SA teams	 Action needed
23	Trailhead Academy MCE+ workshop (1.5 hr for enterprise MCE+ customers)	Readiness / TDA	 @Charlotte King Being explored



Key Resources Shared

- [MCN Hands-On Companion Guide](#) — line-by-line activity instructions

- [Demo Videos for Marketing Cloud Next](#)
- [Video Library – MCE+](#)
- [Agentforce Marketing Campaign Creation Onboarding Guide](#)
- [Marketing Cloud Readiness Hub for Cloud Success - !\[\]\(effbd7993c63c039a58fd3395789cf3f_img.jpg\) Marketing Cloud Readiness Hub for Cloud Success](#)
- [Data Graph Overview Master Reference - !\[\]\(144980d038f2541d7b588a8a9132bd70_img.jpg\) Data Graphs: Marketing Cloud Next – Master Reference](#)
- [Marketing Cloud Consumption & Digital Wallet Overview -](#)
- [Flow Types Comparison Matrix](#)
- [Flow Templates Complete Reference Guide /](#)
- [Segment Type Decision Guide -](#)
- [Campaign Hierarchy Loss in MC Next – Impact & Strategy Guide - !\[\]\(c4ce2d477989700c971cf3d240ad9283_img.jpg\) Campaign Hierarchy Loss in MC Next: Impact & Strategy Guide...](#)
- [Consent in Marketing Cloud Growth & Advanced – Internal Overview - !\[\]\(5013555a72072875cb154b597e002a46_img.jpg\) Consent in Marketing Cloud Next – Internal Overview](#)
 - [Marketing Cloud Next Supported Consent Actions](#)
- [MCE+ Consent Synchronization Slides](#)
- [Email Click Tracking with Dynamic Content \(DyCon reporting\)](#)
- [Digital Wallet Usage Tagging Strategy Deck](#)
- [Marketing Cloud in a Sandbox](#)
- [Business Units – MCN Overview !\[\]\(bf2038c114ec21ea58ad011774351c98_img.jpg\) MC Next Business Units](#)
- [Foundational Enablement Modules !\[\]\(1ad0c3425edfa4762c2f20e33e3e5bbf_img.jpg\) MC Next - Foundational Enablement Modules](#)
- [MCN TDD Library \(248–260\)](#)