

Unit Testing 1.0

#1 Summary

Scenario Testing 1.0

XLSX

☆

FileEditViewInsertFormatDataToolsHelp

🔍 ↶ ↷ 🖨 📋 100% \$ % .0 .00 123 Calibri 11 B I ⚡ A 🎨 📊 ⚙ ⋮

⬆

	A	B	C	D	E	F	G	H	I
1	Requirement Traceability Matrix								
2									
3									
4									
5	Platform	Sprint	Module	Scenario					Requirement Status
6	Web Admin	1	Landing Page - Enhancement (Revamp Logo)	No. 1.1	New 0	Pass 0	Pending 0	Fail 1	Covered
7	Web Admin	2	Admin Web - Enhancement Approval User	No. 1.2	New 1	Pass 0	Pending 0	Fail 0	Covered
8	Open API	2	Admin Web - Enhancement Blast Email	No. 1.3	New 0	Pass 1	Pending 0	Fail 0	Covered
9	Mobile IOS	3	Mobile iOS - Login AD User						Not Covered
10	Total			3	1	1	0	1	
11									

+

☰

Summary

Scenario

Defect List

⏪

To ensure development quality and completeness, we utilize the Requirement Traceability Matrix. This table serves as a comprehensive map that links every feature in each sprint to its real-time testing status. With this table, we can instantly identify which modules have been verified ('Covered') and which still require attention ('Not Covered').

Unit Testing 1.0

Description

From this

No	Module	Menu	Pre-Condition	Type	Scenario
1.1	Landing Page - Enhancement (Revamp Logo)	Landing Page	User accesses application via browser	Positive	Verify updated revamp logo is displayed correctly on landing page without UI distortion,
1.2	Admin Web - Enhancement Approval User	Login	User account exists in system	Negative	Validate system behavior when user attempts to login using incorrect username and/or
1.3	Admin Web - Enhancement Blast Email	Login	User is not registered in system	Edge Case	Validate system behavior when unregistered user attempts login using valid input format but
2.1	Mobile iOS - Login AD User	Login	User has valid AD credentials	Positive	Validate successful authentication using valid AD credentials and ensure correct redirection to
2.2	Mobile Android - Login AD User	Add User	User is logged in and Add User form is accessible	Positive	Validate system input validation for address field when user enters data exceeding maximum allowed

To this

Platform	Sprint	Modul
Web Admin	1	Landing Page - Enhancement (Revamp Logo)
Web Admin	2	Admin Web - Enhancement Approval User
Open API	2	Admin Web - Enhancement Blast Email
Mobile IOS	3	Mobile iOS - Login AD User

A quick note: the Module column is dynamic. It pulls data directly from the Scenario Tab, so whatever I update there will automatically sync here. It keeps everything accurate and saves me from having to update things manually

Unit Testing 1.0

Description

From this

Date Testing	Status	Sprint
1-Jan-26	Fail	1
2-Jan-26	New	2
	Pass	
	Fail	2
	Pending	
4-Jan-26		3
5-Jan-26	Pending	

To this

		Scenario				
Sprint	Module	No.	New	Pass	Pending	Fail
1	Landing Page - Enhancement (Revamp Logo)	1.1	0	0	0	1
2	Admin Web - Enhancement Approval User	1.2	1	0	0	0
2	Admin Web - Enhancement Blast Email	1.3	0	1	0	0
3	Mobile iOS - Login AD User					
Total		3	1	1	0	1

A quick note: the Module, Sprint, and Status columns are all dynamic. They pull data directly from the Scenario Tab, so any updates I make there—whether it’s moving a sprint or changing a status—will automatically reflect here. It keeps everything perfectly synced and saves me the hassle of manual updates.

Unit Testing 1.0

Description

	Requirement Status
	Covered
	Covered
	Covered
	Not Covered

Here is a casual way to explain the Requirement Status for your presentation:

"The Requirement Status column is basically my 'at-a-glance' dashboard. It gives me an instant update on whether a feature is ready to go or if it's still lagging behind:

- Covered (Green): This means the feature is fully mapped out and testing is covered. It's good to go.
- Not Covered (Red): This is my heads-up that a feature is still missing testing coverage or isn't finished yet, so it needs some immediate attention.

Just like the other columns, this status is dynamic and pulls directly from the Scenario Tab. So, as soon as I update the progress over there, this column updates itself automatically—no manual work needed!

Unit Testing 1.0

#2 Scenario

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
1																	
2																	
3																	
4																	
5																	
6																	
7	BA Check	QA PIC Check	No	Module	Menu	Pre-Condition	Type	Scenario	Test Steps (Reproduce)	Expected Result	Actual Result	Defect ID	Date Testing	Status	Sprint	Remarks	
8	Not Yet	Revision	1.1	Landing Page - Enhancement (Revamp Logo)	Landing Page	User accesses application via browser	Positive	Verify updated revamp logo is displayed correctly on landing page without UI distortion,	1. Open application URL in browser 2. Load landing page fully	Updated revamp logo is displayed correctly with proper resolution, alignment, and no visual distortion	Not all users display updated logo correctly	Def-01	1-Jan-26	Fail	1		
9	Not Yet	Done	1.2	Admin Web - Enhancement Approval User	Login	User account exists in system	Negative	Validate system behavior when user attempts to login using incorrect username and/or	1. Open login page 2. Enter invalid username3. Enter invalid password	System rejects authentication attempt and displays error message "Username or password is incorrect" without system	Error connection / login failed	Def - 02	2-Jan-26	New	2		
10	Not Yet	Done	1.3	Admin Web - Enhancement Blast Email	Login	User is not registered in system	Edge Case	Validate system behavior when unregistered user attempts login using valid input format but	1. Open login page 2. Enter username that does not exist in database	System rejects login attempt and displays error message "User is not registered" with no authentication				Pass	2		
11	Not Yet	Done	2.1	Mobile iOS - Login AD User	Login	User has valid AD credentials	Positive	Validate successful authentication using valid AD credentials and ensure correct redirection to	1. Launch mobile application 2. Enter valid AD username3. Enter valid AD password	User is successfully authenticated and redirected to Home Screen without delay or error	successfully login without Errors		4-Jan-26	Fail	3		
12	Not Yet	Done	2.2	Mobile Android - Login AD User	Add User	User is logged in and Add User form is accessible	Positive	Validate system input validation for address field when user enters data exceeding maximum allowed	1. Open Add User form 2. Focus on address input field 3. Enter more than 225	System blocks input exceeding 225 characters and displays validation message "Maximum 225 characters	Input blocked and validation triggered successfully		5-Jan-26	Pending		To Be Confirm Client	
13			Notes														
14																	
15																	
16																	
17																	

A structured document used to record testing scenarios, execution steps, expected results, actual results, defect findings, and testing status. This documentation helps ensure feature quality, track testing progress, and validate system functionality before release

Unit Testing 1.0

Description

Dashboard Table Documentation

[Project Name]									
Due Date Testing (..... Day)		Total Script : 5		Pass: 1		Execution Rate (%)		Pass Rate (%)	
Start		Already Test : 4		Fail : 2		80,00%		25,00%	
Finished		Not Tested yet : 1		Pending : 1					

Date Time
Start - End

Query get Data, Total Presentase
For untested sections, the column
will remain red while the pass
rate is below 50% of total test
cases

Query get
Data, Status
Test Script

This measures how
many test cases have
been executed

This indicates the
success rate of the
executed test cases

Name of project

Status presentase

Unit Testing 1.0

Test Case Table Documentation

BA Check	QA PIC Check	No	Module	Menu	Pre-Condition	Type	Scenario	Test Steps (Reproduce)	Expected Result	Actual Result	Defect ID	Date Testing	Status	Sprint	Remarks
----------	--------------	----	--------	------	---------------	------	----------	------------------------	-----------------	---------------	-----------	--------------	--------	--------	---------

Column	Description
BA Check	Status validation from Business Analyst regarding business flow suitability and requirement completeness.
QA PIC Check	Validation status from QA PIC (Person In Charge) to verify whether the test case is approved, revised, or pending review.
No	Unique numbering or identifier for each test scenario.
Modul	Feature, system module, or application section being tested.
Menu	Specific menu or page related to the testing scenario.
Pre-Condition	Conditions that must be fulfilled before testing can be executed.
Type	Type of testing scenario such as Positive, Negative, or Edge Case testing.
Scenario	Detailed testing scenario describing the user action or system flow to be validated.
Reproduce Testing	Step-by-step instructions to execute the testing process.
Expected Result	Expected system behavior or output after executing the test scenario.
Resulting	Actual result obtained during testing execution.
Defect ID	Identifier used for bug tracking or issue management reference.
Date Testing	Date when the testing activity was performed.
Status	Final testing result status after execution.
Sprint	Sprint iteration or development cycle related to the testing activity.
Remarks	Additional notes, comments, or important information related to testing execution.

New

Pass

Fail

Pending

Status	Description
New	Test case has been created but not yet executed.
Pass	Testing executed successfully and system behavior matches the expected result.
Fail	Testing executed but the actual result does not match the expected result.
Pending	Testing cannot be completed yet due to blockers, dependencies, or ongoing development.

Positive

Negative

Edge Case

Positive	Testing using valid input or expected user flow to verify normal system functionality.
Negative	Testing using invalid input or incorrect flow to ensure proper error handling and validation.
Edge Case	Testing unusual, extreme, or boundary conditions to identify potential system limitations or unexpected behavior.

Unit Testing 1.0

For UAT cases, the BA Check and QA PIC Check columns are deleted.

Due Date Testing		(..... Day)	Total Script		
Start			Already Test		
Finished			Not Tested ye		
BA Check	QA PIC Check	No	Module	Menu	Pre-Condition
Not Yet	Revision	1.1	Landing Page - Enhancement (Revamp Logo)	Landing Page	User accesses application via b

Unit Testing 1.0

#3 Defect List

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
1	Total Defect	Summary Defect Unit Test															
2		Assigned	In Progress	Fixed	Ready to Test	Closed	Reopened	To be Confirmed	Deferred	Rejected	Unclosed Defect	Closed Rate					
3		6	1	1	1	1	1	1	0	0	0	5	16,67%				
4																	
5	Defect ID	TC ID	Platform	Feature	Device	Issue Created at	Issue Description	Reproduce Step	Expected	Evidence	Evidence After	Type Defect	Level Error	Assign to	Dev PIC	Status	Notes
6	DEF-1	TC6	Mobile Android	Authentication	samsung-android 15/app 1.5.2-dev06.dev (103)/MNDFO025	17/05/2023	The "Save" button on the Merchant page does not respond after data modification	1. Login as Merchant Admin 2. Navigate to Merchant Profile page 3. Update merchant name 4. Click the Save button 5. Observe the system response	Merchant data should be saved successfully and a success notification should be displayed	https://prnt.sc/jwAS AeHNTfht		Functional	High/Major	Frontend Web		Assigned	
7	DEF-2		Web Admin BTN	Dashboard	chrome/MNDFO025	18/05/2023	Dashboard takes more than 15 seconds to load transaction data	Dashboard takes more than 15 seconds to load transaction data 1. Login to the application 2. Open the Dashboard page 3. Wait until all widgets are loaded 4. Measure the loading time 5. Observe system performance	Dashboard and all widgets should load within 3 seconds	https://prnt.sc/4_Gr DE5nRJK7		UI	Low/Minor	Frontend Mobile		In Progress	
8	DEF-3		Web Admin BTN		Chrome 125 - Windows 11	19/05/2023	User can access admin page without proper authorization	1. Login using a regular user account 2. Manually enter the Admin URL in the browser 3. Press Enter 4. Observe the page access result	System should block access and redirect the user to an Unauthorized or Access Denied page			Performance	Critical/Blocker	Backend		Fixed	
9	DEF-4		Web Admin BTN		Chrome 125 - Windows 11	20/05/2023	Transaction table layout is broken in Safari browser	1. Open the application using Safari browser 2. Login to the system 3. Navigate to Transaction History page 4. Observe the table layout and column alignment	Transaction table should be displayed correctly with proper alignment and responsive layout			Security	High/Major	Frontend Web		Ready to Test	
10	DEF-5		Mobile iOS		Edge 124 - Windows 11	21/05/2023	Previously visited pages remain accessible after logout	1. Login to the application 2. Navigate to Dashboard page 3. Click Logout 4. Press the browser Back button 5. Observe whether the page can still be accessed	User should be redirected to the Login page and restricted from accessing authenticated pages			Compatibility	High/Major	Frontend Web		Closed	
11	DEF-6		Web Admin BTN		Chrome 125 - Windows 11	22/05/2023	Customer data is not displayed despite existing in the database	1. Login as Administrator 2. Navigate to Customer List page 3. Search for an existing customer record 4. Observe the displayed data	All customer records available in the database should be displayed correctly on the Customer List page			Functional	High/Major	Frontend Web		Reopened	
12	Notes																
13																	
14	Filled with additional notes as needed. Used when further explanation is required for completing the fields above.																
15																	

Defect List serves as the primary defect tracking document, containing detailed information about issues found during testing, including defect classification, severity level, assigned developer, supporting evidence, and resolution status. The data from this list is also used as the source for generating the Summary Defect Unit Test dashboard

Unit Testing 1.0

Description

Total Defect	Summary Defect Unit Test										
	Assigned	In Progress	Fixed	Ready to Test	Closed	Reopened	To be Confirmed	Deffered	Rejected	Unclosed Defect	Closed Rate
6	1	1	1	1	1	1	0	0	0	5	16,67%

Summary Defect Unit Test is a dashboard that provides a consolidated view of defect statuses recorded in the Defect List. It displays the number of defects in each status, such as Assigned, In Progress, Fixed, Ready to Test, Closed, and Reopened, allowing QA and Development teams to monitor defect resolution progress and track overall product quality throughout the testing cycle

Unit Testing 1.0

Description

C	Status	No
	Assigned	
	Assigned	
	In Progress	
	Fixed	
	Ready to Test	
	Closed	
	Reopened	
	To be Confirmed	
	Deffered	
	Rejected	

Status represents the current progress of a defect throughout its lifecycle, enabling teams to monitor, prioritize, and track defect resolution efficiently