## A.3 Banded Hessian (state-space)

Examples of state-space models.

## A.3.1 Stochastic volatility models in finance

Model description Stochastic volatility models are used in mathematical finance to describe the evolution of asset returns, which typically exhibit changing variances over time. As an illustration we use a time series of daily pound/dollar exchange rates  $\{z_t\}$  from the period 01/10/81 to 28/6/85, previously analyzed by Harvey, Ruiz & Shephard (1994). The series of interest are the daily mean-corrected returns  $\{y_t\}$ , given by the transformation

$$y_t = \log z_t - \log z_{t-1} - n^{-1} \sum_{i=1}^n (\log z_t - \log z_{t-1}).$$

The stochastic volatility model allows the variance of  $y_t$  to vary smoothly with time. This is achieved by assuming that  $yt \sim N(\mu, \sigma_t^2)$ , where  $\sigma_t^2 = \exp(\mu_x + x_t)$ . The smoothly varying component  $x_t$  follows the autoregression

$$x_t = \beta x_{t-1} + \varepsilon_t, \qquad \varepsilon_t \sim N(0, \sigma^2).$$

The vector of hyper-parameters is for this model is thus  $(\beta, \sigma, \mu, \mu_x)$ .

Files http://otter-rsch.com/admbre/examples/sdv/sdv.html

## Bibliography

- ADMB Development Core Team (2009), An Introduction to AD Model Builder, ADMB project.
- ADMB Foundation (2009), 'ADMB-IDE: Easy and efficient user interface', *ADMB Foundation Newsletter* **1**, 1–2.
- Eilers, P. & Marx, B. (1996), 'Flexible smoothing with B-splines and penalties', Statistical Science 89, 89–121.
- Harvey, A., Ruiz, E. & Shephard, N. (1994), 'Multivariate stochastic variance models', *Review of Economic Studies* **61**, 247–264.
- Hastie, T. & Tibshirani, R. (1990), Generalized Additive Models, Vol. 43 of Monographs on Statistics and Applied Probability, Chapman & Hall, London.
- Kuk, A. Y. C. & Cheng, Y. W. (1999), 'Pointwise and functional approximations in Monte Carlo maximum likelihood estimation', Statistics and Computing 9, 91–99.
- Lin, X. & Zhang, D. (1999), 'Inference in generalized additive mixed models by using smoothing splines', J. Roy. Statist. Soc. Ser. B 61(2), 381–400.
- Pinheiro, J. C. & Bates, D. M. (2000), *Mixed-Effects Models in S and S-PLUS*, Statistics and Computing, Springer.
- Rue, H. & Held, L. (2005), Gaussian Markov random fields: theory and applications, Chapman & Hall/CRC.
- Ruppert, D., Wand, M. & Carroll, R. (2003), Semiparametric Regression, Cambridge University Press.

70 BIBLIOGRAPHY

Skaug, H. & Fournier, D. (2006), 'Automatic approximation of the marginal likelihood in non-gaussian hierarchical models', *Computational Statistics & Data Analysis* **56**, 699–709.

Zeger, S. L. (1988), 'A regression-model for time-series of counts', Biometrika **75**, 621–629.