

CHAPTER 6 Product Configurator

In this chapter ...

- Product Configurator Standard Objects
- Product Configurator Business APIs
- Product Configurator Standard Invocable Actions
- Product Configurator Metadata API Types

Customize the components and attributes of a product to align with specific business requirements.

EDITIONS

Available in: Lightning Experience

Available in: **Enterprise, Unlimited, and Developer** Editions of Revenue Cloud where Product Configurator is enabled

Product Configurator Standard Objects

The Product Configurator data model provides objects and fields to manage the product configurator flow.

[ExpressionSetConstraintObj](#)

Represents the association between a Product object and the constraint model tags defined in a given constraint model. This object is available in API version 63.0 and later.

[ProductConfigurationFlow](#)

Specifies the many-to-many relationship between Product Classification, Product, and Flow Definition objects. The flow definition is used to configure standalone and bundled products of a specific product classification along with the product attributes, quantities, and product selling models. This object is available in API version 60.0 and later.

[ProductConfigFlowAssignment](#)

A junction object that represents the many-to-many relationship between Product Configuration Flow, Product, and Product Classification. This object is available in API version 60.0 and later.

[ProductConfigurationRule](#)

Represents the validation, inclusion, and exclusion rules for products in the context of the selling process. The selling process can be quoting, configuration, or ordering. This object is available in API version 61.0 and later.

SEE ALSO:

[Object Reference for the Salesforce Platform: Overview of Salesforce Objects and Fields](#)

[SOAP API Developer Guide: Introduction to SOAP API](#)

ExpressionSetConstraintObj

Represents the association between a Product object and the constraint model tags defined in a given constraint model. This object is available in API version 63.0 and later.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Special Access Rules

This object is available in orgs where Revenue Cloud is enabled.

Fields

Field	Details
ConstraintModelTag	Type string
	Properties Create, Filter, Group, Sort, Update

Field	Details
	Description The product tag that is defined in the constraint model, for example, Laptop.
ConstraintModelTagType	Type picklist Properties Create, Defaulted on create, Filter, Group, Restricted picklist, Sort, Update Description The type of the product tag that is defined in the constraint model. Possible values are: - Port - Type The default value is Type.
ExpressionSetId	Type reference Properties Create, Filter, Group, Sort, Update Description The expression set associated with the expression set constraint object. This field is a relationship field. Relationship Name ExpressionSet Refers To ExpressionSet
LastReferencedDate	Type dateTime Properties Filter, Nillable, Sort Description The timestamp when the current user last accessed this record, a record related to this record, or a list view.
LastViewedDate	Type dateTime Properties Filter, Nillable, Sort Description The timestamp when the current user last viewed this record or list view. If this value is null, the user accessed this record or list view (LastReferencedDate) but didn't view it.

Field	Details
Name	Type string Properties Autonumber, Defaulted on create, Filter, idLookup, Sort Description The name of the expression set constraint.
OwnerId	Type reference Properties Create, Defaulted on create, Filter, Group, Sort, Update Description For internal use only. This field is a polymorphic relationship field. Relationship Name Owner Refers To Group, User
ReferenceObjectId	Type reference Properties Create, Filter, Group, Sort, Update Description The object associated with the expression set constraint object. This field is a polymorphic relationship field. Relationship Name ReferenceObject Refers To Product2, ProductClassification, ProductRelatedComponent

ProductConfigurationFlow

Specifies the many-to-many relationship between Product Classification, Product, and Flow Definition objects. The flow definition is used to configure standalone and bundled products of a specific product classification along with the product attributes, quantities, and product selling models. This object is available in API version 60.0 and later.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
FlowIdentifier	Type string Properties Create, Filter, Group, Sort, Update Description Stores the flow API name.
IsDefault	Type Boolean Properties Create, Defaulted on create, Filter, Group, Sort, Update Description Indicates the default configurator flow. The default value is <code>false</code>.
Status	Type picklist Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update Description Indicates the status of the product configuration flow. Possible values include Draft, Active, and Inactive Possible values are: • Active • Draft • Inactive The default value is <code>Draft</code>.

ProductConfigFlowAssignment

A junction object that represents the many-to-many relationship between Product Configuration Flow, Product, and Product Classification. This object is available in API version 60.0 and later.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
AssignmentType	Type picklist Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update Description Specifies whether the Product Configuration Flow is assigned to the primary product or classification, or to dynamic components added within a bundle. Valid values are: • DynamicAdditionFlow • PrimaryConfiguratorFlow The default value is <code>PrimaryConfiguratorFlow</code>. Available in API version 65.0 and later.
ProductClassificationId	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description The product classification associated with the Product Configuration Flow. This field is a relationship field. Relationship Name ProductClassification Relationship Type Lookup Refers To ProductClassification
ProductConfigurationFlowId	Type reference Properties Create, Filter, Group, Sort Description The Product Configuration Flow associated with the Product Classification or Product. This field is a relationship field. Relationship Name ProductConfigurationFlow Relationship Type Lookup

Field	Details
	Refers To ProductConfigurationFlow
ProductId	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description The product associated with the Product Configuration Flow. This field is a relationship field. Relationship Name Product Relationship Type Lookup Refers To Product2

ProductConfigurationRule

Represents the validation, inclusion, and exclusion rules for products in the context of the selling process. The selling process can be quoting, configuration, or ordering. This object is available in API version 61.0 and later.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
ApiName	Type string Properties Filter, Group, Nillable, Sort Description
ConfigurationRuleDefinition	Type textarea Properties Create, Nillable, Update

Field	Details
	Description The configuration rule criteria and actions.
Description	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description The description of the configuration rule.
EffectiveFromDate	Type dateTime Properties Filter, Nillable, Sort Description The date and time from which the configuration rules comes into effect.
EffectiveToDate	Type dateTime Properties Filter, Nillable, Sort Description The date and time to which the configuration rules ceases to be in effect.
LastReferencedDate	Type dateTime Properties Filter, Nillable, Sort Description The date the configuration rule record was last referenced.
LastViewedDate	Type dateTime Properties Filter, Nillable, Sort Description The date the configuration rule record was last viewed.
Name	Type string Properties Create, Filter, Group, idLookup, Sort, Update

Field	Details
	Description The name of the configuration rule.
OwnerId	Type reference Properties Create, Defaulted on create, Filter, Group, Sort, Update Description The ID of the configuraion rule owner. This field is a polymorphic relationship field. Relationship Name Owner Relationship Type Lookup Refers To Group, User
ProcessScope	Type picklist Properties Create, Defaulted on create, Filter, Group, Restricted picklist, Sort, Update Description The scope of the configuration rule. Possible values are: - Bundle - Product The default value is <code>Product</code> .
RuleSubType	Type picklist Properties Create, Defaulted on create, Filter, Group, Restricted picklist, Sort, Update Description The segregation of products into subsets such that the configuration rules only apply to the products that fall under the ambit of the selected rule subtype. Possible values are: - BundleProduct - BundleProductClassification - Product - ProductClassification

Field	Details
	The default value is <code>Product</code> .
<code>RuleType</code>	Type picklist Properties Create, Defaulted on create, Filter, Group, Restricted picklist, Sort, Update Description Indicates the industry vertical or the feature of the industry vertical that's using the configuration rule. Possible values are: • <code>Configurator</code> • <code>Promotions</code> The default value is <code>Configurator</code>.
<code>Sequence</code>	Type int Properties Filter, Group, Nillable, Sort Description Indicates the order for executing the configuration rule. Rules with lower numbers run first when multiple rules are triggered at once.
<code>Status</code>	Type picklist Properties Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort Description The lifecycle status of the configuration rule. Possible values are: • <code>Active</code> • <code>Draft</code> • <code>Inactive</code> The default value is <code>Draft</code>.

Product Configurator Business APIs

Use the Product Configurator Business APIs to customize a product or a service according to your business-specific requirements.

Perform product configuration-related operations by using the Product Configurator Business APIs. Integrate these APIs with any front-end application to access the configurator capabilities.

This table lists the available Product Configurator resources.

Resource	Description
/connect/cpq/configurator/actions/configure (POST)	Retrieve and update a product's configuration from a configurator. Execute configuration rules and notify users of any violations for changes to product bundle, attributes, or product quantity within a bundle. Additionally, get pricing details for the configured bundle.
/connect/cpq/configurator/actions/load-instance (POST)	Create a session for the product configuration instance using the transaction ID. Get the session ID that includes the results of actions, such as configuration rules, qualification rules, and pricing management.
/connect/cpq/configurator/actions/set-instance (POST)	Set a product configuration instance. This API is used in scenarios where the configuration instance is available in a different database than Salesforce and the product catalog management data is in Salesforce.
/connect/cpq/configurator/actions/get-instance (POST)	Fetch the JSON representation of a product configuration. Use the response to display the details of the product configuration instance on the Salesforce user interface, or save the product configuration instance to an external system.
/connect/cpq/configurator/actions/save-instance (POST)	Save a configuration instance after a successful product configuration.
/connect/cpq/configurator/actions/set-product-quantity (POST)	Set the quantity of a product through the runtime system.
/connect/cpq/configurator/actions/add-nodes (POST)	Add a node to the context through the runtime system without using the Salesforce user interface.

Resource	Description
/connect/cpq/configurator/actions/update-nodes (POST)	Update nodes in a product configuration.
/connect/cpq/configurator/actions/delete-nodes (POST)	Delete nodes from a product configuration.

[Resources](#)

Learn more about the available Product Configurator API resources.

[Request Bodies](#)

Learn more about the available Product Configurator API request bodies.

[Response Bodies](#)

Learn more about the available Product Configurator API response bodies.

SEE ALSO:

[Connect REST API Developer Guide: Introduction](#)

[Salesforce Help: Product Configurator Permissions](#)

Resources

Learn more about the available Product Configurator API resources.

[Configuration \(POST\)](#)

Retrieve and update a product's configuration from a configurator. Execute configuration rules and notify users of any violations for changes to product bundle, attributes, or product quantity within a bundle. Additionally, get pricing details for the configured bundle.

[Saved Configuration \(GET, POST\)](#)

Save and reuse a record's configurations, and get a list of the saved configurations for a record.

[Saved Configuration \(DELETE, PUT\)](#)

Update or delete a record's saved configuration by using the configuration ID.

[Configuration Get Instance \(POST\)](#)

Fetch the JSON representation of a product configuration. Use the response to display the details of the product configuration instance on the Salesforce user interface, or save the product configuration instance to an external system.

[Configuration Load Instance \(POST\)](#)

Create a session for the product configuration instance using the transaction ID. Get the session ID that includes the results of actions, such as configuration rules, qualification rules, and pricing management.

[Configuration Save Instance \(POST\)](#)

Save a configuration instance after a successful product configuration.

[Configuration Set Instance \(POST\)](#)

Set a product configuration instance. This API is used in scenarios where the configuration instance is available in a different database than Salesforce and the product catalog management data is in Salesforce.

[Configurator Add Nodes \(POST\)](#)

Add a node to the context through the runtime system without using the Salesforce user interface.

[Configurator Delete Nodes \(POST\)](#)

Delete nodes from a product configuration.

[Configurator Update Nodes \(POST\)](#)

Update nodes in a product configuration.

[Product Set Quantity \(POST\)](#)

Set the quantity of a product through the runtime system.

Configuration (POST)

Retrieve and update a product's configuration from a configurator. Execute configuration rules and notify users of any violations for changes to product bundle, attributes, or product quantity within a bundle. Additionally, get pricing details for the configured bundle.

Resource

```
/connect/cpq/configurator/actions/configure
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/configure
```

Available version

60.0

HTTP methods

POST

Request body for POST

JSON example

This example shows a sample to initiate a context based on a transaction ID.

```
{
  "transactionLineId": "0QLDE000000IBXw4AO",
  "transactionId": "0Q0xx0000000001GAA",
  "correlationId": "c95246d4-102c-4ecd-a263-f74ac525d1e5",
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
    "contactId": "003xx000000000D7AAI"
  }
}
```

This example shows a sample to add, update, or delete a node in an existing context.

```
{
  "transactionLineId": "0QLDE000000IBXw4AO",
  "transactionId": "0Q0DE000000ISHJs81",
  "correlationId": "c95246d4-102c-4ecd-a263-f74ac525d1e5",
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
  }
}
```

```

        "validateProductCatalog": true,
        "validateAmendRenewCancel": true,
        "executeConfigurationRules": true,
        "addDefaultConfiguration": true
    },
    "contextResponseType": "Full",
    "qualificationContext": {
        "accountId": "001xx0000000001AAA",
        "contactId": "003xx000000000D7AAI"
    },
    "transactionContextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
    "addedNodes": [
        {
            "path": ["0Q0DE000000ISHJs81", "sti2_id"],
            "addedObject": {
                "id": "ref_sti2_id",
                "SalesTransactionSource": "sti2_id",
                "PricebookEntry": "01luxx0000000001AAA",
                "ProductSellingModel": "0jPxx0000000001AAA",
                "businessObjectType": "QuoteLineItem",
                "Quantity": 10,
                "UnitPrice": 2.0,
                "Product": "01txx0000000001AAA"
            }
        },
        {
            "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO", "ref_stir1_id"],
            "addedObject": {
                "id": "ref_stir1_id",
                "businessObjectType": "QuoteLineItemRelationship",
                "MainItem": "0QLDE000000IBXw4AO",
                "AssociatedItem": "ref_sti2_id",
                "ProductRelatedComponent": "0dSxx0000000001AAA",
                "ProductRelationshipType": "0yoxx0000000001AAA",
                "AssociatedItemPricing": "IncludedInBundlePrice"
            }
        }
    ],
    "updatedNodes": [
        {
            "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"],
            "updatedAttributes": {
                "Quantity": 5
            }
        }
    ],
    "deletedNodes": [
        {
            "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"]
        }
    ]
}

```

Properties

Name	Type	Description	Required or Optional	Available Version
addedNodes	Configurator Added Node Input[]	List of added context nodes that's passed to the product configurator.	Optional	60.0
configuratorOptions	Configurator Options Input[]	Options to pass to the configurator.	Optional	60.0
contextResponseType	String	Specifies the type of transaction context response. Valid values are: <code>Delta</code>—Returns the sales transaction items that are added or updated. <code>Full</code>—Returns all sales transaction items in a transaction. <code>None</code>—Returns empty transaction context response. <code>Product</code>—Returns the sales transaction items related to the product that's being configured.	Required for large sales transactions with more than 1000 line items and less than 15K line items.	65.0
correlationId	String	ID that's specified for traceability of logs.	Optional	60.0
deletedNodes	Configurator Deleted Node Input[]	List of deleted context nodes that's passed to the product configurator.	Optional	60.0
qualificationContext	User Context Input[]	Details such as account ID, contact ID, and context ID that are used for executing qualification rules.	Optional	60.0
transactionContextId	String	ID of the transaction context.	Optional	60.0
transactionId	String	ID of the sales transaction that's being configured such as a quote or an order.	Required	60.0
transactionLineId	String	ID of the top-level line item that's being configured.	Optional	60.0
updatedNodes	Configurator Updated Node Input[]	List of updated context nodes that's passed to the product configurator.	Optional	60.0

Response body for POST
[Configuration Details](#)

Saved Configuration (GET, POST)

Save and reuse a record's configurations, and get a list of the saved configurations for a record.

Resource

```
/connect/cpq/configurator/saved-configuration
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/saved-configuration
```

Available version
63.0

HTTP methods
GET, POST

Request parameters for GET

Parameter Name	Type	Description	Required or Optional	Available Version
referenceRecordId	String	ID of the record whose saved configurations must be retrieved.	Required	63.0

Response body for GET
[Configuration List](#)

Request body for POST

JSON example

```
{
  "data":
  Built-in
  "description": "This configuration is saved for reuse.",
  "name": "Favorite Configuration",
  "referenceRecordId": "01txx0000006iCFAAY"
}
```


Properties

Name	Type	Description	Required or Optional	Available Version
data	String	JSON object that contains the details of the sales transaction, formatted as a string.	Optional	63.0
description	String	Description of the saved configuration.	Optional	63.0
name	String	Name of the saved configuration.	Optional	63.0
referenceRecordId	String	ID of the record for which the configuration must be saved.	Required	63.0

Response body for POST

[Configuration Record Save](#)

SEE ALSO:

[Salesforce Help: Considerations to Save and Reuse Configurations](#)

Saved Configuration (DELETE, PUT)

Update or delete a record's saved configuration by using the configuration ID.

Resource

```
/connect/cpq/configurator/saved-configuration/{id}
```

The *id* parameter is the ID of the configuration that you want to update or delete.

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/saved-configuration/5KPx00025063G3nSAX
```

Available version

63.0

HTTP methods

DELETE, PUT

Request body for PUT

JSON example

```
{
  "data":
  Built-in
  "description": "This configuration is updated.",
}
```

```
{
  "name": "Updated Configuration"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
data	String	JSON object that contains the details of the sales transaction, formatted as a string.	Required	63.0
description	String	Description of the configuration.	Required	63.0
name	String	Name of the configuration.	Required	63.0

Response body for PUT[Configuration Update](#)

SEE ALSO:

[Salesforce Help: Considerations to Save and Reuse Configurations](#)

Configuration Get Instance (POST)

Fetch the JSON representation of a product configuration. Use the response to display the details of the product configuration instance on the Salesforce user interface, or save the product configuration instance to an external system.

Resource

```
/connect/cpq/configurator/actions/get-instance
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/get-instance
```

Available version

60.0

HTTP methods

POST

Request body for POST**JSON example**

```
{
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
contextId	String	Transaction context ID of the product configuration instance that's to be fetched.	Required	60.0

Response body for POST[Configuration Get Instance](#)

Configuration Load Instance (POST)

Create a session for the product configuration instance using the transaction ID. Get the session ID that includes the results of actions, such as configuration rules, qualification rules, and pricing management.

Resource

```
/connect/cpq/configurator/actions/load-instance
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/load-instance
```

Available version

60.0

HTTP methods

POST

Request body for POST**JSON example**

```
{
  "configuratorOptions":
  {
    "addDefaultConfiguration": true,
    "executeConfigurationRules": true,
    "executePricing": true,
    "qualifyAllProductsInTransaction": true,
    "validateAmendRenewCancel": true,
    "validateProductCatalog": true
  },
  "qualificationContext": {
    "accountId": "001DU000001nHUGYA2"
  },
  "transactionId": "0Q0DU0000000XoN0AU"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
configurator Options	Configurator Options Input	List of the configurator options to execute.	Optional	60.0
context MappingId	String	ID of the context mapping record.	Optional	60.0
qualification Context	User Context Input	Context details that are used for the qualification rules.	Optional	60.0
transaction Id	String	Transaction ID of the header entity that's used to create a session. For example, a Quote or an Order.	Required	60.0

Response body for POST[Configuration Load Instance](#)**Configuration Save Instance (POST)**

Save a configuration instance after a successful product configuration.

Use the Configuration Save Instance API to save the changes to the source after a successful configuration. For example, save changes to the quote line item of a product, which is the source used to load the configuration.

Resource

```
/connect/cpq/configurator/actions/save-instance
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/save-instance
```

Available version

60.0

HTTP methods

POST

Request body for POST**JSON example**

```
{
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
contextId	String	Transaction context ID of the product configuration instance that's to be saved.	Required	60.0

Response body for POST

[Configuration Save Instance](#)

Configuration Set Instance (POST)

Set a product configuration instance. This API is used in scenarios where the configuration instance is available in a different database than Salesforce and the product catalog management data is in Salesforce.

Resource

```
/connect/cpq/configurator/actions/set-instance
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/set-instance
```

Available version

60.0

HTTP methods

POST

Request body for POST

JSON example

```
{
  "configuratorOptions": {
    "addDefaultConfiguration": true,
    "executeConfigurationRules": true,
    "executePricing": false,
    "qualifyAllProductsInTransaction": false,
    "validateAmendRenewCancel": false,
    "validateProductCatalog": false
  },
  "contextMappingId": "11jEk000017YdyUIAS",
  "qualificationContext": {
    "accountId": "001DU000001nHUGYA2"
  },
  "transaction":
  "001DU000001nHUGYA2"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
configuratorOptions	Configurator Options Input	List of the configurator options to execute.	Optional	60.0
contextMappingId	String	ID of the context mapping record.	Required	60.0
qualificationContext	User Context Input	Context details that are used for the qualification rules.	Optional	60.0
transaction	String	Transaction JSON payload representing an object in an external system that's used to create a session.	Required	60.0

Response body for POST[Configuration Set Instance](#)

Configurator Add Nodes (POST)

Add a node to the context through the runtime system without using the Salesforce user interface.

Resource

```
/connect/cpq/configurator/actions/add-nodes
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/add-nodes
```

Available version

60.0

HTTP methods

POST

Request body for POST**JSON example**

```
{
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
```

```

    "contactId": "003xx00000000D7AAI"
  },
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "addedNodes": [
    {
      "path": [
        "0Q0xx0000004EvcCAE",
        "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589"
      ],
      "addedObject": {
        "id": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
        "SalesTransactionItemSource": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
        "SalesTransactionItemParent": "0Q0xx0000004EvcCAE",
        "PricebookEntry": "01uxx00000090VuAAI",
        "ProductSellingModel": "0jPxx00000001KHEAY",
        "UnitPrice": 15.26,
        "Quantity": 1,
        "Product": "01txx00000061fHAAQ",
        "businessObjectType": "QuoteLineItem"
      }
    },
    {
      "path": [
        "0Q0xx0000004EvcCAE",
        "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
        "ref_d85b036d_d305_4bb6_aba8_a1dff645a664"
      ],
      "addedObject": {
        "id": "ref_d85b036d_d305_4bb6_aba8_a1dff645a664",
        "MainItem": "0QLxx0000004QdRGAU",
        "AssociatedItem": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
        "ProductRelatedComponent": "0dSxx00000001p6EAA",
        "ProductRelationshipType": null,
        "AssociatedItemPricing": "NotIncludedInBundlePrice",
        "AssociatedQuantScaleMethod": "Proportional",
        "businessObjectType": "QuoteLineRelationship"
      }
    }
  ]
}

```

Properties

Name	Type	Description	Required or Optional	Available Version
addedNodes	Configurator Added Node Input[]	List of the nodes to be added.	Required	60.0
configuratorOptions	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0

Name	Type	Description	Required or Optional	Available Version
qualification Context	User Context Input	Context details that are used for the qualification rules.	Optional	60.0

Response body for POST[Configurator Add Nodes](#)

Configurator Delete Nodes (POST)

Delete nodes from a product configuration.

Resource

```
/connect/cpq/configurator/actions/delete-nodes
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/delete-nodes
```

Available version

60.0

HTTP methods

POST

Request body for POST**JSON example**

```
{
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
    "contactId": "003xx000000000D7AAI"
  },
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "deletedNodes": [
    {
      "path": ["0Q0DE0000000ISHJs81", "0QLDE0000000IBXw4AO"]
    }
  ]
}
```


Properties

Name	Type	Description	Required or Optional	Available Version
configuratorOptions	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0
deletedNodes	Configurator Deleted Node Input[]	List of the nodes to be deleted.	Required	60.0
qualificationContext	User Context Input	Context details that are used for the qualification rules.	Optional	60.0

Response body for POST[Configurator Delete Nodes](#)

Configurator Update Nodes (POST)

Update nodes in a product configuration.

Resource`/connect/cpq/configurator/actions/update-nodes`**Resource example**`https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/update-nodes`**Available version**

60.0

HTTP methods

POST

Request body for POST**JSON example**

```
{
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",

```

```
    "contactId": "003xx00000000D7AAI"
  },
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "updatedNodes": [
    {
      "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"],
      "updatedAttributes": {
        "Quantity": 5
      }
    }
  ]
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
configurator Options	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0
qualification Context	User Context Input	Context details that are used for the qualification rules.	Optional	60.0
updatedNodes	Configurator Updated Node Input[]	List of the nodes to be updated.	Required	60.0

Response body for POST
[Configurator Update Nodes](#)

Product Set Quantity (POST)

Set the quantity of a product through the runtime system.

Resource

```
/connect/cpq/configurator/actions/set-product-quantity
```

Resource example

```
https://yourInstance.salesforce.com/services/data/v65.0/connect/cpq/configurator/actions/set-product-quantity
```

Available version
60.0

HTTP methods
POST

Request body for POST

JSON example

```
{
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
    "contactId": "003xx000000000D7AAI"
  },
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "quantity": 20,
  "transactionLinePath": "Quote.QuoteLineItem.Quantity"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
configuratorOptions	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0
qualificationContext	User Context Input	Context details that are used for the qualification rules.	Optional	60.0
quantity	Integer	Value of the product quantity.	Required	60.0
transactionLinePath	String[]	Path to the line item where the update to the quantity is applied. For example, Quote.QuoteLineItem.Quantity.	Required	60.0

Response body for POST

[Product Quantity Set Configurator](#)

Request Bodies

Learn more about the available Product Configurator API request bodies.

[Configuration Get Instance Input](#)

Input representation of the request to get a product configuration instance.

[Configuration Load Instance Input](#)

Input representation of the request to load a product configuration instance.

[Configuration Save Input](#)

Input representation of the details to save a configuration.

[Configuration Update Input](#)

Input representation of the details to update a configuration.

[Configuration Save Instance Input](#)

Input representation of the request to save a product configuration instance.

[Configuration Set Instance Input](#)

Input representation of the request to set a product configuration instance.

[Configurator Add Nodes Input](#)

Input representation of the request to add nodes within a root node.

[Configurator Added Node Input](#)

Input representation of the nodes to be added to a product configuration.

[Configurator Delete Nodes Input](#)

Input representation of the request to delete nodes from a product configuration.

[Configurator Deleted Node Input](#)

Input representation of the nodes to be deleted from a product configuration.

[Configurator Input](#)

Input representation of the request to modify the product configuration.

[Configurator Options Input](#)

Input representation of the request to get the product configuration options that's passed to the configurator.

[Configurator Update Nodes Input](#)

Input representation of the request to update the nodes in a product configuration.

[Configurator Updated Node Input](#)

Input representation of the nodes to be updated in a product configuration.

[Product Quantity Set Configurator Input](#)

Input representation of the request to set the quantity of a product.

[User Context Input](#)

Input representation of the request to get the context details of a user, which are used for qualification rules.

Configuration Get Instance Input

Input representation of the request to get a product configuration instance.

JSON example

```
{
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
contextId	String	Transaction context ID of the product configuration instance that's to be fetched.	Required	60.0

Configuration Load Instance Input

Input representation of the request to load a product configuration instance.

JSON example

```
{
  "configuratorOptions": {
    "addDefaultConfiguration": true,
    "executeConfigurationRules": true,
    "executePricing": true,
    "qualifyAllProductsInTransaction": true,
    "validateAmendRenewCancel": true,
    "validateProductCatalog": true
  },
  "qualificationContext": {
    "accountId": "001DU000001nHUGYA2"
  },
  "transactionId": "0Q0DU0000000XoN0AU"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
configuratorOptions	Configurator Options Input	List of the configurator options to execute.	Optional	60.0
contextMappingId	String	ID of the context mapping record.	Optional	60.0
qualificationContext	User Context Input	Context details that are used for the qualification rules.	Optional	60.0
transactionId	String	Transaction ID of the header entity that's used to create a session. For example, a Quote or an Order.	Required	60.0

Configuration Save Input

Input representation of the details to save a configuration.

JSON example

```
{
  "data":
    Built-in
    "description": "This configuration is saved for reuse.",
    "name": "Favorite Configuration",
    "referenceRecordId": "0ltxx0000006iCFAAY"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
data	String	JSON object that contains the details of the sales transaction, formatted as a string.	Optional	63.0
description	String	Description of the saved configuration.	Optional	63.0
name	String	Name of the saved configuration.	Optional	63.0
referenceRecordId	String	ID of the record for which the configuration must be saved.	Required	63.0

Configuration Update Input

Input representation of the details to update a configuration.

JSON example

```
{
  "data":
    Built-in
    "description": "This configuration is updated.",
    "name": "Updated Configuration"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
data	String	JSON object that contains the details of the sales transaction, formatted as a string.	Required	63.0

Name	Type	Description	Required or Optional	Available Version
description	String	Description of the configuration.	Required	63.0
name	String	Name of the configuration.	Required	63.0

Configuration Save Instance Input

Input representation of the request to save a product configuration instance.

JSON example

```
{
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
contextId	String	Transaction context ID of the product configuration instance that's to be saved.	Required	60.0

Configuration Set Instance Input

Input representation of the request to set a product configuration instance.

JSON example

```
{
  "configuratorOptions": {
    "addDefaultConfiguration": true,
    "executeConfigurationRules": true,
    "executePricing": false,
    "qualifyAllProductsInTransaction": false,
    "validateAmendRenewCancel": false,
    "validateProductCatalog": false
  },
  "contextMappingId": "11jEk000017YdyUIAS",
  "qualificationContext": {
    "accountId": "001DU000001nHUGYA2"
  },
  "transaction": "001DU000001nHUGYA2"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
configuratorOptions	Configurator Options Input	List of the configurator options to execute.	Optional	60.0
contextMappingId	String	ID of the context mapping record.	Required	60.0
qualificationContext	User Context Input	Context details that are used for the qualification rules.	Optional	60.0
transaction	String	Transaction JSON payload representing an object in an external system that's used to create a session.	Required	60.0

Configurator Add Nodes Input

Input representation of the request to add nodes within a root node.

JSON example

```
{
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
    "contactId": "003xx000000000D7AAI"
  },
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "addedNodes": [
    {
      "path": [
        "0Q0xx0000004EvcCAE",
        "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589"
      ],
      "addedObject": {
        "id": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
        "SalesTransactionItemSource": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
        "SalesTransactionItemParent": "0Q0xx0000004EvcCAE",
        "PricebookEntry": "01luxx00000090VuAAI",
        "ProductSellingModel": "0jPxx00000001KHEAY",
        "UnitPrice": 15.26,
        "Quantity": 1,
        "Product": "01txx00000061fHAAQ",

```



```
      "businessObjectType": "QuoteLineItem"
    }
  },
  {
    "path": [
      "0Q0xx0000004EvcCAE",
      "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
      "ref_d85b036d_d305_4bb6_aba8_a1dff645a664"
    ],
    "addedObject": {
      "id": "ref_d85b036d_d305_4bb6_aba8_a1dff645a664",
      "MainItem": "0QLxx0000004QdRGAU",
      "AssociatedItem": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
      "ProductRelatedComponent": "0dSxx00000001p6EAA",
      "ProductRelationshipType": null,
      "AssociatedItemPricing": "NotIncludedInBundlePrice",
      "AssociatedQuantScaleMethod": "Proportional",
      "businessObjectType": "QuoteLineRelationship"
    }
  }
]
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
addedNodes	Configurator Added Node Input[]	List of the nodes to be added.	Required	60.0
configurator Options	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0
qualification Context	User Context Input	Context details that are used for the qualification rules.	Optional	60.0

Configurator Added Node Input

Input representation of the nodes to be added to a product configuration.

JSON example

```
{
  "addedNodes": [
    {
      "path": [
        "0Q0xx0000004EvcCAE",
        "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589"
      ],
      "addedObject": {
```

```

    "id": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
    "SalesTransactionItemSource": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
    "SalesTransactionItemParent": "0Q0xx0000004EvcCAE",
    "PricebookEntry": "0luxx00000090VuAAI",
    "ProductSellingModel": "0jPxx00000001KHEAY",
    "UnitPrice": 15.26,
    "Quantity": 1,
    "Product": "01txx00000061fHAAQ",
    "businessObjectType": "QuoteLineItem"
  }
},
{
  "path": [
    "0Q0xx0000004EvcCAE",
    "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
    "ref_d85b036d_d305_4bb6_aba8_aldff645a664"
  ],
  "addedObject": {
    "id": "ref_d85b036d_d305_4bb6_aba8_aldff645a664",
    "MainItem": "0QLxx0000004QdRGAU",
    "AssociatedItem": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
    "ProductRelatedComponent": "0dSxx00000001p6EAA",
    "ProductRelationshipType": null,
    "AssociatedItemPricing": "NotIncludedInBundlePrice",
    "AssociatedQuantScaleMethod": "Proportional",
    "businessObjectType": "QuoteLineRelationship"
  }
}
]
}

```

Properties

Name	Type	Description	Required or Optional	Available Version
addedObject	Map<String, Object>	Details of the object that's being added. This property supports fields of objects from the Sales Transaction context definition, including custom objects and fields in your extended context definition.	Required	60.0
path	String[]	Path to the node that's being added. The path includes the unique ID of the context node in the data structure. This ID must match the ID of the sales transaction item source such as a quote line or an order line item. Keep these considerations in mind when setting the <code>path</code> value. If the <code>businessObjectType</code> property value is <code>QuoteLineItem</code>,	Required	60.0

Name	Type	Description	Required or Optional	Available Version
		the path must contain 2 IDs. The first ID is the quote ID, and the second ID is the quote line item ID. - If the <code>businessObjectType</code> property value is <code>QuoteLineItem</code>, the path must contain <code>SalesTransactionItemSource</code> and <code>SalesTransactionItemParent</code>. - If the <code>businessObjectType</code> property value is <code>QuoteLineItemRelationship</code>, the path must contain 3 IDs. The first ID is the quote ID. The second ID is the quote line item ID. The third ID is the quote line item relationship ID.		

Configurator Delete Nodes Input

Input representation of the request to delete nodes from a product configuration.

JSON example

```
{
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
    "contactId": "003xx000000000D7AAI"
  },
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "deletedNodes": [
    {
      "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"]
    }
  ]
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
configuratorOptions	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0
deletedNodes	Configurator Deleted Node Input[]	List of the nodes to be deleted.	Required	60.0
qualificationContext	User Context Input	Context details that are used for the qualification rules.	Optional	60.0

Configurator Deleted Node Input

Input representation of the nodes to be deleted from a product configuration.

JSON example

```

    "deletedNodes": [
      {
        "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"]
      }
    ]

```

Properties

Name	Type	Description	Required or Optional	Available Version
path	String[]	Path to the node that's being deleted.	Required	60.0

Configurator Input

Input representation of the request to modify the product configuration.

JSON example

This example shows a sample to initiate a context based on a transaction ID.

```

{
  "transactionLineId": "0QLDE000000IBXw4AO",
  "transactionId": "0Q0xx0000000001GAA",
  "correlationId": "c95246d4-102c-4ecd-a263-f74ac525d1e5",
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true
  },
}

```

```

    "qualificationContext": {
      "accountId": "001xx0000000001AAA",
      "contactId": "003xx000000000D7AAI"
    }
  }
}

```

This example shows a sample to add, update, or delete a node in an existing context.

```

{
  "transactionLineId": "0QLDE000000IBXw4AO",
  "transactionId": "0Q0DE000000ISHJs81",
  "correlationId": "c95246d4-102c-4ecd-a263-f74ac525d1e5",
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "contextResponseType": "Full",
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
    "contactId": "003xx000000000D7AAI"
  },
  "transactionContextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "addedNodes": [
    {
      "path": ["0Q0DE000000ISHJs81", "sti2_id"],
      "addedObject": {
        "id": "ref_sti2_id",
        "SalesTransactionSource": "sti2_id",
        "PricebookEntry": "01uxx0000000001AAA",
        "ProductSellingModel": "0jPxx0000000001AAA",
        "businessObjectType": "QuoteLineItem",
        "Quantity": 10,
        "UnitPrice": 2.0,
        "Product": "01txx0000000001AAA"
      }
    },
    {
      "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO", "ref_stir1_id"],
      "addedObject": {
        "id": "ref_stir1_id",
        "businessObjectType": "QuoteLineItemRelationship",
        "MainItem": "0QLDE000000IBXw4AO",
        "AssociatedItem": "ref_sti2_id",
        "ProductRelatedComponent": "0dSxx0000000001AAA",
        "ProductRelationshipType": "0yoxx0000000001AAA",
        "AssociatedItemPricing": "IncludedInBundlePrice"
      }
    }
  ],
}

```

```

    "updatedNodes": [
      {
        "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"],
        "updatedAttributes": {
          "Quantity": 5
        }
      }
    ],
    "deletedNodes": [
      {
        "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"]
      }
    ]
  }
}

```

Properties

Name	Type	Description	Required or Optional	Available Version
addedNodes	Configurator Added Node Input[]	List of added context nodes that's passed to the product configurator.	Optional	60.0
configurator Options	Configurator Options Input[]	Options to pass to the configurator.	Optional	60.0
context ResponseType	String	Specifies the type of transaction context response. Valid values are: • Delta—Returns the sales transaction items that are added or updated. • Full—Returns all sales transaction items in a transaction. • None—Returns empty transaction context response. • Product—Returns the sales transaction items related to the product that's being configured.	Required for large sales transactions with more than 1000 line items and less than 15K line items.	65.0
correlationId	String	ID that's specified for traceability of logs.	Optional	60.0
deletedNodes	Configurator Deleted Node Input[]	List of deleted context nodes that's passed to the product configurator.	Optional	60.0
qualification Context	User Context Input[]	Details such as account ID, contact ID, and context ID that are used for executing qualification rules.	Optional	60.0
transaction ContextId	String	ID of the transaction context.	Optional	60.0

Name	Type	Description	Required or Optional	Available Version
transactionId	String	ID of the sales transaction that's being configured such as a quote or an order.	Required	60.0
transactionLineId	String	ID of the top-level line item that's being configured.	Optional	60.0
updatedNodes	Configurator Updated Node Input[]	List of updated context nodes that's passed to the product configurator.	Optional	60.0

SEE ALSO:

[Salesforce Help: Context Service](#)

[Developer Documentation: Context Service](#)

Configurator Options Input

Input representation of the request to get the product configuration options that's passed to the configurator.

JSON example

```
"configuratorOptions":
{
  "addDefaultConfiguration": true,
  "executeConfigurationRules": true,
  "executePricing": true,
  "qualifyAllProductsInTransaction": true,
  "validateAmendRenewCancel": true,
  "validateProductCatalog": true
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
addDefaultConfiguration	Boolean	Indicates whether to add the default configurations (<code>true</code>) or not (<code>false</code>).	Optional	60.0
executeConfigurationRules	Boolean	Indicates whether to execute the configuration rules (<code>true</code>) or not (<code>false</code>).	Optional	60.0
executePricing	Boolean	Indicates whether to execute pricing (<code>true</code>) or not (<code>false</code>).	Optional	60.0
pricingProcedure	String	Name of the pricing procedure to use during the API calls to Salesforce Pricing Management.	Optional	60.0

Name	Type	Description	Required or Optional	Available Version
qualifyAllProductsInTransaction	Boolean	Indicates whether to run the qualification rules on all the products in the context (<code>true</code>) or not (<code>false</code>).	Optional	60.0
returnProductCatalogData	Boolean	Indicates whether to return the product catalog data (<code>true</code>) or not (<code>false</code>). Exclude this property or specify the property value as <code>false</code> if you're using the API without the Product Configurator UI.	Optional	60.0
validateAmendRenewCancel	Boolean	Indicates whether to run the amend, renew, cancel-related validations (<code>true</code>) or not (<code>false</code>).	Optional	60.0
validateProductCatalog	Boolean	Indicates whether to run the validations against the product catalog (<code>true</code>) or not (<code>false</code>).	Optional	60.0

Configurator Update Nodes Input

Input representation of the request to update the nodes in a product configuration.

JSON example

```
{
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
    "contactId": "003xx000000000D7AAI"
  },
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "updatedNodes": [
    {
      "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"],
      "updatedAttributes": {
        "Quantity": 5
      }
    }
  ]
}
```


Properties

Name	Type	Description	Required or Optional	Available Version
configurator Options	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0
qualification Context	User Context Input	Context details that are used for the qualification rules.	Optional	60.0
updatedNodes	Configurator Updated Node Input[]	List of the nodes to be updated.	Required	60.0

Configurator Updated Node Input

Input representation of the nodes to be updated in a product configuration.

JSON example

```

    "updatedNodes": [
      {
        "path": ["0Q0DE000000ISHJs81", "0QLDE000000IBXw4AO"],
        "updatedAttributes": {
          "Quantity": 5
        }
      }
    ]

```

Properties

Name	Type	Description	Required or Optional	Available Version
path	String[]	Path to the node that's being updated.	Required	60.0
updated Attributes	Map<String, Object>	Details of the object that's being updated. This property supports fields of objects from the Sales Transaction context definition, including custom objects and fields in your extended context definition.	Required	60.0

Product Quantity Set Configurator Input

Input representation of the request to set the quantity of a product.

JSON example

```
{
  "configuratorOptions": {
    "executePricing": true,
    "returnProductCatalogData": true,
    "qualifyAllProductsInTransaction": true,
    "validateProductCatalog": true,
    "validateAmendRenewCancel": true,
    "executeConfigurationRules": true,
    "addDefaultConfiguration": true
  },
  "qualificationContext": {
    "accountId": "001xx0000000001AAA",
    "contactId": "003xx000000000D7AAI"
  },
  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
  "quantity": 20,
  "transactionLinePath": "Quote.QuoteLineItem.Quantity"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
configuratorOptions	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0
qualificationContext	User Context Input	Context details that are used for the qualification rules.	Optional	60.0
quantity	Integer	Value of the product quantity.	Required	60.0
transactionLinePath	String[]	Path to the line item where the update to the quantity is applied. For example, Quote.QuoteLineItem.Quantity.	Required	60.0

User Context Input

Input representation of the request to get the context details of a user, which are used for qualification rules.

JSON example

```
"qualificationContext": {
  "accountId": "001DU000001nHUGYA2",
  "contactId": "003xx000000000D7AAI"
}
```

Properties

Name	Type	Description	Required or Optional	Available Version
accountId	String	ID of the account in a user context.	Optional	60.0
contactId	String	ID of the contact in a user context.	Optional	60.0
contextId	String	ID of the context that represents the created session.	Optional	60.0

Response Bodies

Learn more about the available Product Configurator API response bodies.

[Configuration Details](#)

Output representation of the product configuration details.

[Configuration Get Instance](#)

Output representation of the request to retrieve the configuration instance.

[Configuration Load Instance](#)

Output representation of the details of the context or session that are returned with a load configuration request.

[Configuration Save Details](#)

Output representation of the details of a saved configuration.

[Configuration Record Save](#)

Output representation of the details of a saved configuration.

[Configuration List](#)

Output representation of the details of the saved configuration.

[Configuration Save Instance](#)

Output representation of the response that's returned with a save configuration request.

[Configuration Set Instance](#)

Output representation of the details of the context or session that are returned with a set configuration request.

[Configurator Add Nodes](#)

Output representation of the configuration request details to add nodes.

[Configurator Additional Fields](#)

Output representation of the additional fields of a product configuration.

[Configurator Attribute](#)

Output representation of the attribute in a product configuration.

[Configurator Attribute Category](#)

Output representation of the attribute category in a product configuration.

[Configurator Attribute Picklist](#)

Output representation of the attribute picklist in a product configuration.

[Configurator Attribute Picklist Value](#)

Output representation of the values of an attribute picklist in a product configuration.

[Configurator Delete Nodes](#)

Output representation of the details of the configuration request to delete nodes.

[Configurator Message](#)

Output representation of the messages of a product configurator.

[Configurator Price](#)

Output representation of the pricing details in a product configuration.

[Configurator Pricing Model](#)

Output representation of the details of a pricing model in a product configuration.

[Configurator Product Catalog](#)

Output representation of the product catalog.

[Configurator Product Classification](#)

Output representation of the product classification in a product configuration.

[Configurator Product Component Group](#)

Output representation of the product component group in a product classification.

[Configurator Product Recommendations](#)

Output representation of the details of the product recommendations.

[Configurator Product Related Component](#)

Output representation of the product related component in a product configuration.

[Configurator Product Selling Model](#)

Output representation of the product selling model in a product configuration.

[Configurator Product Selling Model Option](#)

Output representation of the product selling model option in a product configuration.

[Configurator Qualification Context](#)

Output representation of the qualification context in a product configuration.

[Configurator UI Treatment](#)

Output representation of the details of the UI treatments of a product configurator. The details include the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.

[Configurator Unit Of Measure](#)

Output representation of the details of the unit of measure record.

[Configurator Update Nodes](#)

Output representation of the configuration request details to update nodes.

[Configuration Update](#)

Output representation of the details of the updated configuration.

[Error Response](#)

Output representation of the details of the error.

[Product Quantity Set Configurator](#)

Output representation of the request details to set product quantity.

Configuration Details

Output representation of the product configuration details.

JSON example

```
{
  "catalogProducts": {
    "additionalFields": [],
    "attributeCategories": [
      {
        "attributes": [
          {
            "attributeCategoryId": "0v3xx0000000001AAA",
            "attributeNameOverride": "Load Capacity",
            "code": "CAP",
            "dataType": "NUMBER",
            "defaultValue": "1500",
            "description": "Server racks are designed to support a specific load capacity, commonly measured in kilograms (kg) or pounds (lbs). Typical load capacities range from 500 kg (1102 lbs) to 1500 kg (3307 lbs) depending on the model.",
            "id": "0tjxx00000001DpAAI",
            "isCloneable": false,
            "isConfigurable": true,
            "isHidden": false,
            "isPriceImpacting": false,
            "isReadOnly": false,
            "isRequired": false,
            "label": "Load Capacity",
            "name": "Load Capacity"
          },
          {
            "attributeCategoryId": "0v3xx0000000001AAA",
            "attributeNameOverride": "Expansion Slots",
            "code": "SLOTCAP",
            "dataType": "NUMBER",
            "defaultValue": "12",
            "id": "0tjxx00000001H3AAI",
            "isCloneable": false,
            "isConfigurable": true,
            "isHidden": false,
            "isPriceImpacting": false,
            "isReadOnly": false,
            "isRequired": true,
            "label": "Expansion Slots",
            "name": "Expansion Slots"
          },
          {
            "attributeCategoryId": "0v3xx0000000001AAA",
            "attributeNameOverride": "Memory",
            "attributePicklist": {
              "id": "0v5xx0000000001AAA",
              "values": [
                {
                  "code": "MEM",
```

```

        "displayValue": "25",
        "id": "0v6xx000000001AAA",
        "isBooleanValue": false,
        "name": "25Mem",
        "sequence": 0,
        "textValue": "25"
      },
      {
        "code": "50MEM",
        "displayValue": "50",
        "id": "0v6xx000000001eAAA",
        "isBooleanValue": false,
        "name": "50Mem",
        "sequence": 1,
        "textValue": "50"
      },
      {
        "code": "100MEM",
        "displayValue": "100",
        "id": "0v6xx000000003FAAQ",
        "isBooleanValue": false,
        "name": "100Mem",
        "sequence": 2,
        "textValue": "100"
      }
    ]
  },
  "dataType": "MULTIPICKLIST",
  "defaultValue": "25",
  "id": "0tjxx00000001IfAAI",
  "isCloneable": false,
  "isConfigurable": true,
  "isHidden": false,
  "isPriceImpacting": false,
  "isReadOnly": false,
  "isRequired": true,
  "label": "Memory",
  "name": "Memory"
}
],
"code": "SPEC",
"name": "Server Rack Specifications"
}
],
"description": "Introducing the Cisco Server Rack, a sleek and robust solution designed to streamline your data center infrastructure. With its scalable design and advanced cable management features, it ensures optimal performance, efficiency, and easy maintenance for your critical network equipment.",
"displayUrl":
"https://www.cisco.com/content/dam/en/us/products/servers-unified-computing/ucs-c240-m4-rack-server/product-large.jpg",
"id": "01txx0000006jkuAAA",
"isActive": true,
"isAssetizable": true,

```

```

    "isConfigurable": true,
    "isSoldOnlyWithOtherProds": false,
    "name": "Cisco Server Rack NX44",
    "nodeType": "bundleProduct",
    "prices": [],
    "productClassification": {
      "id": "11Bxx000002CC02EAG"
    },
    "productCode": "RACK",
    "productComponentGroups": [
      {
        "classifications": [],
        "code": "SERVICE",
        "components": [
          {
            "additionalFields": [],
            "attributeCategories": [],
            "description": "Introducing the Cisco Rack Server NX44 Service, a
comprehensive protection plan designed to safeguard your valuable data infrastructure.
With extended coverage and rapid response times, this warranty ensures peace of mind
and uninterrupted performance for your critical business operations.",
            "id": "01txx0000006jmWAAQ",
            "isActive": true,
            "isAssetizable": true,
            "isComponentRequired": false,
            "isConfigurable": false,
            "isDefaultComponent": false,
            "isQuantityEditable": false,
            "isSoldOnlyWithOtherProds": false,
            "name": "Cisco Rack Server Service - 1 Year",
            "nodeType": "simpleProduct",
            "prices": [],
            "productClassification": {},
            "productCode": "SERVICE",
            "productComponentGroups": [],
            "productRelatedComponent": {
              "childProductId": "01txx0000006jmWAAQ",
              "childSellingModelId": "0jPxx000000004rEAA",
              "doesBundlePriceIncludeChild": true,
              "id": "0dSxx000000001dEAA",
              "isComponentRequired": false,
              "isDefaultComponent": false,
              "isQuantityEditable": false,
              "parentProductId": "01txx0000006jkuAAA",
              "parentSellingModelId": "0jPxx000000004rEAA",
              "productComponentGroupId": "0y7xx000000001dAAA",
              "productRelationshipTypeId": "0yoxx00000001IfAAI",
              "quantity": 1,
              "quantityScaleMethod": "Proportional"
            },
            "productSellingModelOptions": [
              {
                "id": "0iOxx000000009hEAA",
                "productId": "01txx0000006jmWAAQ",

```

```

        "productSellingModel": {
          "id": "0jPxx000000004rEAA",
          "name": "Termed Annually",
          "pricingTerm": 1,
          "pricingTermUnit": "Annual",
          "sellingModelType": "TermDefined",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx000000004rEAA"
      },
      {
        "id": "0iOxx00000000PpEAI",
        "productId": "0ltxx0000006jmWAAQ",
        "productSellingModel": {
          "id": "0jPxx0000000085EAA",
          "name": "Evergreen Annually",
          "pricingTerm": 1,
          "pricingTermUnit": "Annual",
          "sellingModelType": "Evergreen",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx0000000085EAA"
      }
    ]
  },
  "description": "The services available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
  "id": "0y7xx00000000ldAAA",
  "maxBundleComponents": 1,
  "minBundleComponents": 0,
  "name": "Services",
  "parentProductId": "0ltxx0000006jkuAAA",
  "sequence": 1
},
{
  "classifications": [],
  "code": "WARRANTY",
  "components": [
    {
      "additionalFields": [],
      "attributeCategories": [],
      "description": "Introducing the Cisco Rack Server NX44 Warranty, a
comprehensive protection plan designed to safeguard your valuable data infrastructure.
With extended coverage and rapid response times, this warranty ensures peace of mind
and uninterrupted performance for your critical business operations.",
      "id": "0ltxx0000006jjIAAQ",
      "isActive": true,
      "isAssetizable": true,
      "isComponentRequired": false,
      "isConfigurable": false,
      "isDefaultComponent": true,
      "isQuantityEditable": true,

```



```

"isSoldOnlyWithOtherProds": false,
"name": "Cisco Rack Server Warranty - 1 Year",
"nodeType": "simpleProduct",
"prices": [],
"productClassification": {},
"productCode": "WARRANTY",
"productComponentGroups": [],
"productRelatedComponent": {
  "childProductId": "01txx0000006jjIAAQ",
  "childSellingModelId": "0jPxx000000001dEAA",
  "doesBundlePriceIncludeChild": false,
  "id": "0dSxx0000000001EAA",
  "isComponentRequired": false,
  "isDefaultComponent": true,
  "isQuantityEditable": true,
  "maxQuantity": 1,
  "parentProductId": "01txx0000006jkuAAA",
  "parentSellingModelId": "0jPxx000000001dEAA",
  "productComponentGroupId": "0y7xx0000000001AAA",
  "productRelationshipTypeId": "0yoxx00000001IfAAI",
  "quantity": 1,
  "quantityScaleMethod": "Proportional",
  "sequence": 0
},
"productSellingModelOptions": [
  {
    "id": "0iOxx000000001dEAA",
    "productId": "01txx0000006jjIAAQ",
    "productSellingModel": {
      "id": "0jPxx000000001dEAA",
      "name": "One Time",
      "sellingModelType": "OneTime",
      "status": "Active"
    },
    "productSellingModelId": "0jPxx000000001dEAA"
  },
  {
    "id": "0iOxx00000000HlEAI",
    "productId": "01txx0000006jjIAAQ",
    "productSellingModel": {
      "id": "0jPxx000000003FEAQ",
      "name": "Termed Monthly",
      "pricingTerm": 1,
      "pricingTermUnit": "Months",
      "sellingModelType": "TermDefined",
      "status": "Active"
    },
    "productSellingModelId": "0jPxx000000003FEAQ"
  },
  {
    "id": "0iOxx00000000JNEAY",
    "productId": "01txx0000006jjIAAQ",
    "productSellingModel": {
      "id": "0jPxx000000004rEAA",

```

```

        "name": "Termed Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000004rEAA"
},
{
    "id": "0iOxx00000000KzEAI",
    "productId": "01txx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx0000000085EAA",
        "name": "Evergreen Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "Evergreen",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx0000000085EAA"
},
{
    "id": "0iOxx00000000MbEAI",
    "productId": "01txx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx000000006TEAQ",
        "name": "Evergreen Monthly",
        "pricingTerm": 1,
        "pricingTermUnit": "Months",
        "sellingModelType": "Evergreen",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000006TEAQ"
}
]
}
],
"description": "The warranties available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
    "id": "0y7xx0000000001AAA",
    "maxBundleComponents": 1,
    "minBundleComponents": 0,
    "name": "Warranties",
    "parentProductId": "01txx0000006jkuAAA",
    "sequence": 0
}
],
"productSellingModelOptions": [
    {
        "id": "0iOxx000000003FEAQ",
        "productId": "01txx0000006jkuAAA",
        "productSellingModel": {
            "id": "0jPxx000000001dEAA",

```

```

        "name": "One Time",
        "sellingModelType": "OneTime",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000001dEAA"
},
{
    "id": "0iOxx000000004rEAA",
    "productId": "01txx0000006jkuAAA",
    "productSellingModel": {
        "id": "0jPxx000000003FEAQ",
        "name": "Termed Monthly",
        "pricingTerm": 1,
        "pricingTermUnit": "Months",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000003FEAQ"
},
{
    "id": "0iOxx000000006TEAQ",
    "productId": "01txx0000006jkuAAA",
    "productSellingModel": {
        "id": "0jPxx000000004rEAA",
        "name": "Termed Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000004rEAA"
}
],
"productType": "Bundle"
},
"uiTreatments": [
    {
        "details": {
            "attributeId": "0tjxx0000000007AAA",
            "prcId": "0dSxx0000000007EAA",
            "stiId": "0QLxx0000004CU0GAM",
            "attributePicklistValueId": "0v6xx0000000005AAA"
        },
        "uiTreatmentScope": "Bundle",
        "uiTreatmentTarget": "Attribute_Picklist_Value",
        "uiTreatmentType": "Hide"
    },
    {
        "details": {
            "stiId": "ref_f0f2da7b_c431_482d_bf4b_599052f3a2e1"
        },
        "uiTreatmentScope": "Product",
        "uiTreatmentTarget": "Component",
        "uiTreatmentType": "Disable"
    }
]

```

```

    }
  ],
  "errors": [],
  "success": true,
  "productRecommendations": [
    {
      "referenceId": "CORE_BUNDLE_001",
      "productIds": [
        "01t000000001234",
        "01t000000005678"
      ]
    }
  ],
  "transactionContext": {
    "SalesTransaction": [
      {
        "Status": "Draft",
        "Account": "001xx000003GeIxAAK",
        "BillingCity": "San Francisco",
        "Subtotal": 152500,
        "LastPricedDate": "2023-08-22T05:55:39Z",
        "businessObjectType": "Quote",
        "TotalAmount": 152500,
        "ShippingStreet": "415 Mission St",
        "SalesTransactionItem": [
          {
            "ProrationPolicy": null,
            "Discount": null,
            "ProductSellingModel": "0jPxx000000001dEAA",
            "Product": "01txx0000006jkuAAA",
            "businessObjectType": "QuoteLineItem",
            "BasisTransactionItem": null,
            "PartnerUnitPrice": null,
            "StartingUnitPriceSource": "System",
            "ListPrice": 150000,
            "ItemTotalAdjustmentAmount": 0,
            "SalesTransactionItemSource": "0QLxx0000004CQmGAM",
            "SubscriptionTerm": null,
            "StartDate": null,
            "NetTotalPrice": 150000,
            "TotalLineAmount": 150000,
            "PeriodBoundaryStartMonth": null,
            "ListPriceTotal": 150000,
            "PartnerDiscountPercent": null,
            "id": "0QLxx0000004CQmGAM",
            "PriceWaterFall": {
              "currencyCode": "USD",
              "executionEndTimestamp": "2023-09-18T20:11:15.016Z",
              "executionId": "ruepwmHn2ZFvnQo5bjot",
              "executionStartTimestamp": "2023-09-18T20:11:14.906Z",
              "lineItemId": "0QLxx0000004CQmGAM",
              "output": {
                "NetUnitPrice": 150000,
                "Subtotal": 0
              }
            }
          }
        ]
      }
    ]
  }
}

```

```

    },
    "success": true,
    "waterfall": [
      {
        "fieldToTagNameMapping": {
          "NetUnitPrice": "ItemUnitPrice",
          "AdjustmentValue": "ItemAdjustmentValue",
          "Subtotal": "ItemTotalAdjustmentAmount",
          "Quantity": "ItemQuantity",
          "LineItemId": "SalesTransactionItemSource",
          "InputUnitPrice": "ItemUnitPrice"
        },
        "inputParameters": {
          "Quantity": 1,
          "LineItemId": "0QLxx0000004CQmGAM",
          "InputUnitPrice": 150000,
          "AdjustmentType": "Amount"
        },
        "outputParameters": {
          "NetUnitPrice": 150000,
          "Subtotal": 0
        },
        "pricingElement": {
          "adjustments": [
            {
              "AdjustmentType": "Amount"
            }
          ],
          "elementType": "MANUALDISCOUNT",
          "name": "ManualDiscount"
        },
        "sequence": 1
      }
    ]
  },
  "BillingFrequency": null,
  "SalesTransactionItemParent": "0Q0xx0000004CAeCAM",
  "StartingPriceTotal": 150000,
  "Quantity": 1,
  "PeriodBoundary": null,
  "SalesTransactionItemAttribute": [
    {
      "AttributeKey": "0tjxx00000001H3AAI",
      "AttributeValue": "30.0",
      "AttributePicklistValue": null,
      "IsPriceImpacting": true,
      "businessObjectType": "QuoteLineItemAttribute",
      "AttributeName": "Expansion Slots",
      "AttributeDefinitionCode": "SLOTCAP",
      "id": "0zuxx0000000001AAA",
      "SalesTransactionItemAttrParent": "0QLxx0000004CQmGAM"
    }
  ],
  "EndDate": null,

```

```

"DiscountAmount": null,
"PricebookEntry": "01luxx0000009154AAA",
"PricingTermCount": 1,
"NetUnitPrice": 150000,
"UnitPrice": 150000,
"StartingUnitPrice": 150000,
"SalesTrxnItemRelationship": [
  {
    "ProductRelationshipType": "0yoxx00000001IfAAI",
    "MainItemRole": "Bundle",
    "AssociatedItem": "0QLxx0000004CQnGAM",
    "ProductRelatedComponent": "0dSxx0000000001EAA",
    "MainItem": "0QLxx0000004CQmGAM",
    "AssociatedQuantScaleMethod": "Proportional",
    "businessObjectType": "QuoteLineRelationship",
    "AssociatedItemRole": "BundleComponent",
    "SalesTrnItemRelationshipParent": "0Q0xx0000004CAeCAM",
    "id": "0yQxx000000001dEAA",
    "AssociatedItemPricing": "NotIncludedInBundlePrice"
  }
],
"TotalPrice": 150000,
"PeriodBoundaryDay": null
},
{
  "ProrationPolicy": null,
  "Discount": null,
  "ProductSellingModel": "0jPxx000000001dEAA",
  "Product": "01txx0000006jjIAAQ",
  "businessObjectType": "QuoteLineItem",
  "BasisTransactionItem": null,
  "PartnerUnitPrice": null,
  "StartingUnitPriceSource": "System",
  "ListPrice": 2000,
  "ItemTotalAdjustmentAmount": 0,
  "SalesTransactionItemSource": "0QLxx0000004CQnGAM",
  "SubscriptionTerm": null,
  "StartDate": null,
  "NetTotalPrice": 2000,
  "TotalLineAmount": 2000,
  "PeriodBoundaryStartMonth": null,
  "ListPriceTotal": 2000,
  "PartnerDiscountPercent": null,
  "id": "0QLxx0000004CQnGAM",
  "PriceWaterFall": {
    "currencyCode": "USD",
    "executionEndTimestamp": "023-09-18T20:11:15.016Z",
    "executionId": "ruepwmHn2ZFvnQo5bjot",
    "executionStartTimestamp": "2023-09-18T20:11:14.906Z",
    "lineItemId": "0QLxx0000004CQnGAM",
    "output": {
      "NetUnitPrice": 2000,
      "Subtotal": 0
    }
  }
},

```

```

    "success": true,
    "waterfall": [
      {
        "fieldToTagNameMapping": {
          "NetUnitPrice": "ItemUnitPrice",
          "AdjustmentValue": "ItemAdjustmentValue",
          "Subtotal": "ItemTotalAdjustmentAmount",
          "Quantity": "ItemQuantity",
          "LineItemId": "SalesTransactionItemSource",
          "InputUnitPrice": "ItemUnitPrice"
        },
        "inputParameters": {
          "Quantity": 1,
          "LineItemId": "0QLxx0000004CQnGAM",
          "InputUnitPrice": 2000,
          "AdjustmentType": "Amount"
        },
        "outputParameters": {
          "NetUnitPrice": 2000,
          "Subtotal": 0
        },
        "pricingElement": {
          "adjustments": [
            {}
          ],
          "elementType": "MANUALDISCOUNT",
          "name": "ManualDiscount"
        },
        "sequence": 1
      }
    ],
    "BillingFrequency": null,
    "SalesTransactionItemParent": "0Q0xx0000004CAeCAM",
    "StartingPriceTotal": 2000,
    "Quantity": 1,
    "PeriodBoundary": null,
    "EndDate": null,
    "DiscountAmount": null,
    "PricebookEntry": "01luxx000000913SAAQ",
    "PricingTermCount": 1,
    "NetUnitPrice": 2000,
    "UnitPrice": 2000,
    "StartingUnitPrice": 2000,
    "TotalPrice": 2000,
    "PeriodBoundaryDay": null
  },
  "BillingCountry": "US",
  "BillingStreet": "415 Mission St",
  "Pricebook": "01sxx0000005uDZAAy",
  "ShippingPostalCode": "94105",
  "SalesTransactionSource": "0Q0xx0000004CAeCAM",
  "ShippingCountry": "US",

```

```

        "ShippingCity": "San Francisco",
        "ShippingState": "CA",
        "BillingPostalCode": "94105",
        "id": "0Q0xx0000004CAeCAM",
        "BillToContact": null,
        "Contract": null,
        "BillingState": "CA"
    }
  ],
  "transactionContextId": "cda87acd-45ed-4913-903e-9dd33cec85a6",
  "transactionContextMappingId": "11jxx0000004LwOAAU"
}

```

Property Name	Type	Description	Filter Group and Version	Available Version
catalog Products	Configurator Product Catalog[]	Structure that contains the product catalog data.	Small, 61.0	61.0
errors	ConnectApiErrorResponse	List of errors that contains a message and an error code.	Small, 60.0	60.0
messages	Map<String, Configurator Message >>	Messages from the validation, Business Rules Engine (BRE), or Salesforce Pricing calls.	Small, 60.0	60.0
product Recommendations	Configurator Product Recommendations	List of product recommendations.	Small, 65.0	65.0
success	Boolean	Indicates whether the request is successful (true) or not (false).	Small, 60.0	60.0
transaction Context	Map<String, Object>	Serialized JSON representation of the transaction context.	Small, 60.0	60.0
transaction ContextId	String	ID of the transaction context.	Small, 60.0	60.0
transactionContext MappingId	String	ID of the context mapping.	Small, 60.0	60.0
transaction Qualification	Map<String, Configurator Qualification Context >	Map of the product IDs to the qualification context.	Small, 60.0	60.0
uiTreatments	Configurator UI Treatment []	Details of the UI treatments that specify the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.	Small, 62.0	62.0

Configuration Get Instance

Output representation of the request to retrieve the configuration instance.

Property Name	Type	Description	Filter Group and Version	Available Version
errors	Error Response	List of errors, which contains an error code and a message.	Small, 60.0	60.0
success	Boolean	Indicates whether the call was successful (<code>true</code>) not (<code>false</code>).	Small, 60.0	60.0
transaction	Map<String, Object>	Transaction JSON payload representing an object in an external system that's used to create a session.	Small, 60.0	60.0

Configuration Load Instance

Output representation of the details of the context or session that are returned with a load configuration request.

JSON Example

```
{
  "configuratorMessages": {},
  "configuratorUITreatments": [
    {
      "details": {
        "attributeId": "0tjxx0000000007AAA",
        "prcId": "0dSxx0000000007EAA",
        "stiId": "0QLxx0000004CU0GAM",
        "attributePicklistValueId": "0v6xx0000000005AAA"
      },
      "uiTreatmentScope": "Bundle",
      "uiTreatmentTarget": "Attribute_Picklist_Value",
      "uiTreatmentType": "Hide"
    },
    {
      "details": {
        "stiId": "ref_f0f2da7b_c431_482d_bf4b_599052f3a2e1"
      },
      "uiTreatmentScope": "Product",
      "uiTreatmentTarget": "Component",
      "uiTreatmentType": "Disable"
    }
  ],
  "contextId": "831f07b01cf0cbd2d046adf5350420f85f0611b4b1e22e183921a063857a1377",
  "errors": [],
  "productQualifications": {
    "01tDU000000EOTCYA4": {
      "isQualified": true
    }
  }
},
```

```
"success": true
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
configurator Messages	Map<String, <Configurator Message>>	Map of the product IDs to the list of configurator messages. Configurator messages are results from any validations, Business Rules Engines (BRE) calls, or Salesforce Pricing calls.	Small, 60.0	60.0
configurator UITreatments	Configurator UI Treatment[]	Details of the UI treatments that specify the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.	Small, 62.0	62.0
contextId	String	ID of the transaction context.	Small, 60.0	60.0
errors	Error Response	List of errors, which contains an error code and a message.	Small, 60.0	60.0
product Qualifications	Map<String, Configurator Qualification Context>	Map of the product IDs to the execution results from qualification rules.	Small, 60.0	60.0
success	Boolean	Indicates whether the call was successful (true) not (false).	Small, 60.0	60.0

Configuration Save Details

Output representation of the details of a saved configuration.

JSON example

```
{
  "savedConfigurations": [
    {
      "data":
      Built-in
      "description": "This configuration is for cline XYZ",
      "id": "1Nyxx0000004CFUCA2",
      "name": "Client XYZ Favorite",
      "referenceRecordId": "01txx0000006iCFAAY"
    },
    {
```

```

    "data":
    Built-in
    "description": "This configuration is for cline XYZ",
    "id": "1Nyxx0000004CH6CAM",
    "name": "Client XYZ Favorite",
    "referenceRecordId": "01txx0000006iCFAAY"
  }
]
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
data	String	JSON object that contains the details of the sales transaction, formatted as a string.	Small, 63.0	63.0
description	String	Description of the saved configuration.	Small, 63.0	63.0
id	String	ID of the saved configuration.	Small, 63.0	63.0
name	String	Name of the saved configuration.	Small, 63.0	63.0
referenceRecordId	String	ID of the record that the saved configuration belongs to.	Small, 63.0	63.0

Configuration Record Save

Output representation of the details of a saved configuration.

JSON example

This example shows a sample when the save operation is successful.

```
{
  "errors": [],
  "id": "1Nyxx0000004CNYCA2"
}
```

This example shows a sample when the save operation has errors.

```
{
  "errors": [{
    "code": "INTERNAL_SERVER_ERROR",
    "message": "INVALID_REFERENCEOBJECTID"
  }]
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
errors	Error Response	List of errors that contains a message and an error code.	Small, 63.0	63.0
id	String	ID of the configuration that's saved. This property isn't shown if the operation has errors.	Small, 63.0	63.0

Configuration List

Output representation of the details of the saved configuration.

JSON example

```
{
  "errors": [],
  "savedConfigurations": [
    {
      "data":
      Built-in
      "description": "This configuration is saved for reuse.",
      "id": "1Nyx0000004CFUCA2",
      "name": "Favorite Configuration",
      "referenceRecordId": "01tx0000006iCFAAY"
    },
    {
      "data":
      Built-in
      "description": "This configuration is saved for reuse.",
      "id": "1Nyx0000004CH6CAM",
      "name": "Configuration 2",
      "referenceRecordId": "01tx0000006iCFAAY"
    }
  ],
  "success": true
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
errors	Error Response	List of errors that contains a message and an error code.	Small, 63.0	63.0
saved Configurations	Configuration Save Details	Configuration details associated with the referenceRecordID request parameter.	Small, 63.0	63.0
success	Boolean	Indicates whether the operation is successful (<code>true</code>) or not (<code>false</code>).	Small, 63.0	63.0

Configuration Save Instance

Output representation of the response that's returned with a save configuration request.

Property Name	Type	Description	Filter Group and Version	Available Version
errors	Error Response	List of errors, which contains an error code and a message.	Small, 60.0	60.0
success	Boolean	Indicates whether the call was successful (<code>true</code>) not (<code>false</code>).	Small, 60.0	60.0

Configuration Set Instance

Output representation of the details of the context or session that are returned with a set configuration request.

JSON Example

```
{
  "configuratorMessages": {},
  "configuratorUITreatments": [
    {
      "details": {
        "attributeId": "0tjxx0000000007AAA",
        "prcId": "0dSxx0000000007EAA",
        "stiId": "0QLxx0000004CU0GAM",
        "attributePicklistValueId": "0v6xx0000000005AAA"
      },
      "uiTreatmentScope": "Bundle",
      "uiTreatmentTarget": "Attribute_Picklist_Value",
      "uiTreatmentType": "Hide"
    },
    {
      "details": {
        "stiId": "ref_f0f2da7b_c431_482d_bf4b_599052f3a2e1"
      },
      "uiTreatmentScope": "Product",
      "uiTreatmentTarget": "Component",
      "uiTreatmentType": "Disable"
    }
  ]
}
```

```

    }
  ],
  "contextId": "831f07b01cf0cbd2d046adf5350420f85f0611b4b1e22e183921a063857a1377",
  "errors": [],
  "productQualifications": {
    "01tDU000000EOTCYA4": {
      "isQualified": true
    }
  },
  "success": true
}

```

Property Name	Type	Description	Filter Group and Version	Available Version
configurator Messages	Map<String, < Configurator Message >>	Map of the product IDs to the list of configurator messages. Configurator messages are results from any validations, Business Rules Engines (BRE) calls, or Salesforce Pricing calls.	Small, 60.0	60.0
configurator UITreatments	Configurator UI Treatment []	Details of the UI treatments that specify the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.	Small, 62.0	62.0
contextId	String	ID of the transaction context.	Small, 60.0	60.0
errors	Error Response	List of errors, which contains an error code and a message.	Small, 60.0	60.0
product Qualifications	Map<String, < Configurator Qualification Context >	Map of the product IDs to the execution results from qualification rules.	Small, 60.0	60.0
success	Boolean	Indicates whether the call was successful (<code>true</code>) not (<code>false</code>).	Small, 60.0	60.0

Configurator Add Nodes

Output representation of the configuration request details to add nodes.

JSON Example

```

{
  "configuratorMessages": {},
  "configuratorUITreatments": [
    {
      "details": {
        "attributeId": "0tjxx0000000007AAA",
        "prcId": "0dSxx0000000007EAA",

```

```

    "stiId": "0QLxx0000004CU0GAM",
    "attributePicklistValueId": "0v6xx000000005AAA"
  },
  "uiTreatmentScope": "Bundle",
  "uiTreatmentTarget": "Attribute_Picklist_Value",
  "uiTreatmentType": "Hide"
},
{
  "details": {
    "stiId": "ref_f0f2da7b_c431_482d_bf4b_599052f3a2e1"
  },
  "uiTreatmentScope": "Product",
  "uiTreatmentTarget": "Component",
  "uiTreatmentType": "Disable"
}
],
"errors": [],
"productQualifications": {
  "01tDU000000EOTCYA4": {
    "isQualified": true
  }
},
"success": true
}

```

Property Name	Type	Description	Filter Group and Version	Available Version
configurator Messages	Map<String, Configurator Message >	Map of the product IDs to the list of configurator messages. Configurator messages are results from any validations, Business Rules Engines (BRE) calls, or Salesforce Pricing calls.	Small, 60.0	60.0
configurator UITreatments	Configurator UI Treatment []	Details of the UI treatments that specify the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.	Small, 62.0	62.0
errors	Error Response	List of errors, which contains an error code and a message.	Small, 60.0	60.0
product Qualifications	Map<String, Configurator Qualification Context >	Map of the product IDs to the qualification rule execution results.	Small, 60.0	60.0
success	Boolean	Indicates whether the call was successful (<code>true</code>) not (<code>false</code>).	Small, 60.0	60.0

Configurator Additional Fields

Output representation of the additional fields of a product configuration.

Property Name	Type	Description	Filter Group and Version	Available Version
fieldApiName	String	API name of the field.	Small, 60.0	60.0
fieldName	String	Name of the field.	Small, 60.0	60.0
value	String	Value of the field.	Small, 60.0	60.0

Configurator Attribute

Output representation of the attribute in a product configuration.

JSON example

```

"attributeCategories": [
  {
    "attributes": [
      {
        "attributeCategoryId": "0v3xx0000000001AAA",
        "attributeNameOverride": "Load Capacity",
        "code": "CAP",
        "dataType": "NUMBER",
        "defaultValue": "1500",
        "description": "Server racks are designed to support a specific load capacity, commonly measured in kilograms (kg) or pounds (lbs). Typical load capacities range from 500 kg (1102 lbs) to 1500 kg (3307 lbs) depending on the model.",
        "id": "0tjxx000000001DpAAI",
        "isCloneable": false,
        "isConfigurable": true,
        "isHidden": false,
        "isPriceImpacting": false,
        "isReadOnly": false,
        "isRequired": false,
        "label": "Load Capacity",
        "name": "Load Capacity"
      },
      {
        "attributeCategoryId": "0v3xx0000000001AAA",
        "attributeNameOverride": "Expansion Slots",
        "code": "SLOTCAP",
        "dataType": "NUMBER",
        "defaultValue": "12",
        "id": "0tjxx000000001H3AAI",
        "isCloneable": false,
        "isConfigurable": true,
        "isHidden": false,
        "isPriceImpacting": false,
        "isReadOnly": false,
        "isRequired": true,

```



```

        "label": "Expansion Slots",
        "name": "Expansion Slots"
    },
    {
        "attributeCategoryId": "0v3xx0000000001AAA",
        "attributeNameOverride": "Memory",
        "attributePicklist": {
            "id": "0v5xx0000000001AAA",
            "values": [
                {
                    "code": "MEM",
                    "displayValue": "25",
                    "id": "0v6xx0000000001AAA",
                    "isBooleanValue": false,
                    "name": "25Mem",
                    "sequence": 0,
                    "textValue": "25"
                },
                {
                    "code": "50MEM",
                    "displayValue": "50",
                    "id": "0v6xx0000000001eAAA",
                    "isBooleanValue": false,
                    "name": "50Mem",
                    "sequence": 1,
                    "textValue": "50"
                },
                {
                    "code": "100MEM",
                    "displayValue": "100",
                    "id": "0v6xx0000000003FAAQ",
                    "isBooleanValue": false,
                    "name": "100Mem",
                    "sequence": 2,
                    "textValue": "100"
                }
            ]
        },
        "dataType": "MULTIPICKLIST",
        "defaultValue": "25",
        "id": "0tjxx000000001IfAAI",
        "isCloneable": false,
        "isConfigurable": true,
        "isHidden": false,
        "isPriceImpacting": false,
        "isReadOnly": false,
        "isRequired": true,
        "label": "Memory",
        "name": "Memory"
    }
],
"code": "SPEC",
"name": "Server Rack Specifications"
}

```

```

    ],
    "description": "Introducing the Cisco Server Rack, a sleek and robust solution
designed to streamline your data center infrastructure. With its scalable design and
advanced cable management features, it ensures optimal performance, efficiency, and easy
maintenance for your critical network equipment.",
    "displayUrl":
"https://www.cisco.com/content/dam/en/us/products/servers-unified-computing/ucs-c240-m4-rack-server/product-large.jpg",

    "id": "01txx0000006jkuAAA",
    "isActive": true,
    "isAssetizable": true,
    "isConfigurable": true,
    "isSoldOnlyWithOtherProds": false,
    "name": "Cisco Server Rack NX44",
    "nodeType": "bundleProduct",
    "prices": [],
    "productClassification": {
        "id": "11Bxx000002CC02EAG"
    },
    "productCode": "RACK",
    "productComponentGroups": [
        {
            "classifications": [],
            "code": "SERVICE",
            "components": [
                {
                    "additionalFields": [],
                    "attributeCategories": [],
                    "description": "Introducing the Cisco Rack Server NX44 Service, a
comprehensive protection plan designed to safeguard your valuable data infrastructure.
With extended coverage and rapid response times, this warranty ensures peace of mind
and uninterrupted performance for your critical business operations.",
                    "id": "01txx0000006jmWAAQ",
                    "isActive": true,
                    "isAssetizable": true,
                    "isComponentRequired": false,
                    "isConfigurable": false,
                    "isDefaultComponent": false,
                    "isQuantityEditable": false,
                    "isSoldOnlyWithOtherProds": false,
                    "name": "Cisco Rack Server Service - 1 Year",
                    "nodeType": "simpleProduct",
                    "prices": [],
                    "productClassification": {},
                    "productCode": "SERVICE",
                    "productComponentGroups": [],
                    "productRelatedComponent": {
                        "childProductId": "01txx0000006jmWAAQ",
                        "childSellingModelId": "0jPxx000000004rEAA",
                        "doesBundlePriceIncludeChild": true,
                        "id": "0dSxx000000001dEAA",
                        "isComponentRequired": false,
                        "isDefaultComponent": false,
                        "isQuantityEditable": false,

```

```

        "parentProductId": "01txx0000006jkuAAA",
        "parentSellingModelId": "0jPxx000000004rEAA",
        "productComponentGroupId": "0y7xx000000001dAAA",
        "productRelationshipTypeId": "0yoxx000000001IfAAI",
        "quantity": 1,
        "quantityScaleMethod": "Proportional"
    },
    "productSellingModelOptions": [
        {
            "id": "0iOxx000000009hEAA",
            "productId": "01txx0000006jmWAAQ",
            "productSellingModel": {
                "id": "0jPxx000000004rEAA",
                "name": "Termed Annually",
                "pricingTerm": 1,
                "pricingTermUnit": "Annual",
                "sellingModelType": "TermDefined",
                "status": "Active"
            },
            "productSellingModelId": "0jPxx000000004rEAA"
        },
        {
            "id": "0iOxx00000000PpEAI",
            "productId": "01txx0000006jmWAAQ",
            "productSellingModel": {
                "id": "0jPxx0000000085EAA",
                "name": "Evergreen Annually",
                "pricingTerm": 1,
                "pricingTermUnit": "Annual",
                "sellingModelType": "Evergreen",
                "status": "Active"
            },
            "productSellingModelId": "0jPxx0000000085EAA"
        }
    ]
},
{
    "description": "The services available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
    "id": "0y7xx000000001dAAA",
    "maxBundleComponents": 1,
    "minBundleComponents": 0,
    "name": "Services",
    "parentProductId": "01txx0000006jkuAAA",
    "sequence": 1
},
{
    "classifications": [],
    "code": "WARRANTY",
    "components": [
        {
            "additionalFields": [],
            "attributeCategories": [],

```

```

      "description": "Introducing the Cisco Rack Server NX44 Warranty, a
comprehensive protection plan designed to safeguard your valuable data infrastructure.
With extended coverage and rapid response times, this warranty ensures peace of mind
and uninterrupted performance for your critical business operations.",
      "id": "01txx0000006jjIAAQ",
      "isActive": true,
      "isAssetizable": true,
      "isComponentRequired": false,
      "isConfigurable": false,
      "isDefaultComponent": true,
      "isQuantityEditable": true,
      "isSoldOnlyWithOtherProds": false,
      "name": "Cisco Rack Server Warranty - 1 Year",
      "nodeType": "simpleProduct",
      "prices": [],
      "productClassification": {},
      "productCode": "WARRANTY",
      "productComponentGroups": [],
      "productRelatedComponent": {
        "childProductId": "01txx0000006jjIAAQ",
        "childSellingModelId": "0jPxx000000001dEAA",
        "doesBundlePriceIncludeChild": false,
        "id": "0dSxx0000000001EAA",
        "isComponentRequired": false,
        "isDefaultComponent": true,
        "isQuantityEditable": true,
        "maxQuantity": 1,
        "parentProductId": "01txx0000006jkuAAA",
        "parentSellingModelId": "0jPxx000000001dEAA",
        "productComponentGroupId": "0y7xx0000000001AAA",
        "productRelationshipTypeId": "0yoxx00000001IfAAI",
        "quantity": 1,
        "quantityScaleMethod": "Proportional",
        "sequence": 0
      },
      "productSellingModelOptions": [
        {
          "id": "0iOxx000000001dEAA",
          "productId": "01txx0000006jjIAAQ",
          "productSellingModel": {
            "id": "0jPxx000000001dEAA",
            "name": "One Time",
            "sellingModelType": "OneTime",
            "status": "Active"
          },
          "productSellingModelId": "0jPxx000000001dEAA"
        },
        {
          "id": "0iOxx00000000HlEAI",
          "productId": "01txx0000006jjIAAQ",
          "productSellingModel": {
            "id": "0jPxx000000003FEAQ",
            "name": "Termed Monthly",
            "pricingTerm": 1,

```

```

        "pricingTermUnit": "Months",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000003FEAQ"
},
{
    "id": "0iOxx00000000JNEAY",
    "productId": "0ltxx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx000000004rEAA",
        "name": "Termed Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000004rEAA"
},
{
    "id": "0iOxx00000000KzEAI",
    "productId": "0ltxx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx0000000085EAA",
        "name": "Evergreen Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "Evergreen",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx0000000085EAA"
},
{
    "id": "0iOxx00000000MbEAI",
    "productId": "0ltxx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx000000006TEAQ",
        "name": "Evergreen Monthly",
        "pricingTerm": 1,
        "pricingTermUnit": "Months",
        "sellingModelType": "Evergreen",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000006TEAQ"
}
]
}
],
"description": "The warranties available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
"id": "0y7xx0000000001AAA",
"maxBundleComponents": 1,
"minBundleComponents": 0,

```

```

        "name": "Warranties",
        "parentProductId": "01txx0000006jkuAAA",
        "sequence": 0
    }
],
"productSellingModelOptions": [
    {
        "id": "0iOxx000000003FEAQ",
        "productId": "01txx0000006jkuAAA",
        "productSellingModel": {
            "id": "0jPxx000000001dEAA",
            "name": "One Time",
            "sellingModelType": "OneTime",
            "status": "Active"
        },
        "productSellingModelId": "0jPxx000000001dEAA"
    },
    {
        "id": "0iOxx000000004rEAA",
        "productId": "01txx0000006jkuAAA",
        "productSellingModel": {
            "id": "0jPxx000000003FEAQ",
            "name": "Termed Monthly",
            "pricingTerm": 1,
            "pricingTermUnit": "Months",
            "sellingModelType": "TermDefined",
            "status": "Active"
        },
        "productSellingModelId": "0jPxx000000003FEAQ"
    },
    {
        "id": "0iOxx000000006TEAQ",
        "productId": "01txx0000006jkuAAA",
        "productSellingModel": {
            "id": "0jPxx000000004rEAA",
            "name": "Termed Annually",
            "pricingTerm": 1,
            "pricingTermUnit": "Annual",
            "sellingModelType": "TermDefined",
            "status": "Active"
        },
        "productSellingModelId": "0jPxx000000004rEAA"
    }
],
"productType": "Bundle"
},
"errors": [],
"success": true,
"transactionContext": {
    "SalesTransaction": [
        {
            "Status": "Draft",
            "Account": "001xx000003GeIXAAK",
            "BillingCity": "San Francisco",

```

```

"Subtotal": 152500,
"LastPricedDate": "2023-08-22T05:55:39Z",
"businessObjectType": "Quote",
"TotalAmount": 152500,
"ShippingStreet": "415 Mission St",
"SalesTransactionItem": [
  {
    "ProrationPolicy": null,
    "Discount": null,
    "ProductSellingModel": "0jPxx000000001dEAA",
    "Product": "01txx0000006jkuAAA",
    "businessObjectType": "QuoteLineItem",
    "BasisTransactionItem": null,
    "PartnerUnitPrice": null,
    "StartingUnitPriceSource": "System",
    "ListPrice": 150000,
    "ItemTotalAdjustmentAmount": 0,
    "SalesTransactionItemSource": "0QLxx0000004CQmGAM",
    "SubscriptionTerm": null,
    "StartDate": null,
    "NetTotalPrice": 150000,
    "TotalLineAmount": 150000,
    "PeriodBoundaryStartMonth": null,
    "ListPriceTotal": 150000,
    "PartnerDiscountPercent": null,
    "id": "0QLxx0000004CQmGAM",
    "PriceWaterFall": "{
      \"currencyCode\":\"USD\",
      \"executionEndTimestamp\":\"2023-09-18T20:11:15.016Z\",
      \"executionId\":\"ruepwmHn2ZFvnQo5bjot\",
      \"executionStartTimestamp\":\"2023-09-18T20:11:14.906Z\",
      \"lineItemId\":\"0QLxx0000004CQmGAM\",
      \"output\":{
        \"NetUnitPrice\":150000.0,
        \"Subtotal\":0.0
      },
      \"success\":true,
      \"waterfall\":[
        {
          \"fieldToTagNameMapping\":{
            \"NetUnitPrice\":\"ItemUnitPrice\",
            \"AdjustmentValue\":\"ItemAdjustmentValue\",
            \"Subtotal\":\"ItemTotalAdjustmentAmount\",
            \"Quantity\":\"ItemQuantity\",
            \"LineItemId\":\"SalesTransactionItemSource\",
            \"InputUnitPrice\":\"ItemUnitPrice\"
          },
          \"inputParameters\":{
            \"Quantity\":1.0,
            \"LineItemId\":\"0QLxx0000004CQmGAM\",
            \"InputUnitPrice\":150000.0,
            \"AdjustmentType\":\"Amount\"
          },
          \"outputParameters\":{

```

```

        "NetUnitPrice":150000.0,
        "Subtotal":0.0
    },
    "pricingElement":{
        "adjustments":[
            {
                "AdjustmentType":"Amount"
            }
        ],
        "elementType":"MANUALDISCOUNT",
        "name":"ManualDiscount"
    },
    "sequence":1
}
],
"BilligFrequency": null,
"SalesTransactionItemParent": "0Q0xx0000004CAeCAM",
"StartingPriceTotal": 150000,
"Quantity": 1,
"PeriodBoundary": null,
"SalesTransactionItemAttribute": [
    {
        "AttributeKey": "0tjxx00000001H3AAI",
        "AttributeValue": "30.0",
        "AttributePicklistValue": null,
        "IsPriceImpacting": true,
        "businessObjectType": "QuoteLineItemAttribute",
        "AttributeName": "Expansion Slots",
        "AttributeDefinitionCode": "SLOTAP",
        "id": "0zuxx0000000001AAA",
        "SalesTransactionItemAttrParent": "0QLxx0000004CQmGAM"
    }
],
"EndDate": null,
"DiscountAmount": null,
"PricebookEntry": "01luxx00000009154AAA",
"PricingTermCount": 1,
"NetUnitPrice": 150000,
"UnitPrice": 150000,
"StartingUnitPrice": 150000,
"SalesTrxnItemRelationship": [
    {
        "ProductRelationshipType": "0yoxx00000001IfAAI",
        "MainItemRole": "Bundle",
        "AssociatedItem": "0QLxx0000004CQnGAM",
        "ProductRelatedComponent": "0dSxx0000000001EAA",
        "MainItem": "0QLxx0000004CQmGAM",
        "AssociatedQuantScaleMethod": "Proportional",
        "businessObjectType": "QuoteLineRelationship",
        "AssociatedItemRole": "BundleComponent",
        "SalesTrnItemRelationshipParent": "0Q0xx0000004CAeCAM",
        "id": "0yQxx000000001dEAA",
        "AssociatedItemPricing": "NotIncludedInBundlePrice"
    }
]

```



```

    }
  ],
  "TotalPrice": 150000,
  "PeriodBoundaryDay": null
},
{
  "ProrationPolicy": null,
  "Discount": null,
  "ProductSellingModel": "0jPxx000000001dEAA",
  "Product": "0ltxx0000006jjIAAQ",
  "businessObjectType": "QuoteLineItem",
  "BasisTransactionItem": null,
  "PartnerUnitPrice": null,
  "StartingUnitPriceSource": "System",
  "ListPrice": 2000,
  "ItemTotalAdjustmentAmount": 0,
  "SalesTransactionItemSource": "0QLxx0000004CQnGAM",
  "SubscriptionTerm": null,
  "StartDate": null,
  "NetTotalPrice": 2000,
  "TotalLineAmount": 2000,
  "PeriodBoundaryStartMonth": null,
  "ListPriceTotal": 2000,
  "PartnerDiscountPercent": null,
  "id": "0QLxx0000004CQnGAM",
  "PriceWaterFall": "{
    "currencyCode": "USD",
    "executionEndTimestamp": "2023-09-18T20:11:15.016Z",
    "executionId": "ruepwmHn2ZFvnQo5bjot",
    "executionStartTimestamp": "2023-09-18T20:11:14.906Z",
    "lineItemId": "0QLxx0000004CQnGAM",
    "output": {
      "NetUnitPrice": 2000.0,
      "Subtotal": 0.0
    },
    "success": true,
    "waterfall": [
      {
        "fieldToTagNameMapping": {
          "NetUnitPrice": "ItemUnitPrice",
          "AdjustmentValue": "ItemAdjustmentValue",
          "Subtotal": "ItemTotalAdjustmentAmount",
          "Quantity": "ItemQuantity",
          "LineItemId": "SalesTransactionItemSource",
          "InputUnitPrice": "ItemUnitPrice"
        },
        "inputParameters": {
          "Quantity": 1.0,
          "LineItemId": "0QLxx0000004CQnGAM",
          "InputUnitPrice": 2000.0,
          "AdjustmentType": "Amount"
        },
        "outputParameters": {
          "NetUnitPrice": 2000.0,

```

```

        "Subtotal":0.0
      },
      "pricingElement":{
        "adjustments":[
          {}
        ],
        "elementType":"MANUALDISCOUNT",
        "name":"ManualDiscount"
      },
      "sequence":1
    }
  ]
},
"BillingFrequency": null,
"SalesTransactionItemParent": "0Q0xx0000004CAeCAM",
"StartingPriceTotal": 2000,
"Quantity": 1,
"PeriodBoundary": null,
"EndDate": null,
"DiscountAmount": null,
"PricebookEntry": "01uxx000000913SAAQ",
"PricingTermCount": 1,
"NetUnitPrice": 2000,
"UnitPrice": 2000,
"StartingUnitPrice": 2000,
"TotalPrice": 2000,
"PeriodBoundaryDay": null
}
],
"BillingCountry": "US",
"BillingStreet": "415 Mission St",
"Pricebook": "01sxx0000005uDZAAQ",
"ShippingPostalCode": "94105",
"SalesTransactionSource": "0Q0xx0000004CAeCAM",
"ShippingCountry": "US",
"ShippingCity": "San Francisco",
"ShippingState": "CA",
"BillingPostalCode": "94105",
"id": "0Q0xx0000004CAeCAM",
"BillToContact": null,
"Contract": null,
"BillingState": "CA"
}
]

```

Property Name	Type	Description	Filter Group and Version	Available Version
attribute CategoryId	String	ID of the attribute category.	Small, 60.0	60.0
attribute NameOverride	String	Name override value of the attribute.	Small, 60.0	60.0

Property Name	Type	Description	Filter Group and Version	Available Version
attribute Picklist	Configurator Attribute Picklist[]	Picklist values of the attribute.	Small, 60.0	60.0
code	String	Code of the attribute.	Small, 60.0	60.0
dataType	String	Data type of the attribute.	Small, 60.0	60.0
default HelpText	String	Default help text value of the attribute.	Small, 60.0	60.0
defaultValue	String	Default value of the attribute.	Small, 60.0	60.0
description	String	Description of the attribute.	Small, 60.0	60.0
displayType	String	Display type of the attribute.	Small, 60.0	60.0
id	String	ID of the attribute.	Small, 60.0	60.0
isCloneable	Boolean	Indicates if the attribute is cloneable (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
is Configurable	Boolean	Indicates if the attribute is configurable (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isEncrypted	Boolean	Indicates if the attribute is encrypted (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isHidden	Boolean	Indicates if the attribute is hidden (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isPrice Impacting	Boolean	Indicates if this is a price impacting attribute (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isReadOnly	Boolean	Indicates if the attribute is read-only (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isRequired	Boolean	Indicates if the attribute is required (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
label	String	Label of the attribute.	Small, 60.0	60.0
maximumValue	String	Maximum value for the product attribute.	Small, 60.0	60.0
minimumValue	String	Minimum value for the product attribute.	Small, 60.0	60.0
name	String	Name of the attribute.	Small, 60.0	60.0
sequence	Integer	Sequence values of the attribute.	Small, 60.0	60.0
status	String	Status of the attribute.	Small, 60.0	60.0
stepValue	String	Step value for the attribute.	Small, 60.0	60.0
unitOfMeasure	Configurator Unit Of Measure[]	Details about the unit of measure associated with an attribute.	Small, 63.0	63.0

Property Name	Type	Description	Filter Group and Version	Available Version
userValue	String	User value of the attribute.	Small, 60.0	60.0
valueDecoder	String	Value decoder for the attribute.	Small, 60.0	60.0
value Description	String	Value description of the attribute.	Small, 60.0	60.0

Configurator Attribute Category

Output representation of the attribute category in a product configuration.

JSON example

```

"attributeCategories": [
  {
    "attributes": [
      {
        "attributeCategoryId": "0v3xx0000000001AAA",
        "attributeNameOverride": "Load Capacity",
        "code": "CAP",
        "dataType": "NUMBER",
        "defaultValue": "1500",
        "description": "Server racks are designed to support a specific load capacity, commonly measured in kilograms (kg) or pounds (lbs). Typical load capacities range from 500 kg (1102 lbs) to 1500 kg (3307 lbs) depending on the model.",
        "id": "0tjxx000000001DpAAI",
        "isCloneable": false,
        "isConfigurable": true,
        "isHidden": false,
        "isPriceImpacting": false,
        "isReadOnly": false,
        "isRequired": false,
        "label": "Load Capacity",
        "name": "Load Capacity"
      },
      {
        "attributeCategoryId": "0v3xx0000000001AAA",
        "attributeNameOverride": "Expansion Slots",
        "code": "SLOTCAP",
        "dataType": "NUMBER",
        "defaultValue": "12",
        "id": "0tjxx000000001H3AAI",
        "isCloneable": false,
        "isConfigurable": true,
        "isHidden": false,
        "isPriceImpacting": false,
        "isReadOnly": false,
        "isRequired": true,
        "label": "Expansion Slots",
        "name": "Expansion Slots"
      }
    ]
  }
]

```

```

    },
    {
      "attributeCategoryId": "0v3xx0000000001AAA",
      "attributeNameOverride": "Memory",
      "attributePicklist": {
        "id": "0v5xx0000000001AAA",
        "values": [
          {
            "code": "MEM",
            "displayValue": "25",
            "id": "0v6xx0000000001AAA",
            "isBooleanValue": false,
            "name": "25Mem",
            "sequence": 0,
            "textValue": "25"
          },
          {
            "code": "50MEM",
            "displayValue": "50",
            "id": "0v6xx000000001eAAA",
            "isBooleanValue": false,
            "name": "50Mem",
            "sequence": 1,
            "textValue": "50"
          },
          {
            "code": "100MEM",
            "displayValue": "100",
            "id": "0v6xx000000003FAAQ",
            "isBooleanValue": false,
            "name": "100Mem",
            "sequence": 2,
            "textValue": "100"
          }
        ]
      },
      "dataType": "MULTIPICKLIST",
      "defaultValue": "25",
      "id": "0tjxx00000001IfAAI",
      "isCloneable": false,
      "isConfigurable": true,
      "isHidden": false,
      "isPriceImpacting": false,
      "isReadOnly": false,
      "isRequired": true,
      "label": "Memory",
      "name": "Memory"
    }
  ],
  {
    "code": "SPEC",
    "name": "Server Rack Specifications"
  },
  {
    "description": "Introducing the Cisco Server Rack, a sleek and robust solution

```

```

designed to streamline your data center infrastructure. With its scalable design and
advanced cable management features, it ensures optimal performance, efficiency, and easy
maintenance for your critical network equipment.",
  "displayUrl":
    "https://www.cisco.com/content/dam/en/us/products/servers-unified-computing/ucs-c240-m4-rack-server/product-large.jpg",

  "id": "01txx0000006jkuAAA",
  "isActive": true,
  "isAssetizable": true,
  "isConfigurable": true,
  "isSoldOnlyWithOtherProds": false,
  "name": "Cisco Server Rack NX44",
  "nodeType": "bundleProduct",
  "prices": [],
  "productClassification": {
    "id": "11Bxx000002CC02EAG"
  },
  "productCode": "RACK",
  "productComponentGroups": [
    {
      "classifications": [],
      "code": "SERVICE",
      "components": [
        {
          "additionalFields": [],
          "attributeCategories": [],
          "description": "Introducing the Cisco Rack Server NX44 Service, a
comprehensive protection plan designed to safeguard your valuable data infrastructure.
With extended coverage and rapid response times, this warranty ensures peace of mind
and uninterrupted performance for your critical business operations.",
          "id": "01txx0000006jmWAAQ",
          "isActive": true,
          "isAssetizable": true,
          "isComponentRequired": false,
          "isConfigurable": false,
          "isDefaultComponent": false,
          "isQuantityEditable": false,
          "isSoldOnlyWithOtherProds": false,
          "name": "Cisco Rack Server Service - 1 Year",
          "nodeType": "simpleProduct",
          "prices": [],
          "productClassification": {},
          "productCode": "SERVICE",
          "productComponentGroups": [],
          "productRelatedComponent": {
            "childProductId": "01txx0000006jmWAAQ",
            "childSellingModelId": "0jPxx000000004rEAA",
            "doesBundlePriceIncludeChild": true,
            "id": "0dSxx000000001dEAA",
            "isComponentRequired": false,
            "isDefaultComponent": false,
            "isQuantityEditable": false,
            "parentProductId": "01txx0000006jkuAAA",
            "parentSellingModelId": "0jPxx000000004rEAA",

```

```

        "productComponentGroupId": "0y7xx000000001dAAA",
        "productRelationshipTypeId": "0yox00000001IfAAI",
        "quantity": 1,
        "quantityScaleMethod": "Proportional"
    },
    "productSellingModelOptions": [
        {
            "id": "0iOxx000000009hEAA",
            "productId": "01txx0000006jmWAAQ",
            "productSellingModel": {
                "id": "0jPxx000000004rEAA",
                "name": "Termed Annually",
                "pricingTerm": 1,
                "pricingTermUnit": "Annual",
                "sellingModelType": "TermDefined",
                "status": "Active"
            },
            "productSellingModelId": "0jPxx000000004rEAA"
        },
        {
            "id": "0iOxx00000000PpEAI",
            "productId": "01txx0000006jmWAAQ",
            "productSellingModel": {
                "id": "0jPxx0000000085EAA",
                "name": "Evergreen Annually",
                "pricingTerm": 1,
                "pricingTermUnit": "Annual",
                "sellingModelType": "Evergreen",
                "status": "Active"
            },
            "productSellingModelId": "0jPxx0000000085EAA"
        }
    ]
},
{
    "description": "The services available for the Cisco Server Rack NX44 product provide comprehensive coverage and support for optimal performance and reliability, ensuring peace of mind for your data center infrastructure.",
    "id": "0y7xx000000001dAAA",
    "maxBundleComponents": 1,
    "minBundleComponents": 0,
    "name": "Services",
    "parentProductId": "01txx0000006jkuAAA",
    "sequence": 1
},
{
    "classifications": [],
    "code": "WARRANTY",
    "components": [
        {
            "additionalFields": [],
            "attributeCategories": [],
            "description": "Introducing the Cisco Rack Server NX44 Warranty, a comprehensive protection plan designed to safeguard your valuable data infrastructure."
        }
    ]
}

```

With extended coverage and rapid response times, this warranty ensures peace of mind and uninterrupted performance for your critical business operations.",

```

    "id": "01txx0000006jjIAAQ",
    "isActive": true,
    "isAssetizable": true,
    "isComponentRequired": false,
    "isConfigurable": false,
    "isDefaultComponent": true,
    "isQuantityEditable": true,
    "isSoldOnlyWithOtherProds": false,
    "name": "Cisco Rack Server Warranty - 1 Year",
    "nodeType": "simpleProduct",
    "prices": [],
    "productClassification": {},
    "productCode": "WARRANTY",
    "productComponentGroups": [],
    "productRelatedComponent": {
      "childProductId": "01txx0000006jjIAAQ",
      "childSellingModelId": "0jPxx000000001dEAA",
      "doesBundlePriceIncludeChild": false,
      "id": "0dSxx0000000001EAA",
      "isComponentRequired": false,
      "isDefaultComponent": true,
      "isQuantityEditable": true,
      "maxQuantity": 1,
      "parentProductId": "01txx0000006jkuAAA",
      "parentSellingModelId": "0jPxx000000001dEAA",
      "productComponentGroupId": "0y7xx0000000001AAA",
      "productRelationshipTypeId": "0yoxx000000001IfAAI",
      "quantity": 1,
      "quantityScaleMethod": "Proportional",
      "sequence": 0
    },
    "productSellingModelOptions": [
      {
        "id": "0iOxx0000000001dEAA",
        "productId": "01txx0000006jjIAAQ",
        "productSellingModel": {
          "id": "0jPxx000000001dEAA",
          "name": "One Time",
          "sellingModelType": "OneTime",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx000000001dEAA"
      },
      {
        "id": "0iOxx000000000HlEAI",
        "productId": "01txx0000006jjIAAQ",
        "productSellingModel": {
          "id": "0jPxx000000003FEAQ",
          "name": "Termed Monthly",
          "pricingTerm": 1,
          "pricingTermUnit": "Months",
          "sellingModelType": "TermDefined",

```



```

        "status": "Active"
      },
      "productSellingModelId": "0jPxx000000003FEAQ"
    },
    {
      "id": "0iOxx00000000JNEAY",
      "productId": "01txx0000006jjIAAQ",
      "productSellingModel": {
        "id": "0jPxx000000004rEAA",
        "name": "Termed Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "TermDefined",
        "status": "Active"
      },
      "productSellingModelId": "0jPxx000000004rEAA"
    },
    {
      "id": "0iOxx00000000KzEAI",
      "productId": "01txx0000006jjIAAQ",
      "productSellingModel": {
        "id": "0jPxx0000000085EAA",
        "name": "Evergreen Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "Evergreen",
        "status": "Active"
      },
      "productSellingModelId": "0jPxx0000000085EAA"
    },
    {
      "id": "0iOxx00000000MbEAI",
      "productId": "01txx0000006jjIAAQ",
      "productSellingModel": {
        "id": "0jPxx000000006TEAQ",
        "name": "Evergreen Monthly",
        "pricingTerm": 1,
        "pricingTermUnit": "Months",
        "sellingModelType": "Evergreen",
        "status": "Active"
      },
      "productSellingModelId": "0jPxx000000006TEAQ"
    }
  ]
}
],
  "description": "The warranties available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
  "id": "0y7xx0000000001AAA",
  "maxBundleComponents": 1,
  "minBundleComponents": 0,
  "name": "Warranties",
  "parentProductId": "01txx0000006jkuAAA",

```

```

        "sequence": 0
      }
    ],
    "productSellingModelOptions": [
      {
        "id": "0iOxx000000003FEAQ",
        "productId": "01txx0000006jkuAAA",
        "productSellingModel": {
          "id": "0jPxx000000001dEAA",
          "name": "One Time",
          "sellingModelType": "OneTime",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx000000001dEAA"
      },
      {
        "id": "0iOxx000000004rEAA",
        "productId": "01txx0000006jkuAAA",
        "productSellingModel": {
          "id": "0jPxx000000003FEAQ",
          "name": "Termed Monthly",
          "pricingTerm": 1,
          "pricingTermUnit": "Months",
          "sellingModelType": "TermDefined",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx000000003FEAQ"
      },
      {
        "id": "0iOxx000000006TEAQ",
        "productId": "01txx0000006jkuAAA",
        "productSellingModel": {
          "id": "0jPxx000000004rEAA",
          "name": "Termed Annually",
          "pricingTerm": 1,
          "pricingTermUnit": "Annual",
          "sellingModelType": "TermDefined",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx000000004rEAA"
      }
    ],
    "productType": "Bundle"
  },
  "errors": [],
  "success": true,
  "transactionContext": {
    "SalesTransaction": [
      {
        "Status": "Draft",
        "Account": "001xx000003GeIXAAK",
        "BillingCity": "San Francisco",
        "Subtotal": 152500,
        "LastPricedDate": "2023-08-22T05:55:39Z",

```

```

"businessObjectType": "Quote",
"TotalAmount": 152500,
"ShippingStreet": "415 Mission St",
"SalesTransactionItem": [
  {
    "ProrationPolicy": null,
    "Discount": null,
    "ProductSellingModel": "0jPxx000000001dEAA",
    "Product": "01txx0000006jkuAAA",
    "businessObjectType": "QuoteLineItem",
    "BasisTransactionItem": null,
    "PartnerUnitPrice": null,
    "StartingUnitPriceSource": "System",
    "ListPrice": 150000,
    "ItemTotalAdjustmentAmount": 0,
    "SalesTransactionItemSource": "0QLxx0000004CQmGAM",
    "SubscriptionTerm": null,
    "StartDate": null,
    "NetTotalPrice": 150000,
    "TotalLineAmount": 150000,
    "PeriodBoundaryStartMonth": null,
    "ListPriceTotal": 150000,
    "PartnerDiscountPercent": null,
    "id": "0QLxx0000004CQmGAM",
    "PriceWaterFall": "{
      "currencyCode": "USD",
      "executionEndTimestamp": "2023-09-18T20:11:15.016Z",
      "executionId": "ruepwmHn2ZFvnQo5bjot",
      "executionStartTimestamp": "2023-09-18T20:11:14.906Z",
      "lineItemId": "0QLxx0000004CQmGAM",
      "output": {
        "NetUnitPrice": 150000.0,
        "Subtotal": 0.0
      },
      "success": true,
      "waterfall": [
        {
          "fieldToTagNameMapping": {
            "NetUnitPrice": "ItemUnitPrice",
            "AdjustmentValue": "ItemAdjustmentValue",
            "Subtotal": "ItemTotalAdjustmentAmount",
            "Quantity": "ItemQuantity",
            "LineItemId": "SalesTransactionItemSource",
            "InputUnitPrice": "ItemUnitPrice"
          },
          "inputParameters": {
            "Quantity": 1.0,
            "LineItemId": "0QLxx0000004CQmGAM",
            "InputUnitPrice": 150000.0,
            "AdjustmentType": "Amount"
          },
          "outputParameters": {
            "NetUnitPrice": 150000.0,
            "Subtotal": 0.0
          }
        }
      ]
    }
  }
]

```

```

    },
    "pricingElement": {
      "adjustments": [
        {
          "AdjustmentType": "Amount"
        }
      ],
      "elementType": "MANUALDISCOUNT",
      "name": "ManualDiscount"
    },
    "sequence": 1
  }
]
},
"BillingFrequency": null,
"SalesTransactionItemParent": "0Q0xx0000004CAeCAM",
"StartingPriceTotal": 150000,
"Quantity": 1,
"PeriodBoundary": null,
"SalesTransactionItemAttribute": [
  {
    "AttributeKey": "0tjxx00000001H3AAI",
    "AttributeValue": "30.0",
    "AttributePicklistValue": null,
    "IsPriceImpacting": true,
    "businessObjectType": "QuoteLineItemAttribute",
    "AttributeName": "Expansion Slots",
    "AttributeDefinitionCode": "SLOTCAP",
    "id": "0zuxx0000000001AAA",
    "SalesTransactionItemAttrParent": "0QLxx0000004CQmGAM"
  }
],
"EndDate": null,
"DiscountAmount": null,
"PricebookEntry": "01luxx00000009154AAA",
"PricingTermCount": 1,
"NetUnitPrice": 150000,
"UnitPrice": 150000,
"StartingUnitPrice": 150000,
"SalesTrxnItemRelationship": [
  {
    "ProductRelationshipType": "0yoxx000000001IfAAI",
    "MainItemRole": "Bundle",
    "AssociatedItem": "0QLxx0000004CQnGAM",
    "ProductRelatedComponent": "0dSxx0000000001EAA",
    "MainItem": "0QLxx0000004CQmGAM",
    "AssociatedQuantScaleMethod": "Proportional",
    "businessObjectType": "QuoteLineRelationship",
    "AssociatedItemRole": "BundleComponent",
    "SalesTrnItemRelationshipParent": "0Q0xx0000004CAeCAM",
    "id": "0yQxx000000001dEAA",
    "AssociatedItemPricing": "NotIncludedInBundlePrice"
  }
]

```

```

    "TotalPrice": 150000,
    "PeriodBoundaryDay": null
  },
  {
    "ProrationPolicy": null,
    "Discount": null,
    "ProductSellingModel": "0jPxx000000001dEAA",
    "Product": "01txx0000006jjIAAQ",
    "businessObjectType": "QuoteLineItem",
    "BasisTransactionItem": null,
    "PartnerUnitPrice": null,
    "StartingUnitPriceSource": "System",
    "ListPrice": 2000,
    "ItemTotalAdjustmentAmount": 0,
    "SalesTransactionItemSource": "0QLxx0000004CQnGAM",
    "SubscriptionTerm": null,
    "StartDate": null,
    "NetTotalPrice": 2000,
    "TotalLineAmount": 2000,
    "PeriodBoundaryStartMonth": null,
    "ListPriceTotal": 2000,
    "PartnerDiscountPercent": null,
    "id": "0QLxx0000004CQnGAM",
    "PriceWaterFall": "{
      "currencyCode": "USD",
      "executionEndTimestamp": "023-09-18T20:11:15.016Z",
      "executionId": "ruepwmHn2ZFvnQo5bjot",
      "executionStartTimestamp": "2023-09-18T20:11:14.906Z",
      "lineItemId": "0QLxx0000004CQnGAM",
      "output": {
        "NetUnitPrice": 2000.0,
        "Subtotal": 0.0
      },
      "success": true,
      "waterfall": [
        {
          "fieldToTagNameMapping": {
            "NetUnitPrice": "ItemUnitPrice",
            "AdjustmentValue": "ItemAdjustmentValue",
            "Subtotal": "ItemTotalAdjustmentAmount",
            "Quantity": "ItemQuantity",
            "LineItemId": "SalesTransactionItemSource",
            "InputUnitPrice": "ItemUnitPrice"
          },
          "inputParameters": {
            "Quantity": 1.0,
            "LineItemId": "0QLxx0000004CQnGAM",
            "InputUnitPrice": 2000.0,
            "AdjustmentType": "Amount"
          },
          "outputParameters": {
            "NetUnitPrice": 2000.0,
            "Subtotal": 0.0
          }
        }
      ]
    }
  }
}

```

```

    "pricingElement":{
      "adjustments":[
        {}
      ],
      "elementType":"MANUALDISCOUNT",
      "name":"ManualDiscount"
    },
    "sequence":1
  }
],
},
"BillingFrequency": null,
"SalesTransactionItemParent": "0Q0xx0000004CAeCAM",
"StartingPriceTotal": 2000,
"Quantity": 1,
"PeriodBoundary": null,
"EndDate": null,
"DiscountAmount": null,
"PricebookEntry": "01luxx000000913SAAQ",
"PricingTermCount": 1,
"NetUnitPrice": 2000,
"UnitPrice": 2000,
"StartingUnitPrice": 2000,
"TotalPrice": 2000,
"PeriodBoundaryDay": null
}
],
"BillingCountry": "US",
"BillingStreet": "415 Mission St",
"Pricebook": "01sxx0000005uDZAAQ",
"ShippingPostalCode": "94105",
"SalesTransactionSource": "0Q0xx0000004CAeCAM",
"ShippingCountry": "US",
"ShippingCity": "San Francisco",
"ShippingState": "CA",
"BillingPostalCode": "94105",
"id": "0Q0xx0000004CAeCAM",
"BillToContact": null,
"Contract": null,
"BillingState": "CA"
}
]

```

Property Name	Type	Description	Filter Group and Version	Available Version
attributes	Configurator Attribute[]	Attributes of the attribute category.	Small, 60.0	60.0
code	String	Code of the attribute category.	Small, 60.0	60.0
description	String	Description of the attribute category.	Small, 60.0	60.0
id	String	ID of the attribute category.	Small, 60.0	60.0

Property Name	Type	Description	Filter Group and Version	Available Version
name	String	Name of the attribute category.	Small, 60.0	60.0
status	String	Status of the attribute category.	Small, 60.0	60.0
totalSize	Integer	Total size of the attribute category.	Small, 60.0	60.0
usageType	String	Usage type of the attribute category.	Small, 60.0	60.0

Configurator Attribute Picklist

Output representation of the attribute picklist in a product configuration.

Property Name	Type	Description	Filter Group and Version	Available Version
description	String	Description of the attribute picklist.	Small, 60.0	60.0
id	String	ID of the attribute picklist.	Small, 60.0	60.0
name	String	Name of the attribute picklist.	Small, 60.0	60.0
status	String	Status of the attribute picklist.	Small, 60.0	60.0
values	Configurator Attribute Picklist Value[]	Values of the attribute picklist.	Small, 60.0	60.0

Configurator Attribute Picklist Value

Output representation of the values of an attribute picklist in a product configuration.

Property Name	Type	Description	Filter Group and Version	Available Version
code	String	Code of the attribute value.	Small, 60.0	60.0
description	String	Description of the attribute value.	Small, 60.0	60.0
displayValue	String	Display value of the attribute value.	Small, 60.0	60.0
id	String	ID of the attribute value.	Small, 60.0	60.0
isBoolean Value	Boolean	Indicates if this attribute value is a boolean value (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
label	String	Label of the attribute value.	Small, 60.0	60.0
name	String	Name of the attribute value.	Small, 60.0	60.0
sequence	Integer	Sequence of the attribute value.	Small, 60.0	60.0
status	String	Status of the attribute value.	Small, 60.0	60.0

Property Name	Type	Description	Filter Group and Version	Available Version
textValue	String	Text value of the attribute value.	Small, 60.0	60.0

Configurator Delete Nodes

Output representation of the details of the configuration request to delete nodes.

JSON Example

```
{
  "configuratorMessages": {},
  "configuratorUITreatments": [
    {
      "details": {
        "attributeId": "0tjxx0000000007AAA",
        "prcId": "0dSxx0000000007EAA",
        "stiId": "0QLxx0000004CU0GAM",
        "attributePicklistValueId": "0v6xx0000000005AAA"
      },
      "uiTreatmentScope": "Bundle",
      "uiTreatmentTarget": "Attribute_Picklist_Value",
      "uiTreatmentType": "Hide"
    },
    {
      "details": {
        "stiId": "ref_f0f2da7b_c431_482d_bf4b_599052f3a2e1"
      },
      "uiTreatmentScope": "Product",
      "uiTreatmentTarget": "Component",
      "uiTreatmentType": "Disable"
    }
  ],
  "errors": [],
  "productQualifications": {
    "01tDU000000EOTCYA4": {
      "isQualified": true
    }
  },
  "success": true
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
configurator Messages	Map<String, Configurator Message >	Map of the product IDs to the list of configurator messages. Configurator messages are results from any validations, Business Rules Engine (BRE) calls, or Salesforce Pricing calls.	Small, 60.0	60.0

Property Name	Type	Description	Filter Group and Version	Available Version
configurator UITreatments	Configurator UI Treatment[]	Details of the UI treatments that specify the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.	Small, 62.0	62.0
errors	Error Response	List of errors, which contains an error code and a message.	Small, 60.0	60.0
product Qualifications	Map<String, Configurator Qualification Context>	Map of the product IDs to the qualification rule execution results.	Small, 60.0	60.0
success	Boolean	Indicates whether the call was successful (<code>true</code>) not (<code>false</code>).	Small, 60.0	60.0

Configurator Message

Output representation of the messages of a product configurator.

Property Name	Type	Description	Filter Group and Version	Available Version
category	String	Category or type of the error message. Valid values are: • <code>ArcResolutionService</code> • <code>ArcValidationService</code> • <code>BundleValidation</code> • <code>ConfigurationRules</code> • <code>Pricing</code>	Small, 60.0	60.0
message	String	Message that contains the error details.	Small, 60.0	60.0
messageType	String	Type of error message. Valid values are: • <code>Error</code> • <code>Info</code> • <code>Warning</code>	Small, 60.0	60.0
primary RecordId	String	Primary record ID that contains the error.	Small, 60.0	60.0
related RecordId	String	Related record ID for the error, if any.	Small, 60.0	60.0

Configurator Price

Output representation of the pricing details in a product configuration.

Property Name	Type	Description	Filter Group and Version	Available Version
currency IsoCode	String	Currency ISO code of the price book entry.	Small, 60.0	60.0
effectiveFrom	String	Date from when the price book entry is effective.	Small, 60.0	60.0
effectiveTo	String	Date until when the price book entry is effective.	Small, 60.0	60.0
isDefault	Boolean	Indicates if this price book entry is the default pricing model (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isSelected	Boolean	Indicates if this price book entry is selected (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
pricebook EntryId	String	ID of the price book entry.	Small, 60.0	60.0
pricebookId	String	Pricebook2 ID of the price book entry.	Small, 60.0	60.0
pricingModel	Configurator Pricing Model[]	Pricing model details of the price book entry.	Small, 60.0	60.0
unitPrice	Double	Unit price of the price book entry.	Small, 60.0	60.0

Configurator Pricing Model

Output representation of the details of a pricing model in a product configuration.

Property Name	Type	Description	Filter Group and Version	Available Version
frequency	String	Frequency of the pricing model.	Small, 60.0	60.0
id	String	ID of the pricing model.	Small, 60.0	60.0
name	String	Name of the pricing model.	Small, 60.0	60.0
occurrence	Integer	Occurrence of the pricing model.	Small, 60.0	60.0
pricing ModelType	String	Type of the pricing model.	Small, 60.0	60.0
unitOfMeasure	String	Unit of measure for the pricing model.	Small, 60.0	60.0

Configurator Product Catalog

Output representation of the product catalog.

JSON example

```
"catalogProducts": {
  "additionalFields": [],
  "attributeCategories": [
    {
      "attributes": [
        {
          "attributeCategoryId": "0v3xx0000000001AAA",
          "attributeNameOverride": "Load Capacity",
          "code": "CAP",
          "dataType": "NUMBER",
          "defaultValue": "1500",
          "description": "Server racks are designed to support a specific load capacity, commonly measured in kilograms (kg) or pounds (lbs). Typical load capacities range from 500 kg (1102 lbs) to 1500 kg (3307 lbs) depending on the model.",
          "id": "0tjxx00000001DpAAI",
          "isCloneable": false,
          "isConfigurable": true,
          "isHidden": false,
          "isPriceImpacting": false,
          "isReadOnly": false,
          "isRequired": false,
          "label": "Load Capacity",
          "name": "Load Capacity"
        },
        {
          "attributeCategoryId": "0v3xx0000000001AAA",
          "attributeNameOverride": "Expansion Slots",
          "code": "SLOTCAP",
          "dataType": "NUMBER",
          "defaultValue": "12",
          "id": "0tjxx00000001H3AAI",
          "isCloneable": false,
          "isConfigurable": true,
          "isHidden": false,
          "isPriceImpacting": false,
          "isReadOnly": false,
          "isRequired": true,
          "label": "Expansion Slots",
          "name": "Expansion Slots"
        },
        {
          "attributeCategoryId": "0v3xx0000000001AAA",
          "attributeNameOverride": "Memory",
          "attributePicklist": {
            "id": "0v5xx0000000001AAA",
            "values": [
              {
                "code": "MEM",
```

```

        "displayValue": "25",
        "id": "0v6xx000000001AAA",
        "isBooleanValue": false,
        "name": "25Mem",
        "sequence": 0,
        "textValue": "25"
      },
      {
        "code": "50MEM",
        "displayValue": "50",
        "id": "0v6xx000000001eAAA",
        "isBooleanValue": false,
        "name": "50Mem",
        "sequence": 1,
        "textValue": "50"
      },
      {
        "code": "100MEM",
        "displayValue": "100",
        "id": "0v6xx000000003FAAQ",
        "isBooleanValue": false,
        "name": "100Mem",
        "sequence": 2,
        "textValue": "100"
      }
    ]
  },
  "dataType": "MULTIPICKLIST",
  "defaultValue": "25",
  "id": "0tjxx00000001IfAAI",
  "isCloneable": false,
  "isConfigurable": true,
  "isHidden": false,
  "isPriceImpacting": false,
  "isReadOnly": false,
  "isRequired": true,
  "label": "Memory",
  "name": "Memory"
}
],
"code": "SPEC",
"name": "Server Rack Specifications"
}
],
"description": "Introducing the Cisco Server Rack, a sleek and robust solution designed to streamline your data center infrastructure. With its scalable design and advanced cable management features, it ensures optimal performance, efficiency, and easy maintenance for your critical network equipment.",
"displayUrl":
"https://www.cisco.com/content/dam/en/us/products/servers-unified-computing/ucs-c240-m4-rack-server/product-large.jpg",
"id": "01txx0000006jkuAAA",
"isActive": true,
"isAssetizable": true,

```

```

    "isConfigurable": true,
    "isSoldOnlyWithOtherProds": false,
    "name": "Cisco Server Rack NX44",
    "nodeType": "bundleProduct",
    "prices": [],
    "productClassification": {
      "id": "11Bxx000002CC02EAG"
    },
    "productCode": "RACK",
    "productComponentGroups": [
      {
        "classifications": [],
        "code": "SERVICE",
        "components": [
          {
            "additionalFields": [],
            "attributeCategories": [],
            "description": "Introducing the Cisco Rack Server NX44 Service, a
comprehensive protection plan designed to safeguard your valuable data infrastructure.
With extended coverage and rapid response times, this warranty ensures peace of mind
and uninterrupted performance for your critical business operations.",
            "id": "01txx0000006jmWAAQ",
            "isActive": true,
            "isAssetizable": true,
            "isComponentRequired": false,
            "isConfigurable": false,
            "isDefaultComponent": false,
            "isQuantityEditable": false,
            "isSoldOnlyWithOtherProds": false,
            "name": "Cisco Rack Server Service - 1 Year",
            "nodeType": "simpleProduct",
            "prices": [],
            "productClassification": {},
            "productCode": "SERVICE",
            "productComponentGroups": [],
            "productRelatedComponent": {
              "childProductId": "01txx0000006jmWAAQ",
              "childSellingModelId": "0jPxx000000004rEAA",
              "doesBundlePriceIncludeChild": true,
              "id": "0dSxx000000001dEAA",
              "isComponentRequired": false,
              "isDefaultComponent": false,
              "isQuantityEditable": false,
              "parentProductId": "01txx0000006jkuAAA",
              "parentSellingModelId": "0jPxx000000004rEAA",
              "productComponentGroupId": "0y7xx000000001dAAA",
              "productRelationshipTypeId": "0yoxx00000001IfAAI",
              "quantity": 1,
              "quantityScaleMethod": "Proportional"
            },
            "productSellingModelOptions": [
              {
                "id": "0iOxx000000009hEAA",
                "productId": "01txx0000006jmWAAQ",

```

```

        "productSellingModel": {
          "id": "0jPxx000000004rEAA",
          "name": "Termed Annually",
          "pricingTerm": 1,
          "pricingTermUnit": "Annual",
          "sellingModelType": "TermDefined",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx000000004rEAA"
      },
      {
        "id": "0iOxx00000000PpEAI",
        "productId": "0ltxx0000006jmWAAQ",
        "productSellingModel": {
          "id": "0jPxx0000000085EAA",
          "name": "Evergreen Annually",
          "pricingTerm": 1,
          "pricingTermUnit": "Annual",
          "sellingModelType": "Evergreen",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx0000000085EAA"
      }
    ]
  },
  "description": "The services available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
  "id": "0y7xx00000000ldAAA",
  "maxBundleComponents": 1,
  "minBundleComponents": 0,
  "name": "Services",
  "parentProductId": "0ltxx0000006jkuAAA",
  "sequence": 1
},
{
  "classifications": [],
  "code": "WARRANTY",
  "components": [
    {
      "additionalFields": [],
      "attributeCategories": [],
      "description": "Introducing the Cisco Rack Server NX44 Warranty, a
comprehensive protection plan designed to safeguard your valuable data infrastructure.
With extended coverage and rapid response times, this warranty ensures peace of mind
and uninterrupted performance for your critical business operations.",
      "id": "0ltxx0000006jjIAAQ",
      "isActive": true,
      "isAssetizable": true,
      "isComponentRequired": false,
      "isConfigurable": false,
      "isDefaultComponent": true,
      "isQuantityEditable": true,

```

```

"isSoldOnlyWithOtherProds": false,
"name": "Cisco Rack Server Warranty - 1 Year",
"nodeType": "simpleProduct",
"prices": [],
"productClassification": {},
"productCode": "WARRANTY",
"productComponentGroups": [],
"productRelatedComponent": {
  "childProductId": "01txx0000006jjIAAQ",
  "childSellingModelId": "0jPxx000000001dEAA",
  "doesBundlePriceIncludeChild": false,
  "id": "0dSxx0000000001EAA",
  "isComponentRequired": false,
  "isDefaultComponent": true,
  "isQuantityEditable": true,
  "maxQuantity": 1,
  "parentProductId": "01txx0000006jkuAAA",
  "parentSellingModelId": "0jPxx000000001dEAA",
  "productComponentGroupId": "0y7xx0000000001AAA",
  "productRelationshipTypeId": "0yoxx00000001IfAAI",
  "quantity": 1,
  "quantityScaleMethod": "Proportional",
  "sequence": 0
},
"productSellingModelOptions": [
  {
    "id": "0iOxx000000001dEAA",
    "productId": "01txx0000006jjIAAQ",
    "productSellingModel": {
      "id": "0jPxx000000001dEAA",
      "name": "One Time",
      "sellingModelType": "OneTime",
      "status": "Active"
    },
    "productSellingModelId": "0jPxx000000001dEAA"
  },
  {
    "id": "0iOxx00000000HlEAI",
    "productId": "01txx0000006jjIAAQ",
    "productSellingModel": {
      "id": "0jPxx000000003FEAQ",
      "name": "Termed Monthly",
      "pricingTerm": 1,
      "pricingTermUnit": "Months",
      "sellingModelType": "TermDefined",
      "status": "Active"
    },
    "productSellingModelId": "0jPxx000000003FEAQ"
  },
  {
    "id": "0iOxx00000000JNEAY",
    "productId": "01txx0000006jjIAAQ",
    "productSellingModel": {
      "id": "0jPxx000000004rEAA",

```

```

        "name": "Termed Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "TermDefined",
        "status": "Active"
      },
      "productSellingModelId": "0jPxx000000004rEAA"
    },
    {
      "id": "0iOxx00000000KzEAI",
      "productId": "01txx0000006jjIAAQ",
      "productSellingModel": {
        "id": "0jPxx0000000085EAA",
        "name": "Evergreen Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "Evergreen",
        "status": "Active"
      },
      "productSellingModelId": "0jPxx0000000085EAA"
    },
    {
      "id": "0iOxx00000000MbEAI",
      "productId": "01txx0000006jjIAAQ",
      "productSellingModel": {
        "id": "0jPxx000000006TEAQ",
        "name": "Evergreen Monthly",
        "pricingTerm": 1,
        "pricingTermUnit": "Months",
        "sellingModelType": "Evergreen",
        "status": "Active"
      },
      "productSellingModelId": "0jPxx000000006TEAQ"
    }
  ]
}

],
"description": "The warranties available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
"id": "0y7xx0000000001AAA",
"maxBundleComponents": 1,
"minBundleComponents": 0,
"name": "Warranties",
"parentProductId": "01txx0000006jkuAAA",
"sequence": 0
}
],
"productSellingModelOptions": [
  {
    "id": "0iOxx000000003FEAQ",
    "productId": "01txx0000006jkuAAA",
    "productSellingModel": {
      "id": "0jPxx000000001dEAA",

```



```

        "name": "One Time",
        "sellingModelType": "OneTime",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000001dEAA"
},
{
    "id": "0iOxx000000004rEAA",
    "productId": "01txx0000006jkuAAA",
    "productSellingModel": {
        "id": "0jPxx000000003FEAQ",
        "name": "Termed Monthly",
        "pricingTerm": 1,
        "pricingTermUnit": "Months",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000003FEAQ"
},
{
    "id": "0iOxx000000006TEAQ",
    "productId": "01txx0000006jkuAAA",
    "productSellingModel": {
        "id": "0jPxx000000004rEAA",
        "name": "Termed Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000004rEAA"
}
],
"productType": "Bundle"
}

```

Property Name	Type	Description	Filter Group and Version	Available Version
additional Fields	Configurator Additional Fields[]	Additional fields for this product.	Small, 60.0	60.0
attribute Categories	Configurator Attribute Category[]	List of attribute categories. The categories that aren't categorized are specified in the uncategorized entry in this list.	Small, 60.0	60.0
availability Date	String	Availability date of this product.	Small, 60.0	60.0
description	String	Description of this product.	Small, 60.0	60.0
discontinued Date	String	Date when this product is discontinued.	Small, 60.0	60.0
displayUrl	String	Display URL of this product.	Small, 60.0	60.0

Property Name	Type	Description	Filter Group and Version	Available Version
endOfLifeDate	String	End of life date for this product.	Small, 60.0	60.0
id	String	ID of the product.	Small, 60.0	60.0
isActive	Boolean	Indicates whether this product is active (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isAssetizable	Boolean	Indicates whether this product is assetizable (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isComponent Required	Boolean	Indicates whether the component is required (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
is Configurable	Boolean	Indicates whether the component is configurable (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isDefault Component	Boolean	Indicates whether the component is a default component (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isQuantity Editable	Boolean	Indicates whether the quantity of the component is editable (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isSoldOnly WithOtherProds	Boolean	Indicates whether this product is sold only with other products (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
name	String	Name of the product.	Small, 60.0	60.0
nodeType	String	Node type of the product.	Small, 60.0	60.0
prices	Configurator Price[]	List of prices from the product catalog.	Small, 60.0	60.0
product Classification	Configurator Product Classification[]	Classification details of the product.	Small, 60.0	60.0
productCode	String	Code of the product.	Small, 60.0	60.0
product ComponentGroups	Configurator Product Component Group[]	List of product component groups for this product.	Small, 60.0	60.0
product RelatedComponent	Configurator Product Related Component[]	Details of the product related component of this product.	Small, 60.0	60.0
productSelling ModelOptions	Configurator Product Selling Model Option[]	List of product selling model options for this product.	Small, 60.0	60.0
productType	String	Type of product.	Small, 60.0	60.0
qualification Context	Configurator Qualification Context[]	Details of the qualification context of the product.	Small, 60.0	60.0

Property Name	Type	Description	Filter Group and Version	Available Version
status	String	Status of the product.	Small, 60.0	60.0
unitOfMeasure	Configurator Unit Of Measure[]	Details about the unit of measure associated with a product.	Small, 63.0	63.0

Configurator Product Classification

Output representation of the product classification in a product configuration.

JSON example

```
"productClassification": {
  "id": "11Bxx000002CC02EAG"
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
id	String	ID of the product classification.	Small, 60.0	60.0

Configurator Product Component Group

Output representation of the product component group in a product classification.

JSON example

```
"productComponentGroups": [
  {
    "classifications": [],
    "code": "SERVICE",
    "components": [
      {
        "additionalFields": [],
        "attributeCategories": [],
        "description": "Introducing the Cisco Rack Server NX44 Service, a comprehensive protection plan designed to safeguard your valuable data infrastructure. With extended coverage and rapid response times, this warranty ensures peace of mind and uninterrupted performance for your critical business operations.",
        "id": "01txx0000006jmWAAQ",
        "isActive": true,
        "isAssetizable": true,
        "isComponentRequired": false,
        "isConfigurable": false,
        "isDefaultComponent": false,
        "isQuantityEditable": false,
        "isSoldOnlyWithOtherProds": false,
        "name": "Cisco Rack Server Service - 1 Year",
        "nodeType": "simpleProduct",

```

```

    "prices": [],
    "productClassification": {},
    "productCode": "SERVICE",
    "productComponentGroups": [],
    "productRelatedComponent": {
      "childProductId": "01txx0000006jmWAAQ",
      "childSellingModelId": "0jPxx000000004rEAA",
      "doesBundlePriceIncludeChild": true,
      "id": "0dSxx000000001dEAA",
      "isComponentRequired": false,
      "isDefaultComponent": false,
      "isQuantityEditable": false,
      "parentProductId": "01txx0000006jkuAAA",
      "parentSellingModelId": "0jPxx000000004rEAA",
      "productComponentGroupId": "0y7xx000000001dAAA",
      "productRelationshipTypeId": "0yoxx00000001IfAAI",
      "quantity": 1,
      "quantityScaleMethod": "Proportional"
    },
    "productSellingModelOptions": [
      {
        "id": "0iOxx000000009hEAA",
        "productId": "01txx0000006jmWAAQ",
        "productSellingModel": {
          "id": "0jPxx000000004rEAA",
          "name": "Termed Annually",
          "pricingTerm": 1,
          "pricingTermUnit": "Annual",
          "sellingModelType": "TermDefined",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx000000004rEAA"
      },
      {
        "id": "0iOxx00000000PpEAI",
        "productId": "01txx0000006jmWAAQ",
        "productSellingModel": {
          "id": "0jPxx0000000085EAA",
          "name": "Evergreen Annually",
          "pricingTerm": 1,
          "pricingTermUnit": "Annual",
          "sellingModelType": "Evergreen",
          "status": "Active"
        },
        "productSellingModelId": "0jPxx0000000085EAA"
      }
    ]
  },
  {
    "description": "The services available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
    "id": "0y7xx000000001dAAA",
    "maxBundleComponents": 1,

```

```

    "minBundleComponents": 0,
    "name": "Services",
    "parentProductId": "01txx0000006jkuAAA",
    "sequence": 1
  },
  {
    "classifications": [],
    "code": "WARRANTY",
    "components": [
      {
        "additionalFields": [],
        "attributeCategories": [],
        "description": "Introducing the Cisco Rack Server NX44 Warranty, a
comprehensive protection plan designed to safeguard your valuable data infrastructure.
With extended coverage and rapid response times, this warranty ensures peace of mind
and uninterrupted performance for your critical business operations.",
        "id": "01txx0000006jjIAAQ",
        "isActive": true,
        "isAssetizable": true,
        "isComponentRequired": false,
        "isConfigurable": false,
        "isDefaultComponent": true,
        "isQuantityEditable": true,
        "isSoldOnlyWithOtherProds": false,
        "name": "Cisco Rack Server Warranty - 1 Year",
        "nodeType": "simpleProduct",
        "prices": [],
        "productClassification": {},
        "productCode": "WARRANTY",
        "productComponentGroups": [],
        "productRelatedComponent": {
          "childProductId": "01txx0000006jjIAAQ",
          "childSellingModelId": "0jPxx000000001dEAA",
          "doesBundlePriceIncludeChild": false,
          "id": "0dSxx0000000001EAA",
          "isComponentRequired": false,
          "isDefaultComponent": true,
          "isQuantityEditable": true,
          "maxQuantity": 1,
          "parentProductId": "01txx0000006jkuAAA",
          "parentSellingModelId": "0jPxx000000001dEAA",
          "productComponentGroupId": "0y7xx0000000001AAA",
          "productRelationshipTypeId": "0yoxx00000001IfAAI",
          "quantity": 1,
          "quantityScaleMethod": "Proportional",
          "sequence": 0
        },
        "productSellingModelOptions": [
          {
            "id": "0iOxx000000001dEAA",
            "productId": "01txx0000006jjIAAQ",
            "productSellingModel": {
              "id": "0jPxx000000001dEAA",
              "name": "One Time",

```

```

        "sellingModelType": "OneTime",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000001dEAA"
},
{
    "id": "0iOxx00000000HlEAI",
    "productId": "0ltxx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx000000003FEAQ",
        "name": "Termed Monthly",
        "pricingTerm": 1,
        "pricingTermUnit": "Months",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000003FEAQ"
},
{
    "id": "0iOxx00000000JNEAY",
    "productId": "0ltxx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx000000004rEAA",
        "name": "Termed Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "TermDefined",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx000000004rEAA"
},
{
    "id": "0iOxx00000000KzEAI",
    "productId": "0ltxx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx0000000085EAA",
        "name": "Evergreen Annually",
        "pricingTerm": 1,
        "pricingTermUnit": "Annual",
        "sellingModelType": "Evergreen",
        "status": "Active"
    },
    "productSellingModelId": "0jPxx0000000085EAA"
},
{
    "id": "0iOxx00000000MbEAI",
    "productId": "0ltxx0000006jjIAAQ",
    "productSellingModel": {
        "id": "0jPxx000000006TEAQ",
        "name": "Evergreen Monthly",
        "pricingTerm": 1,
        "pricingTermUnit": "Months",
        "sellingModelType": "Evergreen",
        "status": "Active"
    }
}

```

```

        },
        "productSellingModelId": "0jPxx000000006TEAQ"
    }
]
}
],
"description": "The warranties available for the Cisco Server Rack NX44 product
provide comprehensive coverage and support for optimal performance and reliability,
ensuring peace of mind for your data center infrastructure.",
"id": "0y7xx0000000001AAA",
"maxBundleComponents": 1,
"minBundleComponents": 0,
"name": "Warranties",
"parentProductId": "0ltxx0000006jkuAAA",
"sequence": 0
}
]

```

Property Name	Type	Description	Filter Group and Version	Available Version
classifications	Configurator Product Classification[]	List of classifications for this product component group.	Small, 60.0	60.0
code	String	Code of the product component group.	Small, 60.0	60.0
components	Configurator Product Catalog[]	Components within the product component group.	Small, 60.0	60.0
description	String	Description of the product component group.	Small, 60.0	60.0
id	String	ID of the product component group.	Small, 60.0	60.0
maxBundleComponents	Integer	Maximum number of bundle components within the product component group.	Small, 60.0	60.0
minBundleComponents	Integer	Minimum number of bundle components within the product component group.	Small, 60.0	60.0
name	String	Name of the product component group.	Small, 60.0	60.0
parentProductId	String	Parent Product2 ID of the product component group.	Small, 60.0	60.0
sequence	Integer	Sequence of the product component group.	Small, 60.0	60.0

Configurator Product Recommendations

Output representation of the details of the product recommendations.

JSON Example

```

{
  "productRecommendations": [

```

```
{
  "referenceId": "CORE_BUNDLE_001",
  "productIds": [
    "01t000000001234",
    "01t000000005678"
  ]
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
productIds	String[]	List of recommended product IDs.	Small, 65.0	65.0
referenceId	String	Reference ID for the recommendation.	Small, 65.0	65.0

Configurator Product Related Component

Output representation of the product related component in a product configuration.

JSON example

```
"productRelatedComponent": {
  "childProductId": "01txx0000006jmWAAQ",
  "childSellingModelId": "0jPxx000000004rEAA",
  "doesBundlePriceIncludeChild": true,
  "id": "0dSxx000000001dEAA",
  "isComponentRequired": false,
  "isDefaultComponent": false,
  "isQuantityEditable": false,
  "parentProductId": "01txx0000006jkuAAA",
  "parentSellingModelId": "0jPxx000000004rEAA",
  "productComponentGroupId": "0y7xx000000001dAAA",
  "productRelationshipTypeId": "0yoxx00000001IfAAI",
  "quantity": 1,
  "quantityScaleMethod": "Proportional",
  "quoteVisibility": "Quote Document Only"
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
child ProductId	String	ID of the child product in the bundle.	Small, 60.0	60.0
childSelling ModelId	String	ID of the child product selling model record.	Small, 60.0	60.0
doesBundle Price IncludeChild	Boolean	Indicates whether the price of the bundle includes the child product (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0

Property Name	Type	Description	Filter Group and Version	Available Version
id	String	ID of the product related component.	Small, 60.0	60.0
isComponent Required	Boolean	Indicates whether the component is required in the bundle (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isDefault Component	Boolean	Indicates whether to select the component in the bundle group by default (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
isQuantity Editable	Boolean	Indicates whether to allow changes to the quantity of the component in the bundle (<code>true</code>) or not (<code>false</code>).	Small, 60.0	60.0
maxQuantity	Double	Maximum quantity of the product in the opportunity, quote, or order line item.	Small, 60.0	60.0
minQuantity	Double	Minimum quantity of the product in the opportunity, quote, or order line item.	Small, 60.0	60.0
parent ProductId	String	ID of the parent product.	Small, 60.0	60.0
parentSelling ModelId	String	ID of the parent product selling model record.	Small, 60.0	60.0
product Classification Id	String	ID of the product classification record.	Small, 60.0	60.0
product Component GroupId	String	ID of the product component group.	Small, 60.0	60.0
product Relationship TypeId	String	ID of the product relationship type record.	Small, 60.0	60.0
quantity	Double	Quantity of the child products.	Small, 60.0	60.0
quantityScale Method	String	Method to scale the quantity of the child product in relation to the quantity of the parent. Valid values are: • <code>Constant</code> • <code>Proportional</code>	Small, 60.0	60.0
quote Visibility	String	Specifies whether a quote line item must be shown on the transaction line editor or quote document. Valid values are: • <code>Always</code>	Small, 64.0	64.0

Property Name	Type	Description	Filter Group and Version	Available Version
		- Transaction Line Editor Only—Specifies whether to show a quote line item on quote editor only. - Quote Document Only—Specifies whether to show a quote line item on quote proposal only. - Never The API returns this property only if the CoreCPQ permission set is available.		
sequence	Integer	Order in which the child products are displayed.	Small, 60.0	60.0

Configurator Product Selling Model

Output representation of the product selling model in a product configuration.

JSON example

```

"productSellingModel": {
  "id": "0jPxx0000000085EAA",
  "name": "Evergreen Annually",
  "pricingTerm": 1,
  "pricingTermUnit": "Annual",
  "sellingModelType": "Evergreen",
  "status": "Active"
}

```

Property Name	Type	Description	Filter Group and Version	Available Version
id	String	ID of the product selling model.	Small, 60.0	60.0
name	String	Name of the product selling model.	Small, 60.0	60.0
pricingTerm	Integer	Pricing term of the product selling model.	Small, 60.0	60.0
pricingTermUnit	String	Pricing term unit of the product selling model.	Small, 60.0	60.0
sellingModelType	String	Selling model type of the product selling model.	Small, 60.0	60.0
status	String	Status of the product selling model.	Small, 60.0	60.0

Configurator Product Selling Model Option

Output representation of the product selling model option in a product configuration.

JSON example

```
"productSellingModelOptions": [
  {
    "id": "0iOxx000000009hEAA",
    "productId": "0ltxx0000006jmWAAQ",
    "productSellingModel": {
      "id": "0jPxx000000004rEAA",
      "name": "Termed Annually",
      "pricingTerm": 1,
      "pricingTermUnit": "Annual",
      "sellingModelType": "TermDefined",
      "status": "Active"
    },
    "productSellingModelId": "0jPxx000000004rEAA"
  },
  {
    "id": "0iOxx00000000PpEAI",
    "productId": "0ltxx0000006jmWAAQ",
    "productSellingModel": {
      "id": "0jPxx0000000085EAA",
      "name": "Evergreen Annually",
      "pricingTerm": 1,
      "pricingTermUnit": "Annual",
      "sellingModelType": "Evergreen",
      "status": "Active"
    },
    "productSellingModelId": "0jPxx0000000085EAA"
  }
]
```

Property Name	Type	Description	Filter Group and Version	Available Version
id	String	ID of the product selling model option.	Small, 60.0	60.0
productId	String	ID of the product that's associated with the product selling model option.	Small, 60.0	60.0
productSellingModel	Configurator Product Selling Model[]	Product selling model that's associated with the product selling model option.	Small, 60.0	60.0
productSellingModelId	String	ID of the product selling model that's associated with the product selling model option.	Small, 60.0	60.0

Configurator Qualification Context

Output representation of the qualification context in a product configuration.

Property Name	Type	Description	Filter Group and Version	Available Version
isQualified	Boolean	Indicates whether the product is qualified (true) or not (false).	Small, 60.0	60.0
reason	String	Reason for the qualification of this product.	Small, 60.0	60.0

Configurator UI Treatment

Output representation of the details of the UI treatments of a product configurator. The details include the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.

JSON Example

```
[
  {
    "details": {
      "attributeId": "0tjxx0000000007AAA",
      "prcId": "0dSxx0000000007EAA",
      "stiId": "0QLxx0000004CU0GAM",
      "attributePicklistValueId": "0v6xx0000000005AAA"
    },
    "uiTreatmentScope": "Bundle",
    "uiTreatmentTarget": "Attribute_Picklist_Value",
    "uiTreatmentType": "Hide"
  },
  {
    "details": {
      "stiId": "ref_f0f2da7b_c431_482d_bf4b_599052f3a2e1"
    },
    "uiTreatmentScope": "Product",
    "uiTreatmentTarget": "Component",
    "uiTreatmentType": "Disable"
  }
]
```

Property Name	Type	Description	Filter Group and Version	Available Version
details	Map<String, Object>	Key-value pair that specifies the items to apply the rules on, which includes these details. - ID of the sales transaction item - ID of the product-related component - ID of the attribute - ID of the attribute picklist value	Small, 62.0	62.0
uiTreatmentScope	String	Type of the UI treatment to be performed. Valid values are:	Small, 62.0	62.0

Property Name	Type	Description	Filter Group and Version	Available Version
		Product—UI treatment is applicable to a certain product only. Bundle—UI treatment is applicable to the whole bundle.		
uiTreatmentTarget	String	Target of the UI treatment. Valid values are: Component—Represents a product option or bundle component. Quantity—Represents a quantity field. Attribute—Represents a certain attribute of the product. Attribute_Picklist_Value—Represents one of the picklist values of a product attribute.	Small, 62.0	62.0
uiTreatmentType	String	Type of UI treatment to be performed. Valid values are: Hide—Hide the associated target. Disable—Disable the associated target.	Small, 62.0	62.0

Configurator Unit Of Measure

Output representation of the details of the unit of measure record.

JSON Example

```
{
  "unitOfMeasure": {
    "id": "0hEXR00000000BJ2AY",
    "name": "Litres",
    "roundingMethod": "Down",
    "scale": 2,
    "unitCode": "Ltrs"
  }
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
id	String	ID of the unit of measure record.	Small, 63.0	63.0
name	String	Name of the unit of measure record.	Small, 63.0	63.0

Property Name	Type	Description	Filter Group and Version	Available Version
rounding Method	String	Rounding method associated with the unit of measure record.	Small, 63.0	63.0
scale	Integer	Scale associated with the unit of measure record.	Small, 63.0	63.0
unitCode	String	Unit code associated with the unit of measure record.	Small, 63.0	63.0

Configurator Update Nodes

Output representation of the configuration request details to update nodes.

JSON Example

```
{
  "configuratorMessages": {},
  "configuratorUITreatments": [
    {
      "details": {
        "attributeId": "0tjxx0000000007AAA",
        "prcId": "0dSxx0000000007EAA",
        "stiId": "0QLxx0000004CU0GAM",
        "attributePicklistValueId": "0v6xx0000000005AAA"
      },
      "uiTreatmentScope": "Bundle",
      "uiTreatmentTarget": "Attribute_Picklist_Value",
      "uiTreatmentType": "Hide"
    },
    {
      "details": {
        "stiId": "ref_f0f2da7b_c431_482d_bf4b_599052f3a2e1"
      },
      "uiTreatmentScope": "Product",
      "uiTreatmentTarget": "Component",
      "uiTreatmentType": "Disable"
    }
  ],
  "errors": [],
  "productQualifications": {
    "01tDU000000EOTCYA4": {
      "isQualified": true
    }
  },
  "success": true
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
configurator Messages	Map<String, Configurator Message >	Map of the product IDs to the list of configurator messages. Configurator messages are results from any validations, Business Rules Engines (BRE) calls, or Salesforce Pricing calls.	Small, 60.0	60.0
configurator UITreatments	Configurator UI Treatment []	Details of the UI treatments that specify the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.	Small, 62.0	62.0
errors	Error Response	List of errors, which contains an error code and a message.	Small, 60.0	60.0
product Qualifications	Map<String, Configurator Qualification Context >	Map of the product IDs to the qualification rule execution results.	Small, 60.0	60.0
success	Boolean	Indicates whether the call was successful (<code>true</code>) not (<code>false</code>).	Small, 60.0	60.0

Configuration Update

Output representation of the details of the updated configuration.

JSON example

This example shows a sample when the update operation is successful.

```
{
  "errors": [],
  "success": true
}
```

This example shows a sample when the update operation has errors.

```
{
  "errors": [
    {
      "code": "INTERNAL_SERVER_ERROR",
      "message": "INVALID_REFERENCEOBJECTID"
    }
  ],
  "success": false
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
errors	Error Response	List of errors that contains a message and an error code.	Small, 63.0	63.0
success	Boolean	Indicates whether the update operation is successful (<code>true</code>) or not (<code>false</code>)	Small, 63.0	63.0

Error Response

Output representation of the details of the error.

JSON example

```
{
  "errors": [
    {
      "code": "BAD_REQUEST",
      "message": "MISSING_REFERENCEOBJECTID"
    }
  ]
}
```

Property Name	Type	Description	Filter Group and Version	Available Version
code	String	Code of the error.	Small, 63.0	63.0
message	String	Description of the error.	Small, 63.0	63.0

Product Quantity Set Configurator

Output representation of the request details to set product quantity.

JSON Example

```
{
  "configuratorMessages": {},
  "configuratorUITreatments": [
    {
      "details": {
        "attributeId": "0tjxx0000000007AAA",
        "prcId": "0dSxx0000000007EAA",
        "stiId": "0QLxx0000004CU0GAM",
        "attributePicklistValueId": "0v6xx0000000005AAA"
      },
      "uiTreatmentScope": "Bundle",
      "uiTreatmentTarget": "Attribute_Picklist_Value",
      "uiTreatmentType": "Hide"
    },
    {
      "details": {
```



```

    "stiId": "ref_f0f2da7b_c431_482d_bf4b_599052f3a2e1"
  },
  "uiTreatmentScope": "Product",
  "uiTreatmentTarget": "Component",
  "uiTreatmentType": "Disable"
}
],
"errors": [],
"productQualifications": {
  "01tDU000000EOTCYA4": {
    "isQualified": true
  }
},
"success": true
}

```

Property Name	Type	Description	Filter Group and Version	Available Version
configurator Messages	Map<String, Configurator Message >	Map of the product IDs to the list of configurator messages. Configurator messages are results from any validations, Business Rules Engines (BRE) calls, or Salesforce Pricing calls.	Small, 60.0	60.0
configurator UITreatments	Configurator UI Treatment []	Details of the UI treatments that specify the product configuration rule actions to override the disable or hide behavior in the UI for product options, product attributes, and attribute picklist values.	Small, 62.0	62.0
errors	Error Response	List of errors, which contains an error code and a message.	Small, 60.0	60.0
product Qualifications	Map<String, Configurator Qualification Context >	Map of the product IDs to the qualification rule execution results.	Small, 60.0	60.0
success	Boolean	Indicates whether the call was successful (<code>true</code>) not (<code>false</code>).	Small, 60.0	60.0

Product Configurator Standard Invocable Actions

Learn more about the standard invocable actions available with Product Configurator.

Run Config Rules Action

Run rules for a specific quote or order based on a context ID or transaction ID, and process other steps that are part of the configuration directly within a Flow. This action decouples rule execution from configurations to enable independent execution of rules and for easier retrieval of responses.

SEE ALSO:

- Actions Developer Guide: Overview
- REST API Developer Guide: Invocable Actions Standard

Run Config Rules Action

Run rules for a specific quote or order based on a context ID or transaction ID, and process other steps that are part of the configuration directly within a Flow. This action decouples rule execution from configurations to enable independent execution of rules and for easier retrieval of responses.

This action is available in API version 65.0 and later.

Supported REST HTTP Methods

URI

/services/data/v65.0/actions/standard/runConfigRules

Formats

JSON, XML

HTTP Methods

POST

Authentication

Authorization: Bearer token

Inputs

Input	Details
transactionContextId	Typestring DescriptionUnique identifier for the transaction context.
transactionId	Typestring DescriptionRequired. Unique identifier for the transaction.

Outputs

Output	Details
configRuleResult	Type Apex-defined Description An <code>runtime_industries_cpq.ConfigRuleResult</code> record that contains the configuration rule execution results including validation messages, product recommendations, visibility rules, and errors from rule processing.
transactionContextId	Type string Description Unique identifier for the transaction context.

Example

POST

This example shows a sample request to run rules for the specified quote based on the transaction context ID and transaction ID.

```
{
  "inputs": [
    {
      "transactionContextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
      "transactionId": "0Q0DU0000005tJh0AI"
    }
  ]
}
```

This example shows a sample successful response.

```
[
  {
    "actionName": "runConfigRules",
    "errors": null,
    "invocationId": null,
    "isSuccess": true,
    "outcome": null,
    "outputValues": {
      "transactionContextId":
"0000000p18dq18g0029175793402786243c3d5ea94c241f09c11388ac1b865f9",
      "configRuleResult": {
        "visibilityRules": [
          {
            "stiId": "0QLxx0000004CU0GAM",
            "prcId": "PRC1",
            "attributeId": "Color",
            "attributePicklistValueId": "Red",
```

```

        "target": "Attribute",
        "scope": "Product",
        "type": "Hide"
    },
    {
        "stiId": "0QLxx0000004CU0GAM",
        "prcId": "PRC2",
        "attributeId": "Size",
        "attributePicklistValueId": "Large",
        "target": "Attribute",
        "scope": "Bundle",
        "type": "Disable"
    }
],
"transactionContextId":
"0000000p18dq18g0029175793402786243c3d5ea94c241f09c11388ac1b865f9",
"productRecommendationRules": [
    {
        "referenceId": "CORE_BUNDLE_001",
        "productIds": [
            "01t000000001234",
            "01t000000005678"
        ]
    }
],
"messageRules": [
    {
        "stiId": "0QLxx0000004CU0GAM",
        "severity": "INFO",
        "messages": [
            "Product configuration validated successfully"
        ]
    },
    {
        "stiId": "0QLxx0000004CU0GAM",
        "severity": "INFO",
        "messages": [
            "All required attributes are configured"
        ]
    },
    {
        "stiId": "0QLxx0000004CU0GAM",
        "severity": "INFO",
        "messages": [
            "Bundle compatibility check passed"
        ]
    }
],
"errors": []
}
},
"sortOrder": -1,
"version": 1

```

```
}  
]
```

Here's a sample input to call this invocable action by using `transactionContextId` property from Apex code.

```
// Create the invocable action with namespace  
Invocable.Action action = Invocable.Action.createStandardAction('runConfigRules');  
  
// Set input parameters using setInvocationParameter  
String contextId = '008d27d7-e004-4906-a949-ee7d7c323c77';  
System.debug('Setting transactionContextId parameter with value: ' + contextId);  
  
// Use the exact parameter name format from the debug output  
action.setInvocationParameter('transactionContextId', contextId);  
  
// Debug the action parameters  
System.debug('Action parameters: ' + action);  
  
// Execute the action  
System.debug('Invoking action...');  
List<Invocable.Action.Result> results = action.invoke();  
  
System.debug('Number of results: ' + results.size());
```

Product Configurator Metadata API Types

Metadata API enables you to access some types and feature settings that you can customize in the user interface.

[Flow for Product Configurator](#)

Represents the metadata associated with a flow. With Flow, you can create an application that navigates users through a series of screens to query and update records in the database. You can also execute logic and provide branching capability based on user input to build dynamic applications.

SEE ALSO:

[Metadata API Developer Guide: Understanding Metadata API](#)

Flow for Product Configurator

Represents the metadata associated with a flow. With Flow, you can create an application that navigates users through a series of screens to query and update records in the database. You can also execute logic and provide branching capability based on user input to build dynamic applications.

FlowActionCall

Product Configurator exposes additional `actionType` values for the `FlowActionCall` Metadata type.

Field Name	Field Type	Description
<code>actionType</code>	<code>InvokableActionType</code> (enumeration of type string)	Required. The action type. Additional valid values only for Product Configurator include: • <code>runConfigRules</code>—Run rules for a specific quote or order based on a context ID or transaction ID, and process other steps that are part of the configuration directly within a Flow. This action decouples rule execution from configurations to enable independent execution of rules and for easier retrieval of responses.