

Google Sheets — Database Schema v2

MM Runners Photo Archive · Clean-slate schema · 9 sheets · April 2026

Users

Super admins and club admins only — volunteers are not pre-registered

#	Column	Type	Notes
1	user_id	string	UUID, generated on creation
2	email	string	Google account email, matched case-insensitively
3	first_name	string	Captured from Google profile on first login
4	last_name	string	Captured from Google profile on first login
5	role	string	super_admin club_admin
6	club_id	string	FK → Clubs.club_id; blank for super admins
7	notify_new_events	boolean	TRUE/FALSE — email when any admin creates a new event
8	notify_daily_digest	boolean	TRUE/FALSE — daily upload summary for club admins
9	status	string	active inactive
10	added_date	date	YYYY-MM-DD
11	added_by	string	Email of the admin who created this record

Events

System-wide shared events; any admin can create

#	Column	Type	Notes
1	event_id	string	UUID, generated on creation
2	event_name	string	Human-readable event name
3	event_date	date	YYYY-MM-DD
4	folder_name	string	Drive folder name, e.g. 2025-11-03_NYC_Marathon
5	drive_folder_id	string	Google Drive folder ID for this event
6	all_clubs_album_id	string	Google Photos album ID for the all-clubs aggregate album
7	created_by	string	Email of admin who created the event
8	created_at	datetime	ISO 8601 timestamp

Clubs

Super admin managed; removed clubs are archived, content preserved

#	Column	Type	Notes
1	club_id	string	UUID, generated on creation
2	display_name	string	Human-readable name, e.g. Misty Mountain
3	normalized_name	string	Drive folder name, e.g. Misty_Mountain
4	drive_folder_id	string	Google Drive folder ID for this club's root
5	photos_album_prefix	string	Prefix used for Google Photos album names for this club
6	status	string	active archived
7	added_date	date	YYYY-MM-DD
8	added_by	string	Email of the super admin who created this club

Upload_Links

One row per (event, club) pair — bearer-token upload access, revocable and rotatable

#	Column	Type	Notes
1	link_id	string	UUID, stable across rotations
2	event_id	string	FK → Events.event_id
3	club_id	string	FK → Clubs.club_id
4	token	string	Secret URL token; changes on each rotation
5	link_version	integer	Increments on each rotation; used in audit forensics
6	created_by	string	Email of admin who generated the link
7	created_at	datetime	ISO 8601 timestamp
8	revoked	boolean	TRUE if this link has been revoked
9	revoked_at	datetime	ISO 8601 timestamp; blank if not revoked
10	revoked_by	string	Email of admin who revoked; blank if not revoked

Audit_Log

Append-only log of every mutation — uploads, deletes, restores, link rotations, role changes, masquerades

#	Column	Type	Notes
1	log_id	string	UUID, generated per entry
2	actor_email	string	Google email of the person performing the action
3	actor_name	string	Display name at time of action
4	timestamp	datetime	ISO 8601 timestamp
5	action_type	string	upload delete restore link_rotate role_change masquerade link_generate
6	event_id	string	FK → Events.event_id; blank if action is not event-scoped
7	club_id	string	FK → Clubs.club_id; blank if action is not club-scoped
8	link_id	string	FK → Upload_Links.link_id; populated for upload and link_rotate actions
9	link_version	integer	Version of the link used; enables forensics after rotation
10	target_file	string	Drive file ID or entity ID affected; blank for batch uploads
11	file_count	integer	Number of files in upload batch; blank for non-upload actions
12	total_size_mb	float	Total size of uploaded files in MB; blank for non-upload actions
13	duration_ms	integer	Wall-clock upload duration in milliseconds for action_type=upload rows; blank for non-upload actions. Measured client-side for web/volunteer uploads and server-side for API uploads.
14	ip_address	string	IP address of the actor at time of action
15	reason	string	Optional free-text reason; especially for deletes and role changes

Sync_Queue

Queue for Drive → Google Photos sync jobs; drained by a timed GAS trigger with retry logic

#	Column	Type	Notes
1	queue_id	string	UUID, generated on enqueue
2	event_id	string	FK → Events.event_id
3	club_id	string	FK → Clubs.club_id
4	batch_folder_id	string	Drive folder ID of the upload batch to sync
5	action_type	string	create delete restore
6	status	string	pending in_progress done failed
7	attempts	integer	Number of sync attempts so far
8	last_attempt_at	datetime	ISO 8601 timestamp of most recent attempt; blank if not yet tried
9	created_at	datetime	ISO 8601 timestamp when job was enqueued
10	completed_at	datetime	ISO 8601 timestamp when status reached done; blank otherwise
11	error_message	string	Last error from the Photos API or GAS; blank on success

Photo_Albums

One row per Google Photos album (event aggregate or per-club); the target of Sync_Queue jobs

#	Column	Type	Notes
1	album_id	string	Google Photos album ID (primary key)
2	album_type	string	event club
3	event_id	string	FK → Events.event_id
4	club_id	string	FK → Clubs.club_id; blank for event-type albums
5	album_title	string	Human-readable album title
6	album_url	string	Google Photos product URL
7	shareable_url	string	Public shareable link
8	created_at	datetime	ISO 8601 timestamp
9	last_sync_at	datetime	ISO 8601 timestamp of most recent sync; blank until first sync
10	synced_file_count	integer	Cumulative number of photos pushed to this album

Photo_Files

Drive → Google Photos mirror log; one row per (drive_file_id, album_id) mapping. Prevents re-syncing and powers delete/restore propagation

#	Column	Type	Notes
1	drive_file_id	string	Google Drive file ID (composite key part 1)
2	media_item_id	string	Google Photos media item ID
3	album_id	string	FK → Photo_Albums.album_id (composite key part 2)
4	album_type	string	event club
5	event_id	string	FK → Events.event_id
6	club_id	string	FK → Clubs.club_id; blank for event-type albums
7	file_name	string	Original filename, e.g. IMG_0042.jpg
8	synced_at	datetime	ISO 8601 timestamp of when the sync occurred

Deleted_Files

Soft-delete trash tracker — 30-day window; purge job clears rows after purge_completed_at is set

#	Column	Type	Notes
1	file_id	string	UUID, generated on deletion
2	drive_file_id	string	Google Drive file ID of the deleted file
3	event_id	string	FK → Events.event_id
4	club_id	string	FK → Clubs.club_id
5	original_path	string	Human-readable path, e.g. 2025-11-03_NYC_Marathon / New_Bee / batch / photo.jpg
6	deleted_at	datetime	ISO 8601 timestamp of deletion
7	deleted_by	string	Email of admin who deleted the file
8	restored_at	datetime	ISO 8601 timestamp of restore; blank if not restored
9	restored_by	string	Email of admin who restored; blank if not restored
10	purge_due_at	datetime	deleted_at + 30 days; when the purge job becomes eligible to run
11	purge_completed_at	datetime	ISO 8601 timestamp when Drive file was permanently deleted; blank until purged