



IDTA 02050


Purchase Order

Version 1.0

October 2025

SPECIFICATION

Submodel Template of the
Asset Administration Shell



IDTA 02050

Imprint

Publisher

Industrial Digital Twin Association
Lyoner Strasse 18
60528 Frankfurt am Main
Germany
<https://www.industrialdigitaltwin.org/>

Version history

Date	Version	Comment
13.10.2025	1.0	Release of the official Submodel template published by IDTA.

Table of Contents

IDTA 02050	1
Imprint.....	1
Version history	1
1. General	4
1.1. About this document.....	4
1.2. Scope of the Submodel	4
1.3. Relevant standards for the Submodel template	6
1.4. Use cases, requirements and design decisions	6
2. Submodel Purchase Order	11
2.1. Approach	11
2.2. Overview UML model	13
3. Information structures and attributes	15
3.1. PurchaseOrder.....	15
3.2. PurchaseOrderInformation	17
3.3. BuyerTrackingCodeList.....	23
3.4. TrackingCodes	24
3.5. TaxDetailsTotalList	24
3.6. TaxDetailsTotal	25
3.7. DeliveryDateList	26
3.8. DeliveryDate	27
3.9. CatalogueReferenceList.....	28
3.10. CatalogueReference	28
3.11. ModeOfPaymentList	29
3.12. PreferredModeOfPayment	30
3.13. CardPayment.....	31
3.14. BankAccount.....	32
3.15. IncotermsList.....	33
3.16. Incoterms	33
3.17. InternationalRestrictionList.....	34
3.18. InternationalRestriction	35
3.19. RequestedCertificationsList	36
3.20. RequestedCertification.....	36
3.21. SpecialTreatmentClassList	37
3.22. InvolvedParties	37
3.23. PartyBuyer	40
3.24. PartySeller	44
3.25. PartyCarrier.....	49
3.26. PartyCentralizedSettlement	53
3.27. PartyShipmentLocation	58
3.28. PartyFinalShipmentLocation	62
3.29. PartyIntermediate.....	67
3.30. PartyInvoicing	71
3.31. PartyInvoiceRecipient	76
3.32. PartyIPPOperator.....	80
3.33. PartyManufacturer	85
3.34. PartyMarketPlace.....	89

3.35. PartyPayer	94
3.36. PartyRemittee	98
3.37. PartyStandardizationBody	103
3.38. PartySupplier	107
3.39. PartyTrustedThirdParty	112
3.40. PartyInternalRoutingLocation	116
3.41. PartyOthers	121
3.42. CostCentersList	125
3.43. CostCenter	125
3.44. AttachedMediaList	127
3.45. Media	127
3.46. ItemList	128
3.47. Item	129
3.48. ProductPrice	136
3.49. TaxDetails	138
3.50. PartialDeliveryList	139
3.51. PartialDelivery	140
3.52. DeliveryDateList	140
3.53. DeliveryDate	141
3.54. ScanCodesList	142
3.55. ScanCodes	142
3.56. QualityRequirements	143
3.57. ListProductIDsBusinessPartners	143
3.58. ProductIDParty	144
3.59. ExcludedIngredientsList	145
4. Annex A. Explanations on used table formats	146
4.1. 1. General	146
4.2. 2. Tables on Submodels and SubmodelElements	146
Annex B. Example of a Minimal Purchase Order	148
Bibliography	150

Chapter 1. General

1.1. About this document

This document is a part of a specification series. Each part specifies the contents of a Submodel template for the Asset Administration Shell (AAS). The AAS is described in [1], [2], [3] and [6]. First exemplary Submodel contents were described in [4], while the actual format of this document was derived by the "Administration Shell in Practice" [5]. The format aims to be very concise, giving only minimal necessary information for applying a Submodel template, while leaving deeper descriptions and specification of concepts, structures and mapping to the respective documents [1] to [6].

The target group of the specification are developers and editors of technical documentation and manufacturer information, which are describing assets in smart manufacturing by means of the Asset Administration Shell (AAS) and therefore need to create a Submodel instance with a hierarchy of SubmodelElements. This document especially details on the question, which SubmodelElements with which semantic identification shall be used for this purpose.

1.2. Scope of the Submodel

The Purchase Order Submodel is designed to enable the interoperable provisioning of information related to a purchase order issued by a buyer / customer to a seller / supplier concerning a specific asset, in alignment with the Asset Administration Shell (AAS) framework. A key element of this submodel is the inclusion of properties [7], ideally enhanced by semantic interoperability through the use of standardized dictionaries such as ECLASS and the IEC Common Data Dictionary (CDD).

The purpose of this document is to specify submodels that allow for the meaningful exchange of asset- related information between partners across the supply chain. It focuses specifically on purchase order processes and the data exchanged during these transactions.

The intended use case is the provision of a standardized data structure for purchase orders. This structure enables the interoperable and unambiguous exchange of essential information, starting from a purchase request, progressing through a quotation, and culminating in the issuance of a formal purchase order.




Figure 1. Overview of the purchase order process and fulfillment. The scope of the Submodel Purchase Order is highlighted in blue.

Figure 1 provides an overview of the entire purchase order and fulfillment process. The scope of the Purchase Order Submodel is highlighted in blue and includes the request for quotation (also referred to as a purchase request), the quotation, and the purchase order itself. Activities not within the scope of this submodel include shipment and delivery, receipt confirmation, damage and loss reports, and invoicing. However, any relevant information pertaining to these downstream processes—if required during the ordering phase—is considered within the submodel's structure.

The conceptual design of the submodel builds upon existing standards, industry practices, guidelines, and de facto norms, aiming for broad acceptance and applicability.

The Asset Administration Shell (AAS) is utilized to represent information throughout the purchase order process. This includes business-to-business (B2B) transactions in which companies procure production components or resources required for more complex assemblies and products along the value chain.

To support this, the information exchange required for a purchase request, its response (quotation), and the resulting purchase order is standardized. This enables a buyer or customer to order materials, products, or services from one or more sellers or suppliers through a structured, interoperable format. Standardization and interoperability are essential because this information is typically processed by backend systems such as ERP, CRM, and others.

The potential transferability of the submodel to business-to-consumer (B2C) scenarios—where end customers order products—is also considered.

A crucial aspect of seamless order processing is the structured provision of item lists for the requested product, as well as information on the required production resources, delivered in the form of a work plan. Conversely, buyers or customers—such as Original Equipment Manufacturers (OEMs)—often face the challenge of requesting and ordering the production of subcomponents or parts from a broad range of different suppliers.

If a purchase request refers to a non-standard, made-to-order product (i.e., not available off the shelf), manual feasibility checks must often be performed by production planners. These checks can be time-consuming and error-prone, particularly in non-standardized processes or when multiple product variants are involved.

1.3. Relevant standards for the Submodel template

Following existing standards in the context of data and information exchange for purchase orders have been considered during the development of the Submodel:

Table 1. List of exemplary standards defining interoperable properties

Standard	Description
VDA 4901	Basic concepts for data exchange in the supply chain V1.0 2019-12, German Association of the Automotive Industry (VDA) [8]
IDTA Submodel Generic Frame for Technical Data for Industrial Equipment in Manufacturing	This Submodel template aims at interoperable provision of technical data describing the asset of the respective Asset Administration Shell [9]
IDTA Submodel Capability	Submodel to express capability definitions of a production resource, allowing to connect capability definitions and their properties from ontologies/catalogues to executable skills and their parameters [10]

Data dictionaries are used to identify information elements (see Terms and Definitions of [6]). Such data dictionaries include: • ECLASS, see: <https://www.eclasscontent.com/> • IEC CDD, see: <https://cdd.iec.ch/cdd/iec61987/iec61987.nsf> and <https://cdd.iec.ch/cdd/iec62683/cdddev.nsf>

In this document, properties are aimed to be described by ECLASS.

1.4. Use cases, requirements and design decisions

Purchase orders form the foundation for procuring products, items, raw materials, or services. The purchase order process is a core element of efficient and transparent business operations. It supports cost control, accurate documentation, supplier relationship management, and contributes to the overall financial stability of an organization—making it economically relevant across businesses of all sizes and industries.

Since customer demand typically initiates purchase orders, which in turn trigger the production of goods, purchase orders represent a critical component within the value chain.

There are various standardized formats for digital purchase order processing. The Purchase Order Submodel aims to harmonize these diverse data formats to foster interoperability in Industry 4.0 use cases.

A key design principle of the submodel is to reference existing submodels wherever possible. For instance, descriptive documents related to the order should be stored using the Document Submodel of the asset, ensuring modularity, consistency, and reusability within the Asset Administration Shell (AAS) framework.

Possible functions and interactions

Figure 2 provides an overview of the processes between purchase requisition and purchase order in the context of a customer (buyer) interacting with one or more suppliers (sellers).




Figure 2. Overview on the purchase order process with its three types of documents comprised in the submodel Purchase Order: Purchase request

Typically, a buyer / customer initiates the process by sending a purchase request (also known as a request for quotation) to one or more sellers / suppliers, or by submitting the request via a digital platform.

The supplier(s) use the information provided in the purchase request to assess product availability, perform feasibility checks regarding manufacturing equipment, materials, personnel, and scheduling, calculate pricing, and generate a quotation (purchase request response). This response is then either sent back to the buyer or made accessible through a digital channel.

The buyer reviews the quotation, may enter into negotiations, and upon agreement, finalizes the transaction by creating and submitting a purchase order.

It is important to note that multiple versions of requests, quotations, and purchase orders may exist throughout the process. A quotation may consolidate several purchase requests, and conversely, a single purchase order may combine multiple quotations.

The following three scenarios illustrate different purchase request contexts, depending on the availability and nature of the requested product:

Scenario 1: Purchase requests for off-the-shelf or non-configurable products (e.g., items listed in an electronic product catalog). A typical purchase order process for this scenario is illustrated in [Figure 3](#).

Scenario 2: Purchase requests where multiple existing products may be suitable, or where the buyer is uncertain which product best meets the requirements (e.g., a pump with specific performance, dimensions, and flow rate). A representative process flow for this case is shown in [Figure 4](#).

Scenario 3: Purchase requests for configurable products, which must be designed prior to production and are manufactured only after order confirmation (e.g., customized headlights for a new car model). The corresponding purchase order process is depicted in [Figure 5](#).




Figure 3. Process for ordering an out-of-shelf product (Scenario 1)




Figure 4. Purchase request process




Figure 5. Purchase request process for individual / not existing products (Scenario 3)

The process of checking the quotation and creating the purchase order by the customer is the same for all scenarios and is described in Figure 6.




Figure 6. Process for the purchase order according based on the quotation

Given the wide variety of purchase process variants in real-world industrial applications, the Purchase Order Submodel Template defines a minimal set of information that is required in most common cases. This design decision aims to reduce the complexity of purchase processes while focusing on interoperability and broad applicability.

To further simplify initial implementations, a core set of mandatory properties is provided. This minimal configuration serves as a starting point for users and implementers, enabling easier integration and faster adoption of the submodel.

Minimal Use Case Example

As a demonstrative use case, the purchase of a single gear pump is used in Annex B to illustrate the practical application of the submodel ([Figure 8](#) and [Figure 9](#)). In this straightforward example, the process involves one buyer and one seller, and a minimal set of properties are used.

Chapter 2. Submodel Purchase Order

2.1. Approach

The Purchase Order Submodel is defined based on key aspects recommended in [5] and is organized into several main Submodel Element Collections (SMCs) and Submodel Element Lists (SMLs) to structure the diverse and relevant information in a clear and systematic way.

Purchase Order Information

The Submodel Element Collection (SMC) `PurchaseOrderInformation` represents the header section of the purchase order. It contains essential information about the order itself, such as request numbers (specific to buyer, seller, or intermediary), the request date and version, opening and closing dates, language and currency settings, terms and conditions, as well as general descriptions and remarks.

Additional information that applies to the entire order can also be referenced within this header section. This may include catalogs, Incoterms, business entities, international trade restrictions, special handling classifications, or attached media such as files and documents.

This type of information is organized into separate SMLs, each encompassing a range of properties relevant to their respective topics. These SMLs can also be referenced individually for each item in the `OrderItemList` (see below), if applicable.

Tracking Codes

The Submodel Element List (SML) `BuyerTrackingCodeList` contains information related to the tracking of the purchase order. It enables the inclusion of scannable codes such as NFC tags, QR codes, or barcodes, supporting seamless traceability and digital referencing throughout the procurement process.

Delivery Dates

Delivery dates can be specified directly in the SMC `PurchaseOrderInformation` header if they apply to the entire order and are not associated with a specific item. If delivery dates vary per item, they should be provided individually within the item list (see below).

Catalogue References

The SML `CatalogueReferenceList` allows items from electronic product catalogs to be referenced.

Modes of Payment

Within the SML `ModeOfPaymentList`, multiple payment methods can be specified—ranging from traditional options like bank accounts and credit cards to company-specific central payment regulations—to support flexible and transparent financial processing.

Incoterms

Incoterms (International Commercial Terms) are standardized rules published by the International Chamber of Commerce that define the responsibilities, costs, and risks shared between buyers and sellers in the international shipment of goods. The SML `IncotermsList` contains the applicable Incoterm conditions, which can either apply to the entire order or to individual items. Each condition is represented as a separate SML `Incoterms` and can be referenced either in the order header or at the item level.

International Restrictions

If international trade restrictions (e.g., bans or embargoes) apply, they can be defined in the SML `InternationalRestriction`. Multiple restrictions can be structured as SMCs within the SML `InternationalRestrictionList`.

Certifications

Certifications required for the order (e.g., CE, FDA) are defined in the SML RequestedCertificationList, with each individual certification described via the SMC RequestedCertification.

Special Treatment Classes

Necessary treatment or handling instructions for delivery (e.g., refrigeration, hazardous goods handling) can be defined in the SML SpecialTreatmentClassList using the property SpecialTreatmentClass.

Involved Parties

Within the SMC InvolvedParties, all business parties (e.g., buyer, supplier, manufacturer, agent, carrier) involved in the order and fulfillment process can be described using specific Entities for each party type. These Entities include properties such as relevant reference identifiers, and associated contact information. Each Entity defines the same set of properties.

The concept of Entities is used instead of submodel element lists (SML), as this allows direct access to the information through the entity.

The available Entities are: PartyBuyer (mandatory), PartySupplier (recommended), PartyTrustedThirdParty, PartyCustomer, PartyCarrier, PartyCentralizedSettlement, PartyShipmentLocation, PartyDocumentCreator, PartyFinalShipmentLocation, PartyIntermediate, PartyInvoicing, PartyInvoiceRecipient, PartyIPPOperator, PartyManufacturer, PartyMarketPlace, PartyPayer, PartyRemittee, PartyStandardizationBody, PartyInternalRoutingLocation, PartyOthers.

It is recommended to use at least PartyBuyer and PartySupplier. The other parties are optional, and only used if necessary.

Cost Centers

Cost-related information from the buyer's side is managed via the SML CostCentersList. Each cost center is represented as a SMC CostCenter and contains: cost center code and name, reason code and name, carrier code and name, project number and name, billing center code and name.

Attached Media

Media files and documents related to the purchase order can be listed in the SML AttachedMediaList. Each file is described in a SMC Media, which includes:file, mime type, mime purpose and a comment, describing the file.

Item List

The items covered by the purchase order are described in the Submodel Element List (SML) OrderItemList. This list includes properties that provide detailed information such as: item IDs, parent items, type and classification of the item (e.g. material, labor, transport, service), stock status, order quantities, content quantity, number of content units per order unit, content quantity in content units, corresponding units, prices, agreements and terms, remarks, delivery requirements.

As outlined above, each item can also include individual references to additional information such as: product catalogs, incoterms, business parties, international restrictions, special treatment classes, attached media can be provided separately.

If needed, delivery dates per item can be specified using the SML DeliveryDateList.

Information regarding the carbon footprint of each item can be included by referencing the Carbon Footprint Submodel.

Various definitions of the product ID can be provided via the SML ListProductIDsBusinessPartners, e.g. GTIN, UPC or product ids specific to supplier, buyer, agent, deliverer, manufacturer. Also, a material number from an ERP system might be provided here.

In addition, scan codes (e.g., barcodes, QR codes, NFC) can be defined in the SML ScanCodesList by specifying the code type and the code value.

Any excluded ingredients (e.g., CFCs) can be listed in the SMC ExcludedIngredientsList to ensure compliance with environmental or regulatory standards.

Besides the mentioned conditions and definitions of the item, a product name, short and long text descriptions for the item can be provided.

The description of technical properties and data (Submodel Generic Frame for Technical Data for Industrial Equipment in Manufacturing or a specific Technical Data Submodel [9]) and/or capabilities (Submodel Capability [10]) should be provided in the AAS of the item and referenced here via the AASItemRefence.

2.2. Overview UML model

Figure 7 shows the UML-diagram defining the relevant SubmodelElements.




Figure 7. UML diagram of the Submodel Purchase Order

Chapter 3. Information structures and attributes

3.1. PurchaseOrder

Table 2. Elements of Submodel "PurchaseOrder"

idShort:	PurchaseOrder		
Class:	Submodel		
semanticId:	https://admin-shell.io/idta/SubmodelTemplate/PurchaseOrder/1/0		
Parent:	Asset Administration Shell		
Explanation:	The Purchase Order Submodel enables the interoperable provision of information related to a buyer's order from a seller, from the order request through the offer to the order itself.		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] PurchaseOrderInformation	https://admin-shell.io/idta/PurchaseOrder/PurchaseOrderInformation/1/0 General information about the purchase order (Mandatory)	[] 48 elements	1
[SML] CatalogueReferenceList	https://admin-shell.io/idta/PurchaseOrder/CatalogueReferenceList/1/0 List of catalogs to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)	[] 1 elements	0..1
[SML] ModeOfPaymentList	https://admin-shell.io/idta/PurchaseOrder/ModeOfPaymentList/1/0 List of payment options to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)	[] 1 elements	0..1
[SML] IncotermsList	https://admin-shell.io/idta/PurchaseOrder/IncotermsList/1/0 List of incoterms conditions to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)	[] 1 elements	0..1

	PurchaseOrder		
[SML] InternationalRestrictionList	https://admin-shell.io/idta/PurchaseOrder/InternationalRestrictionList/1/0 List of international restrictions to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)	 1 elements	0..*
[SML] RequestedCertificationsList	https://admin-shell.io/idta/PurchaseOrder/RequestedCertificationsList/1/0 Liste von Information on necessary certifications or approval regulations The referencing can be done in the general part or for each item separately. (Optional)	 1 elements	0..1
[SML] SpecialTreatmentClassList	https://admin-shell.io/idta/PurchaseOrder/SpecialTreatmentClassList/1/0 supplementalSemanticId: 0173-1#01-ADR469#005 List of special treatment classes to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)	 1 elements	0..1
[SMC] InvolvedParties	https://admin-shell.io/idta/PurchaseOrder/InvolvedParties/1/0 supplementalSemanticId: 0173-1#02-AAQ830#007 Information about a business party. The referencing can be done in the general part or for each item separately. (Mandatory)	 19 elements	1
[SML] CostCentersList	https://admin-shell.io/idta/PurchaseOrder/CostCentersList/1/0 List of cost centers to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)	 1 elements	0..1
[SML] AttachedMediaList	https://admin-shell.io/idta/PurchaseOrder/AttachedMediaList/1/0 Media attached to the business document, e.g. component sketch, CAD data, to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)	 1 elements	0..1

	PurchaseOrder		
[SML]	https://admin-shell.io/idta/PurchaseOrder/ItemList/1/0	□	1
ItemList	Bill of material of order (Mandatory)	1 elements	

3.2. PurchaseOrderInformation

Table 3. Elements of SubmodelElementCollection "PurchaseOrderInformation"

idShort:	PurchaseOrderInformation		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PurchaseOrderInformation/1/0		
Parent:	PurchaseOrder		
Explanation:	General information about the purchase order (Mandatory)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/DocumentType/1/0	[String]	1
DocumentType	Document type: Request for Quotation, Quotation, Order (Mandatory)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/PurchaseRequestResponseReference/1/0	□	0..*
PurchaseRequestResponseReference	Reference to the AAS of the offer, can be several if the order combines several offers (Recommended)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/PurchaseRequestNotificationReference/1/0	□	0..*
PurchaseRequestNotificationReference	Reference to the AAS of the order request, can be several if the offer combines different requests (Recommended)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/BuyerPurchaseRequestNumber/1/0	[String]	0..*
BuyerPurchaseRequestNumber	Purchase request number of the buyer (Optional)		

[Prop] SellerPurchaseRequestNumber	https://admin-shell.io/idta/PurchaseOrder/SellerPurchaseRequestNumber/1/0 Purchase request number of the seller (Optional)	[String]	0..*
[Prop] AgentPurchaseRequestNumber	https://admin-shell.io/idta/PurchaseOrder/AgentPurchaseRequestNumber/1/0 Purchase request number of an agent involved (Optional)	[String]	0..*
[Prop] BuyerQuotationNumber	https://admin-shell.io/idta/PurchaseOrder/BuyerQuotationNumber/1/0 Offer number assigned by the buyer (Optional)	[String]	0..1
[Prop] SellerQuotationNumber	https://admin-shell.io/idta/PurchaseOrder/SellerQuotationNumber/1/0 Offer number assigned by the seller (Optional)	[String]	0..1
[Prop] AgentQuotationNumber	https://admin-shell.io/idta/PurchaseOrder/AgentQuotationNumber/1/0 Offer number assigned by the agent (Optional)	[String]	0..1
[Prop] SellerPurchaseOrderNumber	https://admin-shell.io/idta/PurchaseOrder/SellerPurchaseOrderNumber/1/0 supplementalSemanticId: 0173-1#02-AAO689#002,0112/2///61360_4#AAH549 Order number assigned by the buyer (Optional)	[String]	0..1
[Prop] BuyerPurchaseOrderNumber	https://admin-shell.io/idta/PurchaseOrder/BuyerPurchaseOrderNumber/1/0 supplementalSemanticId: 0173-1#02-ABF517#002,0112/2///61360_4#AAH549 Order number assigned by the seller (Mandatory)	[String]	1

[Prop] AgentPurchaseOrderNumber	https://admin-shell.io/idta/PurchaseOrder/AgentPurchaseOrderNumber/1/0 supplementalSemanticId: 0112/2///61360_4#AAH549 Order number assigned by the agent (Optional)	[String]	0..1
[Prop] Version	https://admin-shell.io/idta/PurchaseOrder/Version/1/0 supplementalSemanticId: 0173-1#02-AAP003#004,0112/2///61360_4#ADA004#001 Purchase order request version (Recommended)	[String]	0..1
[Prop] DocumentCreationDate	https://admin-shell.io/idta/PurchaseOrder/DocumentCreationDate/1/0 supplementalSemanticId: 0173-1#02-ABG968#002,0112/2///61360_4#ADA114#001 Date of document (Mandatory)	[Date]	1
[Prop] DocumentUpdateDateTime	https://admin-shell.io/idta/PurchaseOrder/DocumentUpdateDateTime/1/0 Date and time of last change (Mandatory)	[DateTime]	1
[Prop] ValidityStartDate	https://admin-shell.io/idta/PurchaseOrder/ValidityStartDate/1/0 supplementalSemanticId: 0173-1#02-AAO284#003 Start date of validity of the quotation (Optional)	[Date]	0..1
[Prop] ValidityEndDate	https://admin-shell.io/idta/PurchaseOrder/ValidityEndDate/1/0 supplementalSemanticId: 0173-1#02-AAO285#003 End date of validity of the quotation (Optional)	[Date]	0..1
[Prop] OpenDate	https://admin-shell.io/idta/PurchaseOrder/OpenDate/1/0 supplementalSemanticId: 0173-1#02-ABG969#002,0112/2///61360_4#ADA114#001 The date the Purchase Request is open for suppliers to respond (Optional)	[Date]	0..1

[Prop]	https://admin-shell.io/idda/PurchaseOrder/CloseDate/1/0	[Date]	0..1
CloseDate	supplementalSemanticId: 0173-1#02-ABG970#002 The date the Purchase request is closed for supplier responses (Optional)		
[Prop]	https://admin-shell.io/idda/PurchaseOrder/LatestRegistrationDate/1/0	[String]	0..1
LatestRegistrationDate	The latest date of registration of a bidder in a bidding process (Optional)		
[Prop]	https://admin-shell.io/idda/PurchaseOrder/BindingPeriodEndDate/1/0	[Date]	0..1
BindingPeriodEndDate	supplementalSemanticId: 0173-1#02-AAR969#003 Binding period validity end date (Optional)		
[Prop]	https://admin-shell.io/idda/PurchaseOrder/PurchaseRequestType/1/0	[String]	0..1
PurchaseRequestType	Type of purchase request (new, update, delete) (Optional)		
[Prop]	https://admin-shell.io/idda/PurchaseOrder/PurchaseOrderType/1/0	[String]	1
PurchaseOrderType	Type of order. Possible values: regular, release, blanket, stockTransport, stockTransportRelease (Mandatory)		
[Prop]	https://admin-shell.io/idda/PurchaseOrder/DocumentStatus/1/0	[String]	0..1
DocumentStatus	The status of the order. Possible values: accept, reject, update, final (Recommended)		
[Prop]	https://admin-shell.io/idda/PurchaseOrder/Language/1/0	[String]	0..1
Language	supplementalSemanticId: 0173-1#02-ABG936#002 Specification of used language: the default language of all language-dependent information (Recommended)		
[Prop]	https://admin-shell.io/idda/PurchaseOrder/Currency/1/0	[String]	1
Currency	supplementalSemanticId: 0173-1#02-AAP006#002 The currency used. Must be a three-letter ISO currency code. (Mandatory)		

[Prop]	https://admin-shell.io/idta/PurchaseOrder/TotalAmount/1/0	[Double]	0..1
TotalAmount	Total price amount of the quotation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerTermsAndConditions/1/0	[AnyUri]	0..1
SellerTermsAndConditions	General terms and conditions of seller (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/BuyerTermsAndConditions/1/0	[AnyUri]	0..1
BuyerTermsAndConditions	General terms and conditions of buyer (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Description/1/0	[String]	0..1
Description	supplementalSemanticId: 0173-1#02-AAQ842#008 Description of the purchase request notification, quotation or created order (Recommended)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Remark/1/0	[String]	0..*
Remark	supplementalSemanticId: 0173-1#02-ABJ035#001 Remark related to a business document (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/TollDocumentsrequired/1/0	[Boolean]	0..1
TollDocumentsrequired	Boolean value, indicating whether toll documents are required (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CustomsAmount/1/0	[Double]	0..1
CustomsAmount	Total customs amount of the quotation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrderReference/1/0	[String]	0..1
OrderReference	Order reference (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrderBatchReference/1/0	[String]	0..1
OrderBatchReference	Order batch reference (Optional)		

[Prop]	https://admin-shell.io/idta/PurchaseOrder/BuyerDeliveryNoteReference/1/0	[String]	0..1
BuyerDeliveryNoteReference	Package identification required by buyer (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/BuyerDeliveryNoteReferenceIncrement/1/0	[String]	0..1
BuyerDeliveryNoteReferenceIncrement	Delivery note number increment required by the buyer, e.g. two additional digits (Optional)		
[SML]	https://admin-shell.io/idta/PurchaseOrder/BuyerTrackingCodeList/1/0	[] 1 elements	0..1
BuyerTrackingCodeList	List of scan codes, e.g. barcodes (Optional)		
[SML]	https://admin-shell.io/idta/PurchaseOrder/TaxDetailsTotalList/1/0	[] 1 elements	0..1
TaxDetailsTotalList	List of tax details of the total offer (Optional)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/ReferenceSubmodelTollDocuments/1/0	[]	0..*
ReferenceSubmodelTollDocuments	Reference to submodel which describes a toll document (Optional)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/CatalogueReference/1/0	[]	0..1
CatalogueReference	Reference to a catalog entry defined in the SMC CatalogReferenceList (Optional)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/DeliveryDateReference/1/0	[]	0..1
DeliveryDateReference	Reference to a delivery period (Optional)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/BusinessPartyReference/1/0	[]	0..*
BusinessPartyReference	Reference to a business party, e.g. shipment company defined in the SMC PartiesList. Can be referenced in the general part or in the item. Can be referenced in the general part or in the item. (Optional)		

[Ref] IncotermsRef	https://admin-shell.io/idta/PurchaseOrder/IncotermsRef/1/0 Reference to Incoterms provisions defined in the SMC IncotermsList. Can be referenced in the general part or in the item. (Optional)	□	0..1
[Ref] InternationalRestrictionsRef	https://admin-shell.io/idta/PurchaseOrder/InternationalRestrictionsRef/1/0 Reference to international restrictions defined in the SMC InternationalRestrictionsList. Can be referenced in the general part or in the item. (Optional)	□	0..*
[Ref] SpecialTreatmentClassRef	https://admin-shell.io/idta/PurchaseOrder/SpecialTreatmentClassRef/1/0 Reference to a special treatment of goods defined in the SMC SpecialTreatmentList. Can be referenced in the general part or in the item. (Optional)	□	0..*
[Ref] MediaRef	https://admin-shell.io/idta/PurchaseOrder/MediaRef/1/0 Reference to a file attachment defined in the SMC MediaList. Can be referenced in the general part or in the item. (Optional)	□	0..*
[SML] DeliveryDateList	https://admin-shell.io/idta/PurchaseOrder/DeliveryDateList/1/0 List of delivery periods to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)	□ 1 elements	0..1

3.3. BuyerTrackingCodeList

Table 4. Elements of SubmodelElementList "BuyerTrackingCodeList"

idShort:	BuyerTrackingCodeList
Class:	SubmodelElementList
semanticId:	https://admin-shell.io/idta/PurchaseOrder/BuyerTrackingCodeList/1/0
Parent:	PurchaseOrderInformation
Explanation:	List of scan codes, e.g. barcodes (Optional)
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection

[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC]	https://admin-shell.io/idta/PurchaseOrder/TrackingCodes/1/0	[]	0..*
TrackingCodes	Scan code information (Optional)	2 elements	

3.4. TrackingCodes

Table 5. Elements of SubmodelElementCollection "TrackingCodes"

idShort:	TrackingCodes		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/TrackingCodes/1/0		
Parent:	BuyerTrackingCodeList		
Explanation:	Scan code information (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CodeType/1/0	[String]	1
CodeType	Typ of the Scancode, e.g. NFC, QR-Code, Bar-Code (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Code/1/0	[String]	1
Code	Alpha-numeric code (Mandatory)		

3.5. TaxDetailsTotalList

Table 6. Elements of SubmodelElementList "TaxDetailsTotalList"

idShort:	TaxDetailsTotalList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/TaxDetailsTotalList/1/0		
Parent:	PurchaseOrderInformation		
Explanation:	List of tax details of the total offer (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		

[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] TaxDetailsTotal	https://admin-shell.io/idta/PurchaseOrder/TaxDetailsTotal/1/0 Summary of tax details of the quotation (Optional)	[] 8 elements	0..*

3.6. TaxDetailsTotal

Table 7. Elements of SubmodelElementCollection "TaxDetailsTotal"

idShort:	TaxDetailsTotal		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/TaxDetailsTotal/1/0		
Parent:	TaxDetailsTotalList		
Explanation:	Summary of tax details of the quotation (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] CalculationSequence	https://admin-shell.io/idta/PurchaseOrder/CalculationSequence/1/0 Determines the sequence for applying multiple taxes to a basis. The taxes must be applied beginning with the lowest value in the sequence. The tax with the lowest sequence will be calculated first, then follows the tax with the next higher sequence, and so on. If two taxes have the same sequence, both tax factors must be added prior to calculation. (Optional)	[Integer]	0..1
[Prop] TaxCategory	https://admin-shell.io/idta/PurchaseOrder/TaxCategory/1/0 Specifies the tax category as a code. By this it is possible to define the tax not as an absolute value, but as the currently valid percentage. The specification should take place, if possible, by using a common code. (Optional)	[String]	0..1
[Prop] TaxType	https://admin-shell.io/idta/PurchaseOrder/TaxType/1/0 Tax type, by using internationally accepted terms, such as VAT for value added tax. (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/TaxRate/1/0	[Double]	0..1
TaxRate	supplementalSemanticId: 0173-1#02-AAO290#003 Factor for tax applicable to this price (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/TaxAmount/1/0	[Double]	0..1
TaxAmount	Total amount of the tax to be paid. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/TaxBase/1/0	[Double]	0..1
TaxBase	If used this element specifies the base for the calculation of the tax (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ExemptionReason/1/0	[String]	0..1
ExemptionReason	This element gives the reason why the tax is an exemption from the norm (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Jurisdiction/1/0	[String]	0..1
Jurisdiction	Jurisdiction for the tax (Optional)		

3.7. DeliveryDateList

Table 8. Elements of SubmodelElementList "DeliveryDateList"

idShort:	DeliveryDateList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/DeliveryDateList/1/0		
Parent:	PurchaseOrderInformation		
Explanation:	List of delivery periods to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC]	https://admin-shell.io/idta/PurchaseOrder/DeliveryDate/1/0	[]	1..*
DeliveryDate	Information about the delivery date. Referencing can be done in the general part or for each article separately. (Mandatory)	7 elements	

3.8. DeliveryDate

Table 9. Elements of SubmodelElementCollection "DeliveryDate"

idShort:	DeliveryDate		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/DeliveryDate/1/0		
Parent:	DeliveryDateList		
Explanation:	Information about the delivery date. Referencing can be done in the general part or for each article separately. (Mandatory)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] DeliveryStartDate	https://admin-shell.io/idta/PurchaseOrder/DeliveryStartDate/1/0 supplementalSemanticId: 0173-1#02-AAO257#003,0112/2///61360_4#ADA114#001 Unique date for the start of the delivery period. If an exact delivery date has to be determined, DeliveryStartDate = DeliveryEndDate is set. (Optional)	[Date]	0..1
[Prop] DeliveryEndDate	https://admin-shell.io/idta/PurchaseOrder/DeliveryEndDate/1/0 supplementalSemanticId: 0173-1#02-AAO258#003,0112/2///61360_4#ADA114#001 Unique date for the end of the delivery period. If an exact delivery date has to be determined, DeliveryStartDate = DeliveryEndDate is set. (Optional)	[Date]	0..1
[Prop] FixedDeliveryDate	https://admin-shell.io/idta/PurchaseOrder/FixedDeliveryDate/1/0 The date given is to be interpreted by the recipient as a fixed specified delivery date. (Optional)	[Date]	0..1
[Prop] OpeningHoursStart	https://admin-shell.io/idta/PurchaseOrder/OpeningHoursStart/1/0 Time at the start of regular opening hours on working days. (Optional)	[Time]	0..1

[Prop] OpeningHours End	https://admin-shell.io/idta/PurchaseOrder/OpeningHoursEnd/1/0 Time at the end of regular opening hours on working days. (Optional)	[Time]	0..1
[Prop] PlannedDeliveryDurationInDays	https://admin-shell.io/idta/PurchaseOrder/PlannedDeliveryDurationInDays/1/0 Planned delivery time after receipt of purchase order in days (Optional)	[Integer]	0..1
[Prop] ScopeOfDelivery	https://admin-shell.io/idta/PurchaseOrder/ScopeOfDelivery/1/0 Description of the scope of the delivery (Optional)	[String]	0..1

3.9. CatalogueReferenceList

Table 10. Elements of SubmodelElementList "CatalogueReferenceList"

idShort:	CatalogueReferenceList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/CatalogueReferenceList/1/0		
Parent:	PurchaseOrder		
Explanation:	List of catalogs to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] CatalogueReference	https://admin-shell.io/idta/PurchaseOrder/CatalogueReference/1/0 Information about a catalog to reference in the business document. Can also be used as a reference to a process list. The referencing can be done in the general part or for each item separately. (Optional)	□ 4 elements	0..*

3.10. CatalogueReference

Table 11. Elements of SubmodelElementCollection "CatalogueReference"

idShort:	CatalogueReference
-----------------	---------------------------

Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/CatalogueReference/1/0		
Parent:	CatalogueReferenceList		
Explanation:	Information about a catalog to reference in the business document. Can also be used as a reference to a price list. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] CatalogID	https://admin-shell.io/idta/PurchaseOrder/CatalogID/1/0 Unique catalog identification. This ID is usually assigned by the supplier when the catalog is generated and remains unchanged throughout the entire lifecycle of the catalog. (Mandatory)	[String]	1
[Prop] CatalogVersion	https://admin-shell.io/idta/PurchaseOrder/CatalogVersion/1/0 Version number of the catalog. (Mandatory)	[String]	1
[Prop] CatalogName	https://admin-shell.io/idta/PurchaseOrder/CatalogName/1/0 Name of the catalogue (Optional)	[String]	0..1
[Prop] AASCatalogReferenceID	https://admin-shell.io/idta/PurchaseOrder/AASCatalogReferenceID/1/0 Base ID of an AAS that represents the catalog (Optional)	[AnyUri]	0..1

3.11. ModeOfPaymentList

Table 12. Elements of SubmodelElementList "ModeOfPaymentList"

idShort:	ModeOfPaymentList
Class:	SubmodelElementList
semanticId:	https://admin-shell.io/idta/PurchaseOrder/ModeOfPaymentList/1/0
Parent:	PurchaseOrder
Explanation:	List of payment options to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection

[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] PreferredModeOfPayment	https://admin-shell.io/idta/PurchaseOrder/PreferredModeOfPayment/1/0 Information about a payment method. The referencing can be done in the general part or for each item separately. (Optional)	[] 11 elements	0..*

3.12. PreferredModeOfPayment

Table 13. Elements of SubmodelElementCollection "PreferredModeOfPayment"

idShort:	PreferredModeOfPayment		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PreferredModeOfPayment/1/0		
Parent:	ModeOfPaymentList		
Explanation:	Information about a payment method. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] CardPayment	https://admin-shell.io/idta/PurchaseOrder/CardPayment/1/0 Use of credit cards, purchase cards etc (Mandatory)	[] 2 elements	1
[SMC] BankAccount	https://admin-shell.io/idta/PurchaseOrder/BankAccount/1/0 Bank account details (Mandatory)	[] 5 elements	1
[Prop] Debit	https://admin-shell.io/idta/PurchaseOrder/Debit/1/0 The element Debit specifies the credit note procedure as payment system. (Mandatory)	[Boolean]	1
[Prop] Check	https://admin-shell.io/idta/PurchaseOrder/Check/1/0 The element Check specifies paying by check as payment system (Mandatory)	[Boolean]	1

[Prop] Cash	https://admin-shell.io/idta/PurchaseOrder/Cash/1/0 The element Cash specifies cash payment as payment system (Mandatory)	[Boolean]	1
[Prop] CentralRegulation	https://admin-shell.io/idta/PurchaseOrder/CentralRegulation/1/0 Indicates if the payment process is transacted via a centralized settlement (Optional)	[Boolean]	0..1
[Prop] PaymentPrinciple	https://admin-shell.io/idta/PurchaseOrder/PaymentPrinciple/1/0 Information about the payment principle, e.g. pre-payment, payment on delivery, partial payment (Optional)	[String]	0..1
[Prop] PaymentTerms	https://admin-shell.io/idta/PurchaseOrder/PaymentTerms/1/0 Information to payment terms (Optional)	[AnyUri]	0..1
[Prop] PaymentDays	https://admin-shell.io/idta/PurchaseOrder/PaymentDays/1/0 Number of days within which payment has to be made. (Optional)	[Integer]	0..1
[Prop] DiscountPercent	https://admin-shell.io/idta/PurchaseOrder/DiscountPercent/1/0 Percentage for cash discount (Optional)	[Double]	0..1
[Prop] DiscountDays	https://admin-shell.io/idta/PurchaseOrder/DiscountDays/1/0 Validity period for cash discount (Optional)	[Integer]	0..1

3.13. CardPayment

Table 14. Elements of SubmodelElementCollection "CardPayment"

idShort:	CardPayment
Class:	SubmodelElementCollection
semanticId:	https://admin-shell.io/idta/PurchaseOrder/CardPayment/1/0
Parent:	PreferredModeOfPayment
Explanation:	Use of credit cards, purchase cards etc (Mandatory)

Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] CardType	https://admin-shell.io/idta/PurchaseOrder/CardType/1/0 The type of the credit or purchasing card (Mandatory)	[String]	1
[Prop] ReferencePaymentProvider	https://admin-shell.io/idta/PurchaseOrder/ReferencePaymentProvider/1/0 Reference to a payment provider that processes card payments (Mandatory)	[String]	1

3.14. BankAccount

Table 15. Elements of SubmodelElementCollection "BankAccount"

idShort:	BankAccount		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/BankAccount/1/0		
Parent:	PreferredModeOfPayment		
Explanation:	Bank account details (Mandatory)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] Holder	https://admin-shell.io/idta/PurchaseOrder/Holder/1/0 Name of the account holder (Mandatory)	[String]	1
[Prop] AccountNumber	https://admin-shell.io/idta/PurchaseOrder/AccountNumber/1/0 Code to identify a bank account (Mandatory)	[String]	1
[Prop] BankCode	https://admin-shell.io/idta/PurchaseOrder/BankCode/1/0 Bank identification number (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/BankName/1/0	[String]	0..1
BankName	Name of the bank (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/BankCountry/1/0	[String]	0..1
BankCountry	Country in which the bank account is managed. (Optional)		

3.15. IncotermsList

Table 16. Elements of SubmodelElementList "IncotermsList"

idShort:	IncotermsList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/IncotermsList/1/0		
Parent:	PurchaseOrder		
Explanation:	List of incoterms conditions to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC]	https://admin-shell.io/idta/PurchaseOrder/Incoterms/1/0	□	0..*
Incoterms	Information about an incoterms condition. The referencing can be done in the general part or for each item separately. (Optional)	6 elements	

3.16. Incoterms

Table 17. Elements of SubmodelElementCollection "Incoterms"

idShort:	Incoterms		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/Incoterms/1/0		
Parent:	IncotermsList		
Explanation:	Information about an incoterms condition. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	-		

[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] Incoterm	https://admin-shell.io/idta/PurchaseOrder/Incoterm/1/0 supplementalSemanticId: 0173-1#02-AAO280#003 International coding of transport, costs and insurance according to INCOTERMS 2000, UN/ECE, Recommendation No. 5 (ECE/TRADE/259) (Mandatory)	[String]	1
[Prop] Location1	https://admin-shell.io/idta/PurchaseOrder/Location1/1/0 Location of supplier (Optional)	[String]	0..1
[Prop] Location2	https://admin-shell.io/idta/PurchaseOrder/Location2/1/0 Location of buyer (Optional)	[String]	0..1
[Prop] Location3	https://admin-shell.io/idta/PurchaseOrder/Location3/1/0 Toll relevant shipping location (Optional)	[String]	0..1
[Prop] TransferLocation	https://admin-shell.io/idta/PurchaseOrder/TransferLocation/1/0 Transfer of goods from supplier to buyer or vice versa. (Optional)	[String]	0..1
[Prop] TransportRemark	https://admin-shell.io/idta/PurchaseOrder/TransportRemark/1/0 Note on the type of transport (Optional)	[String]	0..1

3.17. InternationalRestrictionList

Table 18. Elements of SubmodelElementList "InternationalRestrictionList"

idShort:	InternationalRestrictionList
Class:	SubmodelElementList
semanticId:	https://admin-shell.io/idta/PurchaseOrder/InternationalRestrictionList/1/0
Parent:	PurchaseOrder
Explanation:	List of international restrictions to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection

[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] InternationalRestriction	https://admin-shell.io/idda/PurchaseOrder/InternationalRestriction/1/0 supplementalSemanticId: 0173-1#02-AAQ854#008 Information about an international restriction. The referencing can be done in the general part or for each item separately. (Optional)	[] 5 elements	0..1

3.18. InternationalRestriction

Table 19. Elements of SubmodelElementCollection "InternationalRestriction"

idShort:	InternationalRestriction		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idda/PurchaseOrder/InternationalRestriction/1/0		
Parent:	InternationalRestrictionList		
Explanation:	Information about an international restriction. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] RestrictionType	https://admin-shell.io/idda/PurchaseOrder/RestrictionType/1/0 supplementalSemanticId: 0173-1#02-AAO274#006 Type of international delivery restriction, e.g. embargo (Optional)	[String]	0..1
[Prop] CountryCodeEmbargoImposing	https://admin-shell.io/idda/PurchaseOrder/CountryCodeEmbargoImposing/1/0 Country which is imposing the restriction (Optional)	[String]	0..*
[Prop] CountryCodeEmbargoTarget	https://admin-shell.io/idda/PurchaseOrder/CountryCodeEmbargoTarget/1/0 Target country of the restriction (Optional)	[String]	0..*

[Prop] RegionCodeEmbargoImposing	https://admin-shell.io/idta/PurchaseOrder/RegionCodeEmbargoImposing/1/0 Region which is imposing the restriction (Optional)	[String]	0..*
[Prop] RegionCodeEmbargoTarget	https://admin-shell.io/idta/PurchaseOrder/RegionCodeEmbargoTarget/1/0 Target region of the restriction (Optional)	[String]	0..*

3.19. RequestedCertificationsList

Table 20. Elements of SubmodelElementList "RequestedCertificationsList"

idShort:	RequestedCertificationsList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/RequestedCertificationsList/1/0		
Parent:	PurchaseOrder		
Explanation:	Liste von Information on necessary certifications or approval regulations The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] RequestedCertification	https://admin-shell.io/idta/PurchaseOrder/RequestedCertification/1/0 Information on necessary certifications or approval regulations The referencing can be done in the general part or for each item separately. (Optional)	[] 2 elements	0..*

3.20. RequestedCertification

Table 21. Elements of SubmodelElementCollection "RequestedCertification"

idShort:	RequestedCertification
Class:	SubmodelElementCollection
semanticId:	https://admin-shell.io/idta/PurchaseOrder/RequestedCertification/1/0
Parent:	RequestedCertificationsList
Explanation:	Information on necessary certifications or approval regulations The referencing can be done in the general part or for each item separately. (Optional)

Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] CertificationType	https://admin-shell.io/idta/PurchaseOrder/CertificationType/1/0 Type of certification or approval requirement (Mandatory)	[String]	1
[Prop] CertificationRegulation	https://admin-shell.io/idta/PurchaseOrder/CertificationRegulation/1/0 supplementalSemanticId: 0173-1#02-ABI472#002,0112/2///61360_4#ADA098#001 Specific name of the certification or approval requirement (Mandatory)	[String]	1

3.21. SpecialTreatmentClassList

Table 22. Elements of SubmodelElementList "SpecialTreatmentClassList"

idShort:	SpecialTreatmentClassList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/SpecialTreatmentClassList/1/0		
Parent:	PurchaseOrder		
Explanation:	List of special treatment classes to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] SpecialTreatmentClass	https://admin-shell.io/idta/PurchaseOrder/SpecialTreatmentClass/1/0 supplementalSemanticId: 0173-1#02-AAO270#003 Kurzbezeichnung für das Sonderbehandlungsreglement, z.B. GGVS (Gefahrgutverordnung Straße) (Optional)	[] 0 elements	0..*

3.22. InvolvedParties

Table 23. Elements of SubmodelElementCollection "InvolvedParties"

idShort:	InvolvedParties		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/InvolvedParties/1/0		
Parent:	PurchaseOrder		
Explanation:	Information about a business party. The referencing can be done in the general part or for each item separately. (Mandatory)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Ent] PartyBuyer	https://admin-shell.io/idta/PurchaseOrder/PartyBuyer/1/0 Information on Buyer Party	□	1
[Ent] PartySeller	https://admin-shell.io/idta/PurchaseOrder/PartySeller/1/0 Information on Seller Party	□	0..1
[Ent] PartyCarrier	https://admin-shell.io/idta/PurchaseOrder/PartyCarrier/1/0 Information on Carrier	□	0..1
[Ent] PartyCentralizedSettlement	https://admin-shell.io/idta/PurchaseOrder/PartyCentralizedSettlement/1/0 Information on Centralized Settlement	□	0..1
[Ent] PartyShipmentLocation	https://admin-shell.io/idta/PurchaseOrder/PartyShipmentLocation/1/0 Information on Shipment Location	□	0..1
[Ent] PartyFinalShipmentLocation	https://admin-shell.io/idta/PurchaseOrder/PartyFinalShipmentLocation/1/0 Information on Final shipment location	□	0..1
[Ent] PartyIntermediate	https://admin-shell.io/idta/PurchaseOrder/PartyIntermediate/1/0 Information on Intermediate	□	0..1

[Ent] PartyInvoicing	https://admin-shell.io/idta/PurchaseOrder/PartyInvoicing/1/0 Information on Invoicing party	□	0..1
[Ent] PartyInvoiceRecipient	https://admin-shell.io/idta/PurchaseOrder/PartyInvoiceRecipient/1/0 Information on Invoice recipient	□	0..1
[Ent] PartyIPPOperator	https://admin-shell.io/idta/PurchaseOrder/PartyIPPOperator/1/0 Information on IPP operator	□	0..1
[Ent] PartyManufacturer	https://admin-shell.io/idta/PurchaseOrder/PartyManufacturer/1/0 Information on Manufacturer	□	0..1
[Ent] PartyMarketPlace	https://admin-shell.io/idta/PurchaseOrder/PartyMarketPlace/1/0 Information on Market place	□	0..1
[Ent] PartyPayer	https://admin-shell.io/idta/PurchaseOrder/PartyPayer/1/0 Information on Payer	□	0..1
[Ent] PartyRemittee	https://admin-shell.io/idta/PurchaseOrder/PartyRemittee/1/0 Information on Remittee	□	0..1
[Ent] PartyStandardizationBody	https://admin-shell.io/idta/PurchaseOrder/PartyStandardizationBody/1/0 Information on Standardization body	□	0..1
[Ent] PartySupplier	https://admin-shell.io/idta/PurchaseOrder/PartySupplier/1/0 Information on Supplier	□	0..1
[Ent] PartyTrustedThirdParty	https://admin-shell.io/idta/PurchaseOrder/PartyTrustedThirdParty/1/0 Information on Trusted third party	□	0..1

[Ent]	https://admin-shell.io/idta/PurchaseOrder/PartyInternalRoutingLocation/1/0 Information on Internal routing location	[]	0..1
PartyInternalRoutingLocation			
[Ent]	https://admin-shell.io/idta/PurchaseOrder/PartyOthers/1/0 Information on Other party	[]	0..1
PartyOthers			

3.23. PartyBuyer

Table 24. Elements of Entity "PartyBuyer"

idShort:	PartyBuyer		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyBuyer/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Buyer Party		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
BuyerReferenceID			
[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
SellerReferenceID			
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
AgentReferenceID			
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
GaiaXID			

[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0	[String]	0..1
HallBuilding	Hall in the context of an address (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0	[String]	0..1
Floor	Floor in the context of an address (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Room/1/0	[String]	0..1
Room	Room number in the context of an address (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0	[String]	0..1
UnloadingPoint	supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Department/1/0	[String]	0..1
Department	supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0	[String]	1
Street1	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0	[String]	0..1
Street2	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0	[String]	1
Zipcode	supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)		

[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1
[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1

[Prop] Tax_Number	https://admin-shell.io/iddta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/iddta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/iddta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/iddta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.24. PartySeller

Table 25. Elements of Entity "PartySeller"

idShort:	PartySeller		
Class:	Entity		
semanticId:	https://admin-shell.io/iddta/PurchaseOrder/PartySeller/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Seller Party		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/iddta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0	[String]	1
Street1	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0	[String]	0..1
Street2	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0	[String]	1
Zipcode	supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0	[String]	0..1
POBox	supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0	[String]	0..1
ZipcodeOfPOBox	supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0	[String]	1
CityTown	supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/State/1/0	[String]	0..1
State	supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)		

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.25. PartyCarrier

Table 26. Elements of Entity "PartyCarrier"

idShort:	PartyCarrier		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyCarrier/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Carrier		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.26. PartyCentralizedSettlement

Table 27. Elements of Entity "PartyCentralizedSettlement"

idShort:	PartyCentralizedSettlement		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyCentralizedSettlement/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Centralized Settlement		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1
[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.27. PartyShipmentLocation

Table 28. Elements of Entity "PartyShipmentLocation"

idShort:	PartyShipmentLocation		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyShipmentLocation/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Shipment Location		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.28. PartyFinalShipmentLocation

Table 29. Elements of Entity "PartyFinalShipmentLocation"

idShort:	PartyFinalShipmentLocation		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyFinalShipmentLocation/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Final shipment location		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0	[String]	1
Street1	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0	[String]	0..1
Street2	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0	[String]	1
Zipcode	supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0	[String]	0..1
POBox	supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0	[String]	0..1
ZipcodeOfPOBox	supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0	[String]	1
CityTown	supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/State/1/0	[String]	0..1
State	supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)		

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.29. PartyIntermediate

Table 30. Elements of Entity "PartyIntermediate"

idShort:	PartyIntermediate		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyIntermediate/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Intermediate		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.30. PartyInvoicing

Table 31. Elements of Entity "PartyInvoicing"

idShort:	PartyInvoicing		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyInvoicing/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Invoicing party		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1
[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.31. PartyInvoiceRecipient

Table 32. Elements of Entity "PartyInvoiceRecipient"

idShort:	PartyInvoiceRecipient		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyInvoiceRecipient/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Invoice recipient		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.32. PartyIPPOperator

Table 33. Elements of Entity "PartyIPPOperator"

idShort:	PartyIPPOperator		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyIPPOperator/1/0		
Parent:	InvolvedParties		
Explanation:	Information on IPP operator		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1
[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.33. PartyManufacturer

Table 34. Elements of Entity "PartyManufacturer"

idShort:	PartyManufacturer		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyManufacturer/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Manufacturer		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.34. PartyMarketPlace

Table 35. Elements of Entity "PartyMarketPlace"

idShort:	PartyMarketPlace		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyMarketPlace/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Market place		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0	[String]	1
Street1	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0	[String]	0..1
Street2	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0	[String]	1
Zipcode	supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0	[String]	0..1
POBox	supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0	[String]	0..1
ZipcodeOfPOBox	supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0	[String]	1
CityTown	supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/State/1/0	[String]	0..1
State	supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)		

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.35. PartyPayer

Table 36. Elements of Entity "PartyPayer"

idShort:	PartyPayer		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyPayer/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Payer		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.36. PartyRemittee

Table 37. Elements of Entity "PartyRemittee"

idShort:	PartyRemittee		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyRemittee/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Remittee		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1
[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.37. PartyStandardizationBody

Table 38. Elements of Entity "PartyStandardizationBody"

idShort:	PartyStandardizationBody		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyStandardizationBody/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Standardization body		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.38. PartySupplier

Table 39. Elements of Entity "PartySupplier"

idShort:	PartySupplier		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartySupplier/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Supplier		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0	[String]	1
Street1	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0	[String]	0..1
Street2	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0	[String]	1
Zipcode	supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0	[String]	0..1
POBox	supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0	[String]	0..1
ZipcodeOfPOBox	supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0	[String]	1
CityTown	supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/State/1/0	[String]	0..1
State	supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)		

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.39. PartyTrustedThirdParty

Table 40. Elements of Entity "PartyTrustedThirdParty"

idShort:	PartyTrustedThirdParty		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyTrustedThirdParty/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Trusted third party		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.40. PartyInternalRoutingLocation

Table 41. Elements of Entity "PartyInternalRoutingLocation"

idShort:	PartyInternalRoutingLocation		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyInternalRoutingLocation/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Internal routing location		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0	[String]	0..1
SellerReferenceID	Unique identifier of the business partner provided by the seller. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0	[String]	0..1
AgentReferenceID	Unique identifier of the business partner, provided by agent. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0	[String]	0..1
GaiaXID	Business Partner ID in GaiaX (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0	[AnyUri]	0..1
OrganisationIRI	IRI of the organisation (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0	[String]	1
OrganizationName1	supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0	[String]	0..1
OrganizationName2	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0	[String]	0..1
OrganizationName3	Additional line for the organization name (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0	[String]	0..1
CareOfName	Address line for the information -for the attention of- (Optional)		

[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1
[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0	[String]	1
Street1	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0	[String]	0..1
Street2	supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0	[String]	1
Zipcode	supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0	[String]	0..1
POBox	supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0	[String]	0..1
ZipcodeOfPOBox	supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0	[String]	1
CityTown	supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/State/1/0	[String]	0..1
State	supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)		

[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1
[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.41. PartyOthers

Table 42. Elements of Entity "PartyOthers"

idShort:	PartyOthers		
Class:	Entity		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartyOthers/1/0		
Parent:	InvolvedParties		
Explanation:	Information on Other party		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] BuyerReferenceID	https://admin-shell.io/idta/PurchaseOrder/BuyerReferenceID/1/0 Unique identifier of the business partner provided by the buyer. (Mandatory)	[String]	1
[Prop] SellerReferenceID	https://admin-shell.io/idta/PurchaseOrder/SellerReferenceID/1/0 Unique identifier of the business partner provided by the seller. (Optional)	[String]	0..1
[Prop] AgentReferenceID	https://admin-shell.io/idta/PurchaseOrder/AgentReferenceID/1/0 Unique identifier of the business partner, provided by agent. (Optional)	[String]	0..1
[Prop] GaiaXID	https://admin-shell.io/idta/PurchaseOrder/GaiaXID/1/0 Business Partner ID in GaiaX (Optional)	[String]	0..1
[Prop] OrganisationIRI	https://admin-shell.io/idta/PurchaseOrder/OrganisationIRI/1/0 IRI of the organisation (Optional)	[AnyUri]	0..1

[Prop] OrganizationName1	https://admin-shell.io/idta/PurchaseOrder/OrganizationName1/1/0 supplementalSemanticId: 0173-1#02-AAW001#002,0112/2///61360_4#ADA007#001 First address line, usually the name of the organization (Mandatory)	[String]	1
[Prop] OrganizationName2	https://admin-shell.io/idta/PurchaseOrder/OrganizationName2/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] OrganizationName3	https://admin-shell.io/idta/PurchaseOrder/OrganizationName3/1/0 Additional line for the organization name (Optional)	[String]	0..1
[Prop] CareOfName	https://admin-shell.io/idta/PurchaseOrder/CareOfName/1/0 Address line for the information -for the attention of- (Optional)	[String]	0..1
[Prop] DeliveryTelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/DeliveryTelephoneNumber/1/0 supplementalSemanticId: 0112/2///61360_4#ADA009#001 Telephone number of the recipient (not the buyer) for the shipping companies. That can also be the gatekeeper. (Optional)	[String]	0..1
[Prop] AdditionalAddressline	https://admin-shell.io/idta/PurchaseOrder/AdditionalAddressline/1/0 supplementalSemanticId: 0173-1#02-AAO124#004 Additional Address line (Mandatory)	[String]	1
[Prop] Gate	https://admin-shell.io/idta/PurchaseOrder/Gate/1/0 Gate in the context of an address (Optional)	[String]	0..1
[Prop] HallBuilding	https://admin-shell.io/idta/PurchaseOrder/HallBuilding/1/0 Hall in the context of an address (Optional)	[String]	0..1

[Prop] Floor	https://admin-shell.io/idta/PurchaseOrder/Floor/1/0 Floor in the context of an address (Optional)	[String]	0..1
[Prop] Room	https://admin-shell.io/idta/PurchaseOrder/Room/1/0 Room number in the context of an address (Optional)	[String]	0..1
[Prop] UnloadingPoint	https://admin-shell.io/idta/PurchaseOrder/UnloadingPoint/1/0 supplementalSemanticId: 0112/2///61360_4#ADA019#001 Unloading point (Optional)	[String]	0..1
[Prop] Department	https://admin-shell.io/idta/PurchaseOrder/Department/1/0 supplementalSemanticId: 0173-1#02-AAO127#004 Department in the company (Optional)	[String]	0..1
[Prop] Street1	https://admin-shell.io/idta/PurchaseOrder/Street1/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Street name and house number (Mandatory)	[String]	1
[Prop] Street2	https://admin-shell.io/idta/PurchaseOrder/Street2/1/0 supplementalSemanticId: 0173-1#02-AAO128#003,0112/2///61360_4#ADA017#001 Additional street name and house number (Optional)	[String]	0..1
[Prop] Zipcode	https://admin-shell.io/idta/PurchaseOrder/Zipcode/1/0 supplementalSemanticId: 0173-1#02-AAO129#003,0112/2///61360_4#ADA014#001 Postal code of the house address (Mandatory)	[String]	1
[Prop] POBox	https://admin-shell.io/idta/PurchaseOrder/POBox/1/0 supplementalSemanticId: 0173-1#02-AAO130#003,0112/2///61360_4#ADA022#001 Post office box number (Optional)	[String]	0..1

[Prop] ZipcodeOfPOBox	https://admin-shell.io/idta/PurchaseOrder/ZipcodeOfPOBox/1/0 supplementalSemanticId: 0173-1#02-AAO131#003,0112/2///61360_4#ADA014#001 Postal code of the post office box (Optional)	[String]	0..1
[Prop] CityTown	https://admin-shell.io/idta/PurchaseOrder/CityTown/1/0 supplementalSemanticId: 0173-1#02-AAO132#003,0112/2///61360_4#ADA016#001 Location information about the company (Mandatory)	[String]	1
[Prop] State	https://admin-shell.io/idta/PurchaseOrder/State/1/0 supplementalSemanticId: 0112/2///61360_4#ADA015#001 State (Optional)	[String]	0..1
[Prop] StateCountry	https://admin-shell.io/idta/PurchaseOrder/StateCountry/1/0 supplementalSemanticId: 0173-1#02-AAO133#003,0112/2///61360_4#ADA006#001 Country (Mandatory)	[String]	1
[Prop] NationalCode	https://admin-shell.io/idta/PurchaseOrder/NationalCode/1/0 supplementalSemanticId: 0173-1#02-AAO134#003,0112/2///61360_4#ADA005#001 Two-digit country code according to ISO 3166 ALPHA-2 (Mandatory)	[String]	1
[Prop] VAT_Id	https://admin-shell.io/idta/PurchaseOrder/VAT_Id/1/0 supplementalSemanticId: 0173-1#02-AAO135#003 VAT Id of the business partner (Optional)	[String]	0..1
[Prop] Tax_Number	https://admin-shell.io/idta/PurchaseOrder/Tax_Number/1/0 Tax number of the business partner (Optional)	[String]	0..1

[Prop] TelephoneNumber	https://admin-shell.io/idta/PurchaseOrder/TelephoneNumber/1/0 supplementalSemanticId: 0173-1#02-AAO136#002,0112/2///61360_4#ADA009#001 Company central phone number (Mandatory)	[String]	1
[Prop] FaxNumber	https://admin-shell.io/idta/PurchaseOrder/FaxNumber/1/0 supplementalSemanticId: 0173-1#02-AAO195#002,0112/2///61360_4#ADA011#001 Company central fax number (Optional)	[String]	0..1
[Prop] EmailAddress	https://admin-shell.io/idta/PurchaseOrder/EmailAddress/1/0 supplementalSemanticId: 0173-1#02-AAO198#002,0112/2///61360_4#ADA008#001 Company central email address (Mandatory)	[String]	1

3.42. CostCentersList

Table 43. Elements of SubmodelElementList "CostCentersList"

idShort:	CostCentersList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/CostCentersList/1/0		
Parent:	PurchaseOrder		
Explanation:	List of cost centers to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] CostCenter	https://admin-shell.io/idta/PurchaseOrder/CostCenter/1/0 Information about a cost center. The referencing can be done in the general part or for each item separately. (Mandatory)	[] 10 elements	1..*

3.43. CostCenter

Table 44. Elements of SubmodelElementCollection "CostCenter"

idShort:	CostCenter		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/CostCenter/1/0		
Parent:	CostCentersList		
Explanation:	Information about a cost center. The referencing can be done in the general part or for each item separately. (Mandatory)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] CostCenterCode	https://admin-shell.io/idta/PurchaseOrder/CostCenterCode/1/0 Identifying code for the cost center (Optional)	[String]	0..1
[Prop] CostCenterName	https://admin-shell.io/idta/PurchaseOrder/CostCenterName/1/0 supplementalSemanticId: 0173-1#02-AAX088#0 Name of the cost center (Mandatory)	[String]	1
[Prop] CostReasonCode	https://admin-shell.io/idta/PurchaseOrder/CostReasonCode/1/0 Identifying code for the cost reason (Optional)	[String]	0..1
[Prop] CostReasonName	https://admin-shell.io/idta/PurchaseOrder/CostReasonName/1/0 Name of the Cost Reason (Optional)	[String]	0..1
[Prop] CostCarrierCode	https://admin-shell.io/idta/PurchaseOrder/CostCarrierCode/1/0 Identifying code for the cost carrier (Optional)	[String]	0..1
[Prop] CostCarrierName	https://admin-shell.io/idta/PurchaseOrder/CostCarrierName/1/0 Name of the cost carrier (Optional)	[String]	0..1
[Prop] ProjectNumber	https://admin-shell.io/idta/PurchaseOrder/ProjectNumber/1/0 Project number (Optional)	[String]	0..1

[Prop] ProjectName	https://admin-shell.io/idta/PurchaseOrder/ProjectName/1/0 Project name (Optional)	[String]	0..1
[Prop] BillingCenterCode	https://admin-shell.io/idta/PurchaseOrder/BillingCenterCode/1/0 Identifying code for the billing center (Optional)	[String]	0..1
[Prop] BillingCenterName	https://admin-shell.io/idta/PurchaseOrder/BillingCenterName/1/0 Name of the billing center (Optional)	[String]	0..1

3.44. AttachedMediaList

Table 45. Elements of SubmodelElementList "AttachedMediaList"

idShort:	AttachedMediaList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/AttachedMediaList/1/0		
Parent:	PurchaseOrder		
Explanation:	Media attached to the business document, e.g. component sketch, CAD data, to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC]	https://admin-shell.io/idta/PurchaseOrder/Media/1/0	[]	0..*
Media	supplementalSemanticId: 0173-1#02-ABI791#001 Information about an attached multi media file. The referencing can be done in the general part or for each item separately. (Optional)	4 elements	

3.45. Media

Table 46. Elements of SubmodelElementCollection "Media"

idShort:	Media
Class:	SubmodelElementCollection
semanticId:	https://admin-shell.io/idta/PurchaseOrder/Media/1/0

Parent:	AttachedMediaList		
Explanation:	Information about an attached multi media file. The referencing can be done in the general part or for each item separately. (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/iddta/PurchaseOrder/File/1/0	[AnyUri]	0..1
File	supplementalSemanticId: 0173-1#02-ABK126#001 Link to the multimedia file (Optional)		
[Prop]	https://admin-shell.io/iddta/PurchaseOrder/MimeType/1/0	[String]	0..1
MimeType	supplementalSemanticId: 0112/2///61360_4#ACB113#001 MIME type of the multimedia file (Optional)		
[Prop]	https://admin-shell.io/iddta/PurchaseOrder/MimePurpose/1/0	[String]	0..1
MimePurpose	Purpose of the file, e.g. white paper, standard, hazard document (Optional)		
[Prop]	https://admin-shell.io/iddta/PurchaseOrder/Comment/1/0	[String]	0..1
Comment	supplementalSemanticId: 0173-1#02-ABI768#001 Comment or description of the multimedia file (Optional)		

3.46. ItemList

Table 47. Elements of SubmodelElementList "ItemList"

idShort:	ItemList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/iddta/PurchaseOrder/ItemList/1/0		
Parent:	PurchaseOrder		
Explanation:	Bill of material of order (Mandatory)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	

[SMC]	https://admin-shell.io/idta/PurchaseOrder/Item/1/0	[]	1..*
Item	Information about an item or line of the order (Mandatory)	51 elements	

3.47. Item

Table 48. Elements of SubmodelElementCollection "Item"

idShort:	Item		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/Item/1/0		
Parent:	ItemList		
Explanation:	Information about an item or line of the order (Mandatory)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] RefPurchaseRequestNotificationItem	https://admin-shell.io/idta/PurchaseOrder/RefPurchaseRequestNotificationItem/1/0 ID of the Item in the purchase request (Optional)	[String]	0..1
[Prop] RefQuotationItemID	https://admin-shell.io/idta/PurchaseOrder/RefQuotationItemID/1/0 ID of the Item in the quotation (Optional)	[String]	0..1
[Prop] ItemID	https://admin-shell.io/idta/PurchaseOrder/ItemID/1/0 supplementalSemanticId: 0173-1#02-AAO837#002 Unique ID of the item, e.g. position number or position line (Mandatory)	[String]	1
[Prop] ParentItemID	https://admin-shell.io/idta/PurchaseOrder/ParentItemID/1/0 ID of the parent item or line (Optional)	[String]	0..1
[Prop] ItemClassification	https://admin-shell.io/idta/PurchaseOrder/ItemClassification/1/0 classification of the item: material, wages or service (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/ItemType/1/0	[String]	0..1
ItemType	Specifies the type of item. Possible values are: composite: Identifies an item group. item: independent line item. lean: no child item is expected for the line (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ItemStatus/1/0	[String]	0..1
ItemStatus	supplementalSemanticId: 0173-1#02-AAO683#004 Status of the item (IsClosed, IsOpen, IsDeleted) (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ServiceType/1/0	[String]	0..1
ServiceType	Represents the type of the service line. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/DeliveryTerms/1/0	[AnyUri]	0..1
DeliveryTerms	supplementalSemanticId: 0173-1#02-AAX438#003 Contains additional information for transportation of the shipment (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Agreement/1/0	[AnyUri]	0..1
Agreement	Additional Agreement (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrderQuantity/1/0	[Double]	1
OrderQuantity	supplementalSemanticId: 0173-1#02-AAO255#004 Quantity delivered (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrderQuantityUnit/1/0	[String]	1
OrderQuantityUnit	supplementalSemanticId: 0173-1#02-AAO249#003 Unit in which the product can be ordered; only multiples of this unit can be used be ordered. (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ContentQuantity/1/0	[Double]	0..1
ContentQuantity	supplementalSemanticId: 0173-1#02-AAO251#003 Content quantity (Recommended)		

[Prop] ContentQuantityUnit	https://admin-shell.io/idta/PurchaseOrder/ContentQuantityUnit/1/0 supplementalSemanticId: 0173-1#02-AAO250#003 017 Unit of the content quantity (Recommended)	[String]	0..1
[Prop] CapacityQuantity	https://admin-shell.io/idta/PurchaseOrder/CapacityQuantity/1/0 Number of content units per order quantity unit (Optional)	[Double]	0..1
[Prop] CapacityQuantityUnit	https://admin-shell.io/idta/PurchaseOrder/CapacityQuantityUnit/1/0 Content quantity per content units (Optional)	[Double]	0..1
[Prop] PackageCapacity	https://admin-shell.io/idta/PurchaseOrder/PackageCapacity/1/0 (Optional)	[Double]	0..*
[Prop] PackageQuantity	https://admin-shell.io/idta/PurchaseOrder/PackageQuantity/1/0 (Optional)	[Double]	0..*
[Prop] PackageQuantityUnit	https://admin-shell.io/idta/PurchaseOrder/PackageQuantityUnit/1/0 (Optional)	[String]	0..*
[Prop] UnitOfContentQuantityInContentUnit	https://admin-shell.io/idta/PurchaseOrder/UnitOfContentQuantityInContentUnit/1/0 SI-Einheit für die Angabe der Inhaltsmenge pro Inhaltsmengeneinheit (Optional)	[String]	0..1
[Prop] EngineeringDocumentsRequired	https://admin-shell.io/idta/PurchaseOrder/EngineeringDocumentsRequired/1/0 Boolean variable to indicate if AAS or other Engineering Document is required for the item (Optional)	[Boolean]	0..1

[Prop] DigitalProduct PassRequired	https://admin-shell.io/idta/PurchaseOrder/DigitalProductPassRequired/1/0 Boolean value indicating whether a digital product passport is required (Optional)	[Boolean]	0..1
[Prop] ChainOfCustodyProofRequested	https://admin-shell.io/idta/PurchaseOrder/ChainOfCustodyProofRequested/1/0 Boolean value indicating whether proof of custody chain is required (Optional)	[Boolean]	0..1
[Prop] TollDocuments Required	https://admin-shell.io/idta/PurchaseOrder/TollDocumentsrequired/1/0 Boolean value, indicating whether toll documents are required (Optional)	[Boolean]	0..1
[Ref] ReferenceSub modelTollDocu ments	https://admin-shell.io/idta/PurchaseOrder/ReferenceSubmodelTollDocuments/1/0 Reference to submodel which describes a toll document (Optional)	[]	0..*
[Prop] NetPrice	https://admin-shell.io/idta/PurchaseOrder/NetPrice/1/0 supplementalSemanticId: 0173-1#02-AAO287#003 Der Gesamtnettobetrag für den Eintrag (Optional)	[Double]	0..1
[Prop] GrossPrice	https://admin-shell.io/idta/PurchaseOrder/GrossPrice/1/0 supplementalSemanticId: 0173-1#02-AAO287#003 Der Gesamtbruttobetrag für den Eintrag (Optional)	[Double]	0..1
[Prop] PartialShipme ntAllowed	https://admin-shell.io/idta/PurchaseOrder/PartialShipmentAllowed/1/0 supplementalSemanticId: 0173-1#02-AAO219#005 Flag to indicate whether partial shipment is allowed. If allowed the value is TRUE, FALSE otherwise. The flag is binding for the order. (Optional)	[Boolean]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/IsItemCompletelyDelivered/1/0 Is the item delivered complete? (Optional)	[Boolean]	0..1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/DeliveryTerms/1/0 supplementalSemanticId: 0173-1#02-AAX438#003 Contains additional information for transportation of the shipment (Optional)	[AnyUri]	0..1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Agreement/1/0 Additional Agreement (Optional)	[AnyUri]	0..1
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Remarks/1/0 supplementalSemanticId: 0173-1#02-ABJ035#001 Remark related to a business document (Optional)	[String]	0..*
[Ref]	https://admin-shell.io/idta/PurchaseOrder/CatalogueRef/1/0 Reference to a catalog entry defined in the SMC CatalogReferenceList (Optional)	[]	0..1
[Ref]	https://admin-shell.io/idta/PurchaseOrder/IncotermsRef/1/0 Reference to Incoterms provisions defined in the SMC IncotermsList. Can be referenced in the general part or in the item. (Optional)	[]	0..1
[Ref]	https://admin-shell.io/idta/PurchaseOrder/BusinessPartyRef/1/0 Reference to a business party, e.q. shipment company defined in the SMC PartiesList. Can be referenced in the general part or in the item. Can be referenced in the general part or in the item. (Optional)	[]	0..*

[Ref]	https://admin-shell.io/idta/PurchaseOrder/InternationalRestrictionsRef/1/0	[]	0..*
InternationalRestrictionsRef	Reference to international restrictions defined in the SMC InternationalRestrictionsList. Can be referenced in the general part or in the item. (Optional)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/SpecialTreatmentClassRef/1/0	[]	0..*
SpecialTreatmentClassRef	Reference to a special treatment of goods defined in the SMC SpecialTreatmentList. Can be referenced in the general part or in the item. (Optional)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/MediaRef/1/0	[]	0..*
MediaRef	Reference to a file attachment defined in the SMC MediaList. Can be referenced in the general part or in the item. (Optional)		
[Ref]	https://admin-shell.io/idta/PurchaseOrder/CostCenterRef/1/0	[]	0..*
CostCenterRef	Reference to a cost center defined in the SMC CostCentersList. Can be referenced in the general part or in the item. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ProductDesignation/1/0	[String]	1
ProductDesignation	supplementalSemanticId: 0173-1#02-AAM552#003,0112/2///61360_4#ACB024#002 Name of the product (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ProductShortDescription/1/0	[String]	1
ProductShortDescription	This element contains the short description/name of the product. Basically This description should be short and clear and meaningful within the first 40 characters, as many application systems only use 40 characters can process (Mandatory)		

[Prop]	https://admin-shell.io/ida/PurchaseOrder/ProductDescription/1/0 supplementalSemanticId: 0173-1#02-AAQ842#008,0112/2///61360_4#ACB004#001 This element contains the long description of the product (Mandatory)	[String]	1
[Prop]	https://admin-shell.io/ida/PurchaseOrder/ScopeOfDelivery/1/0 Description of the scope of the delivery (Optional)	[String]	1
[Ref]	https://admin-shell.io/ida/PurchaseOrder/AASItemReference/1/0 Reference to the AAS of the item if it is described in another AAS (Optional)	[]	0..1
[SMC]	https://admin-shell.io/ida/PurchaseOrder/ProductPrice/1/0 supplementalSemanticId: 0173-1#02-AAO255#004 Information on product or article price (Mandatory)	[] 13 elements	1
[SML]	https://admin-shell.io/ida/PurchaseOrder/PartialDeliveryList/1/0 List for defining partial deliveries of an item (Optional)	[] 1 elements	0..1
[SML]	https://admin-shell.io/ida/PurchaseOrder/DeliveryDateList/1/0 List of delivery periods to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Mandatory)	[] 2 elements	1
[SML]	https://admin-shell.io/ida/PurchaseOrder/ScanCodesList/1/0 List of scan codes, e.g. barcodes (Optional)	[] 1 elements	0..1
[SML]	https://admin-shell.io/ida/PurchaseOrder/QualityRequirements/1/0 List of quality requirements for the item (Optional)	[] 1 elements	0..1

[SML] ListProductIDs BusinessPartners	https://admin-shell.io/idta/PurchaseOrder/ListProductIDsBusinessPartners/1/0 List of business party specific product Ids, which can be referenced to business parties defined in SMC InvolvedPartiesList (Optional)	1 elements	0..1
[SML] ExcludedIngredientsList	https://admin-shell.io/idta/PurchaseOrder/ExcludedIngredientsList/1/0 Excluded ingredients list (Optional)	1 elements	0..1

3.48. ProductPrice

Table 49. Elements of SubmodelElementCollection "ProductPrice"

idShort:	ProductPrice		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/ProductPrice/1/0		
Parent:	Item		
Explanation:	Information on product or article price (Mandatory)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop] MinPrice	https://admin-shell.io/idta/PurchaseOrder/MinPrice/1/0 Minimum allowable price (Optional)	[Double]	0..1
[Prop] MaxPrice	https://admin-shell.io/idta/PurchaseOrder/MaxPrice/1/0 Maximal allowable price (Optional)	[Double]	0..1
[Prop] Price	https://admin-shell.io/idta/PurchaseOrder/Price/1/0 supplementalSemanticId: 0173-1#02-AAO287#003 Amount of the fixed price (Mandatory)	[Double]	1

[Prop] PriceQuantity	https://admin-shell.io/idta/PurchaseOrder/PriceQuantity/1/0 If nothing is specified in this field the default value 1 is assumed, in other words the price refers to exactly one order unit. If specified, a multiple or a fraction of the order unit which indicates the quantity to which all the specified prices refer. (Optional)	[Double]	0..1
[Prop] PriceQuantityUnit	https://admin-shell.io/idta/PurchaseOrder/PriceQuantityUnit/1/0 e.g. per meter, per roll (Optional)	[Double]	0..1
[Prop] PriceUnitValue	https://admin-shell.io/idta/PurchaseOrder/PriceUnitValue/1/0 Number of supplied price units (Mandatory)	[Double]	1
[Prop] PriceUnit	https://admin-shell.io/idta/PurchaseOrder/PriceUnit/1/0 supplementalSemanticId: 0173-1#02-AAO295#003 Unit of measurement on which the price is calculated (Mandatory)	[Integer]	1
[Prop] PriceUnitFactor	https://admin-shell.io/idta/PurchaseOrder/PriceUnitFactor/1/0 supplementalSemanticId: 0173-1#02-AAO296#004 The price factor is the conversion factor for price unit and order unit. (Optional)	[Integer]	0..1
[Prop] CostsIncluded	https://admin-shell.io/idta/PurchaseOrder/CostsIncluded/1/0 supplementalSemanticId: 0173-1#02-AAO297#006 Kind of included costs (Optional)	[String]	0..*
[Prop] AllowancesAndCharges	https://admin-shell.io/idta/PurchaseOrder/AllowancesAndCharges/1/0 Sum of allowances and charges (Optional)	[Double]	0..1
[Prop] Shipping	https://admin-shell.io/idta/PurchaseOrder/Shipping/1/0 Shipping costs (Optional)	[Double]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/ShippingTax/1/0	[Double]	0..1
ShippingTax	Tax amount on the shipping costs (Optional)		
[SMC]	https://admin-shell.io/idta/PurchaseOrder/TaxDetails/1/0	[]	0..*
TaxDetails	Tax information (Optional)	8 elements	

3.49. TaxDetails

Table 50. Elements of SubmodelElementCollection "TaxDetails"

idShort:	TaxDetails		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/TaxDetails/1/0		
Parent:	ProductPrice		
Explanation:	Tax information (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CalculationSequence/1/0	[Integer]	0..1
CalculationSequence	Determines the sequence for applying multiple taxes to a basis. The taxes must be applied beginning with the lowest value in the sequence. The tax with the lowest sequence will be calculated first, then follows the tax with the next higher sequence, and so on. If two taxes have the same sequence, both tax factors must be added prior to calculation. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/TaxCategory/1/0	[String]	0..1
TaxCategory	Specifies the tax category as a code. By this it is possible to define the tax not as an absolute value, but as the currently valid percentage. The specification should take place, if possible, by using a common code. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/TaxType/1/0	[String]	0..1
TaxType	Tax type, by using internationally accepted terms, such as VAT for value added tax. (Optional)		

[Prop]	https://admin-shell.io/idta/PurchaseOrder/TaxRate/1/0	[Double]	0..1
TaxRate	supplementalSemanticId: 0173-1#02-AAO290#003 Factor for tax applicable to this price (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/TaxAmount/1/0	[Double]	0..1
TaxAmount	Total amount of the tax to be paid. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/TaxBase/1/0	[Double]	0..1
TaxBase	If used this element specifies the base for the calculation of the tax (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ExemptionReason/1/0	[String]	0..1
ExemptionReason	This element gives the reason why the tax is an exemption from the norm (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Jurisdiction/1/0	[String]	0..1
Jurisdiction	Jurisdiction for the tax (Optional)		

3.50. PartialDeliveryList

Table 51. Elements of SubmodelElementList "PartialDeliveryList"

idShort:	PartialDeliveryList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartialDeliveryList/1/0		
Parent:	Item		
Explanation:	List for defining partial deliveries of an item (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC]	https://admin-shell.io/idta/PurchaseOrder/PartialDelivery/1/0	1 elements	0..*
PartialDelivery	Definition of partial delivery of an item (Optional)		

3.51. PartialDelivery

Table 52. Elements of SubmodelElementCollection "PartialDelivery"

idShort:	PartialDelivery		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/PartialDelivery/1/0		
Parent:	PartialDeliveryList		
Explanation:	Definition of partial delivery of an item (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/OrderQuantity/1/0 supplementalSemanticId: 0173-1#02-AAO255#004 Quantity delivered (Mandatory)	[Double]	0..1

3.52. DeliveryDateList

Table 53. Elements of SubmodelElementList "DeliveryDateList"

idShort:	DeliveryDateList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/DeliveryDateList/1/0		
Parent:	Item		
Explanation:	List of delivery periods to be referenced in the business document. The referencing can be done in the general part or for each item separately. (Mandatory)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC]	https://admin-shell.io/idta/PurchaseOrder/DeliveryDate/1/0 Information about the delivery date. Referencing can be done in the general part or for each article separately. (Mandatory)	[] 7 elements	1..*

[Prop]	https://admin-shell.io/idta/PurchaseOrder/DeliveryComment/1/0	[String]	0..1
DeliveryComment	Delivery comment (Optional)		

3.53. DeliveryDate

Table 54. Elements of SubmodelElementCollection "DeliveryDate"

idShort:	DeliveryDate		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/DeliveryDate/1/0		
Parent:	DeliveryDateList		
Explanation:	Information about the delivery date. Referencing can be done in the general part or for each article separately. (Mandatory)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/DeliveryStartDate/1/0	[Date]	0..1
DeliveryStartDate	supplementalSemanticId: 0173-1#02-AAO257#003,0112/2///61360_4#ADA114#001 Unique date for the start of the delivery period. If an exact delivery date has to be determined, DeliveryStartDate = DeliveryEndDate is set. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/DeliveryEndDate/1/0	[Date]	0..1
DeliveryEndDate	supplementalSemanticId: 0173-1#02-AAO258#003,0112/2///61360_4#ADA114#001 Unique date for the end of the delivery period. If an exact delivery date has to be determined, DeliveryStartDate = DeliveryEndDate is set. (Optional)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/FixedDeliveryDate/1/0	[Date]	0..1
FixedDeliveryDate	The date given is to be interpreted by the recipient as a fixed specified delivery date. (Optional)		

[Prop] OpeningHours Start	https://admin-shell.io/idta/PurchaseOrder/OpeningHoursStart/1/0 Time at the start of regular opening hours on working days. (Optional)	[Time]	0..1
[Prop] OpeningHours End	https://admin-shell.io/idta/PurchaseOrder/OpeningHoursEnd/1/0 Time at the end of regular opening hours on working days. (Optional)	[Time]	0..1
[Prop] PlannedDeliveryDurationInDays	https://admin-shell.io/idta/PurchaseOrder/PlannedDeliveryDurationInDays/1/0 Planned delivery time after receipt of purchase order in days (Optional)	[Integer]	0..1
[Prop] ScopeOfDelivery	https://admin-shell.io/idta/PurchaseOrder/ScopeOfDelivery/1/0 Description of the scope of the delivery (Optional)	[String]	0..1

3.54. ScanCodesList

Table 55. Elements of SubmodelElementList "ScanCodesList"

idShort:	ScanCodesList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/ScanCodesList/1/0		
Parent:	Item		
Explanation:	List of scan codes, e.g. barcodes (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC]	https://admin-shell.io/idta/PurchaseOrder/ScanCodes/1/0	[]	0..*
ScanCodes	Scan code information (Optional)	2 elements	

3.55. ScanCodes

Table 56. Elements of SubmodelElementCollection "ScanCodes"

idShort:	ScanCodes		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/ScanCodes/1/0		
Parent:	ScanCodesList		
Explanation:	Scan code information (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/CodeType/1/0	[String]	1
CodeType	Typ of the Scancode, e.g. NFC, QR-Code, Bar-Code (Mandatory)		
[Prop]	https://admin-shell.io/idta/PurchaseOrder/Code/1/0	[String]	1
Code	Alpha-numeric code (Mandatory)		

3.56. QualityRequirements

Table 57. Elements of SubmodelElementList "QualityRequirements"

idShort:	QualityRequirements		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/QualityRequirements/1/0		
Parent:	Item		
Explanation:	List of quality requirements for the item (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/QualityRequirement/1/0	[String]	0..*
QualityRequirement	Quality requirements for the item as a textual description, e.g., a requirement for specific component tests. (Optional)		

3.57. ListProductIDsBusinessPartners

Table 58. Elements of SubmodelElementList "ListProductIDsBusinessPartners"

idShort:	ListProductIDsBusinessPartners		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/ListProductIDsBusinessPartners/1/0		
Parent:	Item		
Explanation:	List of business party specific product Ids, which can be referenced to business parties defined in SMC InvolvedPartiesList (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[SMC] ProductIDParty	https://admin-shell.io/idta/PurchaseOrder/ProductIDParty/1/0 Business party specific product ID which can be referenced to business parties defined in SMC InvolvedPartiesList (Optional)	[] 3 elements	0..*

3.58. ProductIDParty

Table 59. Elements of SubmodelElementCollection "ProductIDParty"

idShort:	ProductIDParty		
Class:	SubmodelElementCollection		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/ProductIDParty/1/0		
Parent:	ListProductIDsBusinessPartners		
Explanation:	Business party specific product ID which can be referenced to business parties defined in SMC InvolvedPartiesList (Optional)		
Element details:	-		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Ref] BusinessParty	https://admin-shell.io/idta/PurchaseOrder/BusinessParty/1/0 Business party reference in SMC InvolvedPartiesList (Optional)	[]	0..1
[Prop] ProductIDPartySpecific	https://admin-shell.io/idta/PurchaseOrder/ProductIDPartySpecific/1/0 Product ID used by business party (Optional)	[String]	0..1

[Prop]	https://admin-shell.io/idta/PurchaseOrder/ProductnamePartySpecific/1/0	[String]	0..1
ProductnamePartySpecific	Product name used by Business party (Optional)		

3.59. ExcludedIngredientsList

Table 60. Elements of SubmodelElementList "ExcludedIngredientsList"

idShort:	ExcludedIngredientsList		
Class:	SubmodelElementList		
semanticId:	https://admin-shell.io/idta/PurchaseOrder/ExcludedIngredientsList/1/0		
Parent:	Item		
Explanation:	Excluded ingredients list (Optional)		
Element details:	orderRelevant=No, typeValueListElement=SubmodelElementCollection		
[SME type]	semanticId	[valueType]	card.
idShort	Description@en	example	
[Prop]	https://admin-shell.io/idta/PurchaseOrder/ExcludedIngredient/1/0	[String]	0..*
ExcludedIngredient	Name of an excluded ingredient (Optional)		

Chapter 4. Annex A. Explanations on used table formats

4.1. 1. General

The used tables in this document try to outline information as concise as possible. They do not convey all information on Submodels and SubmodelElements. For this purpose, the definitive definitions are given by a separate file in form of an AASX file of the Submodel template and its elements.

4.2. 2. Tables on Submodels and SubmodelElements

For clarity and brevity, a set of rules is used for the tables for describing Submodels and SubmodelElements.

- The tables follow in principle the same conventions as in [5].
- The table heads abbreviate 'cardinality' with 'card'.
- The tables often place two informations in different rows of the same table cell. In this case, the first information is marked out by sharp brackets [] from the second information. A special case are the semanticIds, which are marked out by the format: (type)(local)[idType]value.
- The types of SubmodelElements are abbreviated (see [Table 61](#)):

Table 61. Abbreviations for SubmodelElements

SME type	SubmodelElement type
Blob	Blob
Cap	Capability
Ent	Entity
Evt	Event
File	File
MLP	MultiLanguageProperty
Opr	Operation
Prop	Property
Range	Range
Ref	ReferenceElement
Rel	RelationshipElement
RelA	AnnotatedRelationshipElement
SMC	SubmodelElementCollection
SME	SubmodelElement type
SML	SubmodelElementList

- If an idShort ends with '__00__', this indicates a suffix of the respective length (here: 2) of decimal digits, in order to make the idShort unique. A different idShort might be chosen, as long as it is unique in the parent's context.

- The Keys of semanticId in the main section feature only idType and value, such as: <https://admin-shell.io/vdi/2770/1/0/DocumentId/Id>. The attribute "type" (typically "ConceptDescription" and "(local)" or "GlobalReference") need to be set accordingly; see [6].
- If a table does not contain a column with "parent" heading, all represented attributes share the same parent. This parent is denoted in the head of the table.
- Multi-language strings are represented by the text value, followed by '@'-character and the ISO 639 language code: example@EN.
- The [valueType] is only given for Properties.

Annex B. Example of a Minimal Purchase Order

The following example illustrates how to use the Purchase Order Submodel with a minimal yet recommended set of properties, specifically for a gear pump. It can serve as a practical starting point for implementing this Submodel in real-world scenarios for small .

Figure 8 shows the general part of the purchase order, Figure 9 the item section. In this simplified example, the purchase process involves only two parties: a buyer and a seller. The document type is set to "Order". Other document types such as "Request for Quotation" and "Quotation" follow the same structural setup.

In the general section, key information is captured, including Purchase Order Number, Document Creation Date, Seller Quotation Number, Document Update Date and Time, PurchaseOrderType, Document Status, Language, and Currency.

The general information section is followed by contact details for the involved Parties Buyer and Seller.

The item section (SML ItemList) defines a single item: a specific gear pump model. Additionally, a list of requested certificates and quality requirements defined. Mandatory information on product price is provided and optional tax details. Lastly, the example provides planned delivery dates, ensuring the timeline for fulfillment is clearly communicated.

SM	<T> "PurchaseOrderMinimal" [https://admin-shell.io/idta/PurchaseOrder/1/0]
SMC	"PurchaseOrderInformation" (9 elements) @({SMT/Cardinality=One})
Prop	"DocumentType" = PurchaseOrder @({SMT/Cardinality=One})
Prop	"BuyerPurchaseOrderNumber" = 45523322 @({SMT/Cardinality=One})
Prop	"DocumentCreationDate" = 10.01.2025 @({SMT/Cardinality=One})
Prop	"SellerQuotationNumber" = 29010999-1 @({SMT/Cardinality=ZeroToOne})
Prop	"DocumentUpdateDateTime" = 12.01.2025 08:45:23 @({SMT/Cardinality=One})
Prop	"PurchaseOrderType" = regular @({SMT/Cardinality=One})
Prop	"DocumentStatus" = update @({SMT/Cardinality=ZeroToOne})
Prop	"Language" = en @({SMT/Cardinality=ZeroToOne})
Prop	"Currency" = EUR @({SMT/Cardinality=One})
SML	"InvolvedParties" (2 elements) @({SMT/Cardinality=One})
Ent #00	"PartyBuyer" @({SMT/Cardinality=One})
Prop	"BuyerReferenceID" = 566285 @({SMT/Cardinality=One})
Prop	"OrganizationName1" = Example Buyer GmbH @({SMT/Cardinality=One})
Prop	"CareOfName" = Max Mustermann @({SMT/Cardinality=One})
Prop	"AdditionalAddressline" = Werk Stuttgart @({SMT/Cardinality=One})
Prop	"Street1" = Fertigungsweg 40 @({SMT/Cardinality=One})
Prop	"Zipcode" = 70599 @({SMT/Cardinality=One})
Prop	"CityTown" = Stuttgart @({SMT/Cardinality=One})
Prop	"StateCountry" = Germany @({SMT/Cardinality=One})
Prop	"NationalCode" = DE @({SMT/Cardinality=One})
Prop	"TelephoneNumber" = +497119991111 @({SMT/Cardinality=One})
Prop	"EmailAddress" = max.mustermann@examplebuyer.test @({SMT/Cardinality=One})
Ent #01	"PartySeller" @({SMT/Cardinality=One})
Prop	"BuyerReferenceID" = DEF7890 @({SMT/Cardinality=One})
Prop	"OrganizationName1" = Zeilfelder Pumpen @({SMT/Cardinality=One})
Prop	"OrganizationName2" = ASM Dimatec Deutschland GmbH @({SMT/Cardinality=One})

Figure 8. Minimal Use Case of Submodel Purchase Order shown for an examples of a Gear Pump (part 1)

▲	SML	"ItemList" (1 elements) @ {SMT/Cardinality=One}
▲	SMC #00	"Item" (11 elements) @ {SMT/Cardinality=OneToMany}
	Prop	"ItemID" = P1234567 @ {SMT/Cardinality=One}
	Prop	"OrderQuantity" = 1 @ {SMT/Cardinality=One}
	Prop	"OrderQuantityUnit" = C62 @ {SMT/Cardinality=One}
	Prop	"ContentQuantity" = 1 @ {SMT/Cardinality=ZeroToOne}
	Prop	"ContentQuantityUnit" = 1 @ {SMT/Cardinality=ZeroToOne}
	Prop	"ProductDesignation" = Gear Pump - Type: ZI-65-80K-SPLE-MHP3 @ {SMT/Cardinality=One}
	Prop	"ProductDescription" = Gearpump Blue Serie @ {SMT/Cardinality=One}
	Prop	"ScopeOfDelivery" = Pump with free shaft end, without heating jacket, magnetic coupling with coupl... @ {SMT/Cardinality=One}
▲	SML	"RequestedCertificationsList" (1 elements) @ {SMT/Cardinality=ZeroToOne}
▲	SMC #00	"RequestedCertification" (3 elements) @ {SMT/Cardinality=ZeroToMany}
	Prop	"CertificationType" = Technical Documentation @ {SMT/Cardinality=One}
	Prop	"CertificationRegulation" = Material certificates EN 10204 3.1 for liquid-contact metal parts @ {SMT/Cardinality=One}
▲	SML	"QualityRequirements" (1 elements) @ {SMT/Cardinality=ZeroToOne}
	Prop #00	"QualityRequirement" = PerformanceTests: '- Acceptance according to VDMA 24284... @ {SMT/Cardinality=ZeroToOne}
▲	SMC	"ProductPrice" (4 elements) @ {SMT/Cardinality=One}
	Prop	"Price" = 27121 @ {SMT/Cardinality=One}
	Prop	"PriceUnitValue" = 1 @ {SMT/Cardinality=One}
	Prop	"PriceUnit" = 1 @ {SMT/Cardinality=One}
▲	SMC	"TaxDetails" (3 elements) @ {SMT/Cardinality=ZeroToMany}
	Prop	"TaxType" = VAT @ {SMT/Cardinality=ZeroToOne}
	Prop	"TaxRate" = 0.19 @ {SMT/Cardinality=ZeroToOne}
	Prop	"TaxAmount" = 5172.37 @ {SMT/Cardinality=ZeroToOne}
▲	SML	"DeliveryDateList" (1 elements) @ {SMT/Cardinality=One}
▲	SMC #00	"DeliveryDate" (6 elements) @ {SMT/Cardinality=OneToMany}
	Prop	"DeliveryTerms" = DAP @ {SMT/Cardinality=ZeroToOne}
	Prop	"DeliveryStartDate" = 01.07.2025 @ {SMT/Cardinality=ZeroToOne}
	Prop	"DeliveryEndDate" = 30.07.2025 @ {SMT/Cardinality=ZeroToOne}
	Prop	"FixedDeliveryDate" @ {SMT/Cardinality=ZeroToOne}
	Prop	"PlannedDeliveryDurationInDays" = 180 @ {SMT/Cardinality=ZeroToOne}
	Prop	"DeliveryComment" = Delivery ca 4-5 Months After all technical details have been clarified. @ {SMT/Cardinality=ZeroToOne}

Figure 9. Minimal Use Case of Submodel Purchase Order shown for an examples of a Gear Pump (part 1)

Bibliography

- [1] "Recommendations for implementing the strategic initiative INDUSTRIE 4.0", acatech, April 2013. [Online]. Available <https://www.acatech.de/Publikation/recommendations-for-implementing-the-strategic-initiative-industrie-4-0-final-report-of-the-industrie-4-0-working-group/>
- [2] "Implementation Strategy Industrie 4.0: Report on the results of the Industrie 4.0 Platform"; BITKOM e.V. / VDMA e.V., /ZVEI e.V., April 2015. [Online]. Available: <https://www.bitkom.org/noindex/Publikationen/2016/Sonstiges/Implementation-Strategy-Industrie-40/2016-01-Implementation-Strategy-Industrie40.pdf>
- [3] "The Structure of the Administration Shell: TRILATERAL PERSPECTIVES from France, Italy and Germany", March 2018, [Online]. Available: <https://www.plattform-i40.de/I40/Redaktion/EN/Downloads/Publikation/hm-2018-trilaterale-coop.html>
- [4] "Beispiele zur Verwaltungsschale der Industrie 4.0-Komponente – Basisteil (German)"; ZVEI e.V., Whitepaper, November 2016. [Online]. Available: <https://www.zvei.org/presse-medien/publikationen/beispiele-zur-verwaltungsschale-der-industrie-40-komponente-basisteil/>
- [5] "Verwaltungsschale in der Praxis. Wie definiere ich Teilmodelle, beispielhafte Teilmodelle und Interaktion zwischen Verwaltungsschalen (in German)", Version 1.0, April 2019, Plattform Industrie 4.0 in Kooperation mit VDE GMA Fachausschuss 7.20, Federal Ministry for Economic Affairs and Energy (BMWi), Available: <https://www.plattform-i40.de/PI40/Redaktion/DE/Downloads/Publikation/2019-verwaltungsschale-in-der-praxis.html>
- [6] "Details of the Asset Administration Shell; Part 1 - The exchange of information between partners in the value chain of Industrie 4.0 (Version 3.0RC01)", November 2020, [Online]. Available: <https://www.plattform-i40.de/PI40/Redaktion/EN/Downloads/Publikation/Details-of-the-Asset-Administration-Shell-Part1.html>
- [7] "Semantic interoperability: challenges in the digital transformation age"; IEC, International Electronical Commission; 2019. [Online]. Available: <https://basecamp.iec.ch/download/iec-white-paper-semantic-nteroperability-challenges-in-the-digital-transformation-age-en/>
- [8] VDA 4901: Basic concepts for data exchange in the supply chain V1.0 2019-12, German Association of the Automotive Industry (VDA) [Online]: <https://www.vda.de/de/aktuelles/publikationen/publication/vda-4901---grundbegriffe-zum-datenaustausch-in-der-lieferkette-v1.0-2019-12>
- [9] IDTA Submodel Generic Frame for Technical Data for Industrial Equipment in Manufacturing (Version 1.2): IDTA 2022: [ONLINE]: https://github.com/admin-shell-io/submodel-templates/tree/main/published/Technical_Data/1/2
- [10] IDTA Submodel Capability (Version 1.0): IDTA 2022: [ONLINE]: <https://github.com/admin-shell-io/submodel-templates/tree/main/development/Capability/1/0>