Legend

🔑 Primary key

🔑 Primary key disabled

🔑 User-defined primary key

🔑 Unique key

🔑 Unique key disabled

🔑 User-defined unique key

⚡ Active trigger

⚡ Disabled trigger

⊱─ Many to one relation

⊱─ User-defined many to one relation

─⊰ One to many relation

─⊰ User-defined one to many relation

── One to one relation

─ User-defined one to one relation

@ Input

@ Output

@ Input/Output

Uses dependency

User-defined uses dependency

Used by dependency

User-defined used by dependency

Table: public.format_item

Columns

		Name	Data type	Description / Attributes
▦	🔑	id	bigint	**Default**: nextval('format_item_seq'::regclass)
▦		format_pdf	bigint	**References**: public.format_pdf
▦		item_name	character varying(99)	**Nullable**
▦		item_format	character(1)	**Nullable**
▦		format_format_style	character varying(50)	**Nullable**
▦		max_char	integer	**Nullable**
▦		value	character varying(200)	**Nullable**
▦		isstatic	boolean	**Nullable**

Table: public.format_pdf

Columns

		Name	Data type	Description / Attributes
		id	bigint	
🔲	🔑	mitra	bigint	**Nullable** **References**: public.mitra
🔲		nama_format	character varying(30)	**Nullable**
🔲		file	character varying(255)	**Nullable**
🔲		jml_ttd	integer	**Nullable**
🔲		createdate	timestamp without time zone	**Nullable**
🔲		type_format	character(1)	**Nullable**
🔲		Perfix_param	character varying(60)	**Nullable**

Table: public.letak_ttd

Columns

		Name	Data type	Description / Attributes
	🔑	id	bigint	
		format_pdf	bigint	**References**: public.format_pdf
		ttd_ke	integer	**Nullable** **Default**: 0
		page	integer	**Nullable**
		lx	character varying(32)	**Nullable**
		ly	character varying(32)	**Nullable**
		rx	character varying(32)	**Nullable**
		ry	character varying(32)	**Nullable**
		createdate	timestamp without time zone	**Nullable**
		prf_ke	integer	**Nullable** **Default**: 0
		format_item	bigint	**Nullable**

Table: public.mitra

Columns

		Name	Data type	Description / Attributes
🔲	🔑	id	bigint	**Default**: nextval('mitra_sq'::regclass)
🔲		name	character varying(70)	nama_mitra **Nullable**
🔲		type	character varying(50)	**Nullable**
🔲		i_siup	character varying(100)	link_path siup file (pdf) **Nullable**
🔲		eeuser	bigint	**Nullable**
🔲		address	character varying(100)	**Nullable**
🔲		phone	character varying(15)	**Nullable**
🔲		gedung	character varying(100)	nama_gedung_mitra **Nullable**
🔲		url	character varying(100)	**Nullable**
🔲		fax	character varying(20)	**Nullable**
🔲		content	text	**Nullable**
🔲		custom	boolean	**Nullable** **Default**: false
🔲		logo	character varying(100)	**Nullable**
🔲		help_email	character varying(100)	**Nullable**
🔲		verifikasi	boolean	**Nullable** **Default**: false
🔲		notifikasi	boolean	**Nullable** **Default**: true
🔲		i_npwp	character varying(150)	link_path npwp file (pdf) **Nullable**
🔲		i_tdp	character varying(150)	link_path tdp(tanda daftar perusahaan) file (pdf) **Nullable**
🔲		i_akta_perusahaan	character varying(150)	link_path akta_perusahaan file (pdf) **Nullable**
🔲		i_surat_domisili	character varying(150)	link_path surat domisili file (pdf) **Nullable**
🔲		no_npwp	character varying(150)	no_npwp perusahaan **Nullable**
🔲		no_siup	character varying(150)	no_siup mitra **Nullable**
🔲		no_tdp	character varying(150)	no_tdp(tanda daftar perusahaan) mitra **Nullable**
🔲		no_akta_perusahaan	character varying(150)	no_akta_perusahaan **Nullable**
🔲		no_surat_domisili	character varying(150)	no_surat_domisili perushaan **Nullable**
🔲		email_corporate	character varying(150)	email_company **Nullable**

		Name	Data type	Description / Attributes
		parent_id	bigint	registration authority id **Nullable** **References**: public.mitra
		ekyc	boolean	true = digisign, false = non digisign **Nullable** **Default**: true
		level	character varying(2)	**Nullable** **Default**: 'C4'::character varying
		activation_redirect	character varying(100)	**Nullable**
		signing_redirect	character varying(100)	**Nullable**
		dukcapil	boolean	**Nullable** **Default**: false
		view_redirect	character varying(100)	**Nullable**
		ekyc_tabungan	boolean	ekyc dari bank dengan bukti no rekening bank **Nullable** **Default**: false
		user_sftp	character varying(30)	**Nullable**

Table: public.pdf_generation

Columns

		Name	Data type	Description / Attributes
	🔑	id	bigint	**Default**: nextval('pdf_generation_id_seq'::regclass)
		format_pdf	bigint	**Nullable** **References**: public.format_pdf
		createdate	timestamp without time zone	**Nullable**
		request_time	timestamp without time zone	**Nullable**
		document	character varying(100)	**Nullable**

Table: public.pdf_generation_item

Columns

		Name	Data type	Description / Attributes
⊞	🔑	id	bigint	**Default**: nextval('pdf_generation_item_id_seq'::regclass)
⊞		format_item	bigint	**Nullable** **References**: public.format_item
⊞		pdf_generation	bigint	**Nullable** **References**: public.pdf_generation
⊞		value	character varying	**Nullable**