Legend

- Primary key
- Primary key disabled
- 🔒 User-defined primary key
- Unique key
- Unique key disabled
- User-defined unique key
- Active trigger
- Ø Disabled trigger
- Many to one relation
- \succ User-defined many to one relation
- One to many relation
- User-defined one to many relation
- One to one relation
- User-defined one to one relation
- →@ Input
- @ Output
- Input/Output
- Uses dependency
- Iser-defined uses dependency
- Used by dependency
- Time User-defined used by dependency

Table: public.format_item

		Name	Data type	Description / Attributes
1	7	id	bigint	Default : nextval('format_item_seq'::regclass)
		format_pdf	bigint	References: public.format_pdf
1		item_name	character varying(99)	Nullable
1		item_format	character(1)	Nullable
		format_format_style	character varying(50)	Nullable
1		max_char	integer	Nullable
1		value	character varying(200)	Nullable
1		isstatic	boolean	Nullable

Table: public.format_pdf

		Name	Data type	Description / Attributes
	9	id	bigint	
(11)		mitra	bigint	Nullable References: public.mitra
		nama_format	character varying(30)	Nullable
1		file	character varying(255)	Nullable
(1)		jml_ttd	integer	Nullable
1		createdate	timestamp without time zone	Nullable
(1)		type_format	character(1)	Nullable

Table: public.letak_ttd

		Name	Data type	Description / Attributes
	9	id	bigint	
		format_pdf	bigint	References: public.format_pdf
		ttd_ke	integer	Nullable Default: 0
		page	integer	Nullable
1		lx	character varying(32)	Nullable
1		ly	character varying(32)	Nullable
		rx	character varying(32)	Nullable
		ry	character varying(32)	Nullable
		createdate	timestamp without time zone	Nullable
		prf_ke	integer	Nullable Default: 0
		format_item	bigint	Nullable

Table: public.mitra

		Name	Data type	Description / Attributes
	9	id	bigint	Default : nextval('mitra_sq'::regclass)
III		name	character varying(70)	nama_mitra Nullable
		type	character varying(50)	Nullable
П		i_siup	character varying(100)	link_path siup file (pdf) Nullable
		eeuser	bigint	Nullable
		address	character varying(100)	Nullable
1		phone	character varying(15)	Nullable
		gedung	character varying(100)	nama_gedung_mitra Nullable
[url	character varying(100)	Nullable
		fax	character varying(20)	Nullable
1		content	text	Nullable
III		custom	boolean	Nullable Default: false
		logo	character varying(100)	Nullable
		help_email	character varying(100)	Nullable
111		verifikasi	boolean	Nullable Default: false
111		notifikasi	boolean	Nullable Default: true
		i_npwp	character varying(150)	link_path npwp file (pdf) Nullable
		i_tdp	character varying(150)	link_path tdp(tanda daftar perusahaan) file (pdf) Nullable
1		i_akta_perusahaan	character varying(150)	link_path akta_perusahaan file (pdf) Nullable
1		i_surat_domisili	character varying(150)	link_path surat domisili file (pdf) Nullable
(11)		no_npwp	character varying(150)	no_npwp perusahaan Nullable
III		no_siup	character varying(150)	no_siup mitra Nullable
1		no_tdp	character varying(150)	no_tdp(tanda daftar perusahaan) mitra Nullable
1		no_akta_perusahaan	character varying(150)	no_akta_perusahaan Nullable
		no_surat_domisili	character varying(150)	no_surat_domisili perushaan Nullable
		email_corporate	character varying(150)	email_company Nullable

	Name	Data type	Description / Attributes
	parent_id	bigint	registration authority id Nullable References: public.mitra
	ekyc	boolean	true = digisign, false = non digisign Nullable Default: true
I	level	character varying(2)	Nullable Default: 'C4'::character varying
(8)	activation_redirect	character varying(100)	Nullable
100	signing_redirect	character varying(100)	Nullable
(B)	dukcapil	boolean	Nullable Default: false
(1)	view_redirect	character varying(100)	Nullable
1	ekyc_tabungan	boolean	ekyc dari bank dengan bukti no rekening bank Nullable Default: false
1	user_sftp	character varying(30)	Nullable

Table: public.pdf_generation

		Name	Data type	Description / Attributes
1	9	id	bigint	Default : nextval('pdf_generation_id_seq'::regclass)
[1]		format_pdf	bigint	Nullable References: public.format_pdf
1		createdate	timestamp without time zone	Nullable
1		request_time	timestamp without time zone	Nullable
1		document	character varying(100)	Nullable

Table: public.pdf_generation_item

		Name	Data type	Description / Attributes
	9	id	bigint	Default : nextval('pdf_generation_item_id_seq'::regclass)
		format_item	bigint	Nullable References: public.format_item
(11)		pdf_generation	bigint	Nullable References: public.pdf_generation
[1]		value	character varying	Nullable