

Developer Functional Flow Document

30-Day Gut Reset Beta Pilot

Mobile Web + WhatsApp + Physical Reset Card + QR + Response-Learning System

1. What We Are Building

We are building a lightweight 30-day guided product journey.

This is not a full app.

This is not a medical diagnosis tool.

This is not a content platform.

This is not just a WhatsApp reminder bot.

The system supports a physical gut-support capsule routine through:

1. Mobile web onboarding
2. Day 0 baseline setup
3. Start-plan setup
4. Day 1 activation
5. Light daily adherence capture
6. Physical Reset Card support
7. QR / WhatsApp backup tracking
8. Milestone check-ins
9. Positive-shift logging
10. Unusual-day reporting
11. Safety flagging
12. Drop-off / reactivation handling
13. Day 30 response summary
14. GRI / GRS scoring
15. Final response classification
16. Day 30 next-step decision
17. Admin dashboard

The user-facing promise:

Take it. Track it lightly. Know what changed. Know what to do next.

2. Core Build Principle

Build this as a **30-day guided response-learning system**, not as a normal form or reminder tool.

The core loop:

```
Capture minimal useful data
→ Interpret at the right milestone
→ Give the user a simple personalized summary
→ Tell the user what to do next
→ Store clean pilot data for founder learning
```

The user should feel:

"I took the capsule, marked my card, and the system helped me understand what happened."

3. What This Is / Is Not

3.1 This Is

A guided reset for recurring, non-severe digestive discomfort.

Target user behaviour:

- User has bloating / heaviness / gas / irregular comfort / stomach feeling off
- User does not want a heavy diet diary
- User wants to know whether a 30-day routine helped
- User wants clarity after 30 days


3.2 This Is Not

The system must not position itself as:

- Medical diagnosis
 - Treatment
 - Detox
 - Cure
 - Instant relief
 - Doctor replacement
 - Lab-test interpretation
 - Microbiome improvement proof
-

4. Master Journey

Product handover / QR / link



5. Core Modules

Module 1 — User Onboarding

Includes:

- QR / link entry
- Landing page
- User creation
- WhatsApp consent
- Day 0 setup

Module 2 — Routine Setup

Includes:

- Start date
- Capsule timing
- Product/card location
- Reminder preference
- Missed-day rule
- Unusual-day rule
- Positive-shift rule

Module 3 — 30-Day Check-In Engine

Includes:

- Day 1 activation
- Daily adherence, if selected
- Day 3
- Day 7
- Day 14
- Day 21
- Day 30

Module 4 — Event-Based Side Flows

Includes:

- Unusual-day reporting
- Positive-shift logging
- Drop-off / reactivation
- Safety escalation

Module 5 — Final Interpretation

Includes:

- GRI
- GRS
- Final classification
- Day 30 summary
- Next-step recommendation
- Paid intent
- Testimonial capture

Module 6 — Admin Dashboard

Includes:

- User progress
- Safety flags
- Drop-offs
- GRI / GRS
- Final classification
- Commercial signals
- Feedback

6. User Status Definitions

Status	Meaning
created	User exists but has not started Day 0
day0_started	Day 0 setup started but incomplete
day0_complete	Baseline setup complete
start_plan_complete	Start date and routine locked
day1_pending	Start date reached but first capsule not confirmed
active	User confirmed first capsule and reset is running
monitor	Mild discomfort or mixed response; continue carefully
pause	Clearly worse; pause capsule and manual review needed
doctor_first	Severe/unusual symptoms; stop capsule and consult doctor
dropped_off	User inactive or missed key check-ins
reactivated	User returned after drop-off
completed	Day 30 completed
not_started	User did not begin after onboarding
stopped	User stopped product or product did not suit

7. Step 1 — Landing / Idea Sell

A. Purpose

Explain the program and move the user to Day 0 setup.

The user should understand:

1. What this is
2. Who it is for
3. Who it is not for
4. What they need to do
5. What they get at Day 30

B. Entry Trigger

User enters through:

- Founder-shared link
- QR on instruction card
- QR on Reset Card
- QR on bottle / pack
- WhatsApp START link

C. User Flow Diagram

User opens link / scans QR
↓
Landing page opens
↓
User reads program explanation
↓
User clicks "Start Your Reset"
↓
System creates / identifies user
↓
User moves to Day 0 Setup

D. User-Facing Copy

Headline:

30 days. One daily capsule. No guessing.

Support copy:

For the days when your stomach often feels bloated, heavy, gassy, or unpredictable.

This is not instant relief for today's stomach discomfort.

This is a guided 30-day reset for people whose digestion keeps feeling off repeatedly.

3-step method:

1. Take it daily
2. Track lightly
3. Know what changed

CTA:

Start Your Reset

E. Data Captured

- page_view
 - start_reset_clicked
 - user_source
 - source_channel
 - qr_source_if_applicable
 - timestamp
 - device_type
 - campaign_source_optional
-

F. System Action

- Create user if new
 - Identify user if returning
 - Store source and QR context
 - Move user to Day 0 Setup
-

G. Admin Impact

Admin should see:

- New user created
 - Source channel
 - QR source
 - Started setup / not started setup
-

H. Edge Cases

Case	System Action
User opens link but does not start	Store as landing_view_only
User scans QR again later	Identify existing user and resume current step
User starts from WhatsApp	Pre-fill phone where possible
User starts from QR without phone	Ask for phone before Day 0 completion

8. Step 2 — Day 0 Setup

A. Purpose

Day 0 captures the user's starting point.

This is not a medical form.
This is not an eligibility test.
This is not a diagnosis.

It captures enough baseline data to compare Day 0 with Day 30.

B. Entry Trigger

User clicks "Start Your Reset" from landing page.

C. User Flow Diagram

```
graph TD
    A[Day 0 Setup Start] --> B[Select priority areas]
    B --> C[Define success expectation]
    C --> D[Capture symptom frequency baseline]
    D --> E[Capture quantified scores]
    E --> F[Capture suspected triggers]
    F --> G[Capture recent disruption context]
    G --> H[Safety acknowledgement]
    H --> I[WhatsApp consent]
    I --> J[Day 0 Complete]
    J --> K[Move to Start Plan]
```

D. Screen Sections

Section 1 — Priority Areas

Question:

Choose up to 3 areas you want to watch during your 30-day reset.

Options:

- Bloating
- Gas
- Heaviness after meals
- Food not sitting well
- Unpredictable bathroom timing
- Stomach feels blocked or stuck
- Heartburn or sour burning
- Burping
- Stomach discomfort after outside food
- Stomach feels tight or uneasy
- Food sitting like concrete
- Stomach feels off, but I am not sure why
- I just want to try a 30-day reset
- Something else

If “Something else”:

Show one-line text field.

Section 2 — Success Expectation

Question:

At the end of 30 days, what would make this reset feel successful for you?

Options:

- Less bloating
- More regular bathroom routine
- Less heaviness after meals
- Less gas or burping
- Fewer acidity episodes
- Feeling lighter after food
- Understanding my triggers better
- Building a consistent routine
- I am not sure, I just want to try

Optional open field:

In one line, what are you hoping changes?

Section 3 — Symptom Frequency Baseline

Ask frequency for:

1. Bloating
2. Gas or burping
3. Heaviness after meals
4. Regularity
5. Acidity or burning
6. Overall stomach comfort

Frequency options:

- Not at all
- 1–2 days
- 3–4 days
- 5–6 days
- Almost every day

For regularity, include:

- Prefer not to say

Section 4 — Quantified Gut Signal Baseline

Ask scores:

1. Bloating severity: 0–10
2. Gas / burping severity: 0–10
3. Heaviness after meals: 0–10
4. Acidity / burning: 0–10
5. Overall stomach comfort: 1–10

Score logic:

- Symptom severity: 0 = none, 10 = severe
- Comfort: 1 = very uncomfortable, 10 = very comfortable

Optional rescue remedy question:

In the last 7 days, did you use any quick relief method for digestion?

Options:

- Home remedy
- Antacid / acidity medicine
- Digestive tablet / syrup
- Doctor-prescribed medicine
- Nothing
- Prefer not to say

Section 5 — Suspected Triggers

Question:

Pick up to 3 things you suspect disrupt your system the most.

Options:

- Outside food / restaurant food
- Fried or spicy food
- Late dinner
- Overeating or heavy meals
- Dairy
- Sweets or sugar
- Packaged snacks
- Alcohol
- Too much tea or coffee
- Stress
- Poor sleep
- Travel or routine change
- Sitting for long hours
- Not drinking enough water
- Not sure
- Something else

Section 6 — Recent Disruption Context

Question:

In the last 2 weeks, did anything unusual happen that may have affected your digestion?

Options:

- Travel or routine change
 - Illness / fever
 - Major stress
 - Poor sleep stretch
 - Heavy outside food
 - Alcohol
 - Major diet change
 - Period-related digestive change
 - None
 - Not sure
-

Section 7 — Safety Acknowledgement

Show safety copy:

This product is for general digestive support.

Please speak to a doctor before starting if you have:

- Severe abdominal pain
- Blood in stool
- Persistent diarrhoea
- Unexplained weight loss
- Fever or vomiting
- Black stools
- Pregnancy or breastfeeding
- Serious medical condition
- Recent surgery
- Currently on antibiotics or regular prescription medication

Checkbox:

I understand this is not a diagnosis or medical treatment.

Section 8 — WhatsApp Consent

Ask:

Can we send your reset reminders and check-ins on WhatsApp?

Options:

- Yes
- No

If No:

Allow web-only flow, but mark as WhatsApp opt-out.

E. Branch Logic Table

User Action	System Action	Status
Completes all required fields	Save baseline and move to Start Plan	day0_complete

User Action	System Action	Status
Leaves midway	Save partial data	day0_started
Does not accept safety acknowledgement	Do not allow start	blocked_safety_ack
Selects WhatsApp consent yes	Enable WhatsApp reminders	whatsapp_opt_in = true
Selects WhatsApp consent no	Web/QR-only journey	whatsapp_opt_in = false
Selects severe concerns in open text	Mark manual review	manual_review_required = true

F. Data Captured

- selected_priority_area_1/2/3
- success_expectation_primary
- success_expectation_open_text
- baseline frequency fields
- quantified gut signal scores
- suspected triggers
- recent disruption fields
- rescue remedy usage
- safety acknowledgement
- medical disclaimer acknowledgement
- WhatsApp consent
- Day 0 completed timestamp

G. System Action

- Store Day 0 baseline
- Store quantified scores as checkpoint_day = 0
- Store success expectation for Day 30 use
- Store recent disruption for final interpretation
- Move user to Start Plan

H. Admin Impact

Admin should see:

- Day 0 complete / incomplete
- Priority areas
- Success expectation
- Baseline comfort
- Recent disruption
- Safety acknowledgement
- WhatsApp opt-in status

I. Edge Cases

Case	System Action
User abandons Day 0	Send Day 0 completion reminder
User skips optional open fields	Allow progression
User selects “Prefer not to say” for regularity	Store as prefer_not_to_say
User does not consent to WhatsApp	Continue web-only
User reports serious issue in open text	Flag manual review

9. Step 3 — Start Plan

A. Purpose

Start Plan converts the user from “interested” to “ready to start.”


It locks:

1. Start date
2. Capsule timing
3. Capsule/card location
4. Reminder preference
5. Missed-day rule
6. Unusual-day rule
7. Positive-shift rule

B. Entry Trigger

Day 0 setup completed.

C. User Flow Diagram



D. Screen Fields

Start Date

Options:

- Today
- Tomorrow
- Pick a date

Capsule Timing

Options:

- After breakfast
- After lunch
- After dinner
- With another daily supplement
- Before leaving for work
- At night before bed
- I will choose my own time

Capsule + Card Location

Options:

- Dining table

- Kitchen shelf
- Work desk
- Bedside table
- Supplement box
- Bag / office drawer
- Somewhere else

Reminder Style

Options:

- Daily capsule reminder
- Only important check-in reminders
- No reminders

If daily reminder selected:

Ask reminder time.

Missed-Day Rule

Checkbox:

I understand I should not double up if I miss a day.

Unusual-Day Rule

Checkbox:

I understand when to report unusual discomfort.

Positive-Shift Rule

Checkbox:

I understand I can report a positive shift if I notice one.

E. Branch Logic Table

User Selection	System Action	Backend Status	Next Trigger
Start today	Set selected_start_date = today	start_plan_complete	Day 1 prompt today

User Selection	System Action	Backend Status	Next Trigger
Start tomorrow	Set selected_start_date = tomorrow	start_plan_complete	Day 1 prompt tomorrow
Pick a date	Store selected date	start_plan_complete	Day 1 prompt on selected date
Daily reminder	Ask reminder time and enable daily prompts	daily_reminder_enabled	Daily prompt
Milestone only	Disable daily prompts, enable milestone prompts	milestone_only	Day 3/7/14/21/30 only
No reminders	Disable WhatsApp prompts except user-initiated/QR	no_reminders	User must use QR/web
Missed-day checkbox not accepted	Do not complete start plan	start_plan_incomplete	Stay on screen
Unusual-day checkbox not accepted	Do not complete start plan	start_plan_incomplete	Stay on screen

F. Data Captured

- selected_start_date
- capsule_moment
- capsule_card_storage_location
- reminder_style
- reminder_time
- reminder_channel
- missed_day_rule_confirmed
- unusual_day_rule_confirmed
- positive_shift_logging_explained
- start_plan_completed_at

G. System Action

- Schedule Day 1 activation
- Schedule milestone triggers from selected start date
- Store reminder preference
- Send WhatsApp confirmation if opted in

H. Admin Impact

Admin should see:

- Start Plan complete / incomplete
 - Selected start date
 - Reminder style
 - Capsule timing
 - Product/card location
-

I. Edge Cases

Case	System Action
User picks date in past	Block date selection
User starts today but does not complete Day 1	Day 1 pending logic
User selects no reminders	Keep journey active but user must enter via QR/web
User changes start date before Day 1	Reschedule milestones

10. Step 4 — Day 1 Activation

A. Purpose

Day 1 confirms that the user has actually started the reset.

This is not a symptom-tracking step.

The goal is only to confirm:

1. User took first capsule
 2. User marked Reset Card or confirmed digitally
 3. Actual start date is locked
 4. Future milestone dates are scheduled correctly
-

B. Entry Trigger

This step is triggered on the selected start date from the Start Plan.

Trigger source:

- WhatsApp reminder
 - Web dashboard
 - QR scan from card/pack
 - Manual founder link
-

C. User Flow Diagram

```
Selected Start Date Arrives
      ↓
System sends Day 1 prompt
      ↓
Question: Have you taken your Day 1 capsule?
      ↓
Options:
1. Yes, taken
2. Not yet
3. I want to start tomorrow
      ↓
Branch based on user response
```

D. Screen Copy

Day 1 starts today.

Take your first gut-support capsule at your chosen time.

After taking it, mark Day 1 on your 30-Day Reset Card.

That is all you need to do today.

No symptom tracking today.

No food diary.

Just start.

Question:

Have you taken your Day 1 capsule?

Options:

- Yes, taken

- Not yet
- I want to start tomorrow

E. Branch Logic Table

User Selection	User Message	System Action	Backend Status	Next Trigger
Yes, taken	“Good. Day 1 is complete. Now mark Day 1 on your Reset Card.”	Lock actual_start_date as today if not already locked. Mark Day 1 as activated. Ask/record card marked confirmation.	day1_status = activated; adherence_day1 = taken; actual_start_date = today	Schedule Day 3, 7, 14, 21, 30 from actual_start_date
Not yet	“No problem. We will leave your Day 1 open. Take it when you hit your anchor routine today, mark your card, and we will check back later if reminders are enabled.”	Keep Day 1 pending. Do not count capsule as taken. Send one gentle follow-up later if reminders are enabled.	day1_status = pending; adherence_day1 = not_yet	Same-day follow-up if enabled
I want to start tomorrow	“No problem. Your reset will start tomorrow. Do not take extra capsules later to catch up. Just start fresh tomorrow.”	Move actual_start_date to tomorrow. Reschedule all milestone dates. Do not count today as skipped.	start_date_rescheduled = true; actual_start_date = tomorrow; day1_status = rescheduled	New Day 1 prompt tomorrow
No response	No immediate user-facing message except one gentle reminder if enabled	Keep Day 1 pending. If no response after follow-up, mark no_response.	day1_status = no_response; adherence_day1 = no_response	Trigger Day 1 reactivation next day
User says taken later	“Good. Day 1 is now complete. Mark Day 1 on your Reset Card.”	Convert pending to activated. Lock actual_start_date as today.	day1_status = activated; adherence_day1 = taken	Schedule milestones

User Selection	User Message	System Action	Backend Status	Next Trigger
after “Not yet”				from today
User misses entire day and responds next day	Ask: “Did you take your first capsule yesterday, or do you want to start today?”	Branch based on answer. If took yesterday, keep original date. If starting today, shift actual_start_date.	Depends on selection	Reschedule if needed

F. Next-Morning Edge Case

If user chooses “Not yet” and does not respond by end of day, next morning message should be:

Looks like Day 1 did not get locked yesterday. What happened?

Options:

- I took it yesterday
- I want to start today
- I want to start tomorrow
- I no longer want to start

Selection	Action
I took it yesterday	Mark Day 1 as taken on original start date
I want to start today	Shift actual_start_date to today
I want to start tomorrow	Shift actual_start_date to tomorrow
I no longer want to start	Mark user as not_started / dropped before activation

G. Passive Links

Show small passive links only:

- Something feels unusual?
- Notice something better?

Do not push these prominently on Day 1.

H. Data Captured

- selected_start_date
 - actual_start_date
 - day1_status
 - day1_response
 - day1_response_timestamp
 - adherence_day1
 - card_marked_day1
 - start_rescheduled_yes_no
 - new_start_date
 - no_response_status
 - reactivation_required_yes_no
-

I. System Action

- Lock actual_start_date
 - Schedule milestones from actual_start_date
 - Start daily routine if activated
 - Reschedule if start moved
 - Trigger follow-up if pending
-

J. Admin Impact

Admin should see:

- Day 1 activated
 - Day 1 pending
 - Start rescheduled
 - No response
 - Not started
 - Needs manual follow-up
-

11. Step 5 — Daily Capsule Routine

A. Purpose

Support daily adherence without creating tracking fatigue.

Daily prompt should capture only capsule status.

No daily symptom diary.

No food logging.

B. Entry Trigger

Triggered daily only if user selected daily reminder.

If user selected milestone-only or no reminders, daily prompts are not sent.

C. User Flow Diagram

```
graph TD
    A[Daily reminder time arrives] --> B[System checks reminder preference]
    B --> C{If daily reminder enabled}
    C --> D[Send "Capsule taken today?"]
    D --> E[User selects:  
Taken / Not yet / Skipped]
    E --> F[System stores adherence]
    F --> G[One follow-up only if needed]
```

D. Prompt Copy

Reset Day [X]: Capsule taken today?

Options:

- Taken
 - Not yet
 - Skipped
-

E. Branch Logic Table

User Selection	User Message	System Action	Backend Status
Taken	“Good. Mark Day [X] on your Reset Card.”	Store taken	adherence_d ay_x = taken
Not yet	“No issue. Take it at your routine moment today and mark your card after taking it.”	Keep day open; optional later follow-up	adherence_d ay_x = not_yet
Skipped	“No problem. Do not double up tomorrow. Just continue with your next capsule.”	Store skipped	adherence_d ay_x = skipped
No response	One follow-up only	Store no_response if still no reply	adherence_d ay_x = no_response
User later changes Not yet to Taken	Update status	Replace not_yet with taken	adherence_d ay_x = taken

F. Data Captured

- user_id
- reset_day
- calendar_date
- reminder_sent
- reminder_sent_at
- reminder_response
- response_timestamp
- taken_status
- not_yet_status
- skipped_status
- no_response_status
- followup_sent
- followup_response

G. System Action

- Store adherence
- Do not trigger symptom questions
- Detect repeated misses for drop-off logic

H. Admin Impact

Admin should see:

- Daily adherence estimate
 - Missed days
 - No-response pattern
 - Repeated skipped days
-

I. Edge Cases

Case	System Action
User says “Not yet” repeatedly but never confirms	Mark unresolved / no final adherence
User skips 2–3 times in a row	Consider drop-off / reactivation prompt
User replies with free text	Try to map to taken/skipped/not yet; otherwise manual review
User asks side-effect question	Route to manual support / safety if keyword detected

12. Step 6 — Positive-Shift Logging

A. Purpose

Allow the user to voluntarily log improvement.

This captures:

- First positive signal day
 - Time-to-perceived-benefit
 - Improvement type
 - Testimonial trigger
 - Summary personalization
-

B. Entry Trigger

User clicks:

- Notice something better?
 - WhatsApp positive-shift link
 - QR menu
 - Milestone positive-shift link
-

C. User Flow Diagram

User clicks "Notice something better?"
↓
System asks what felt better
↓
User selects positive shift
↓
Optional: ask what was different today
↓
System stores positive event
↓
Use in milestone and Day 30 summaries

D. Question

What felt better today?

Options:

- Less bloating
- Felt lighter after meals
- Bathroom routine felt better
- Less gas or burping
- Less acidity
- Better overall stomach comfort
- Not sure, just felt better
- Other

If Other:

Show one-line text box.

Optional follow-up:

Was there anything different about today?

Options:

- Took capsule consistently
- Ate lighter
- Avoided outside food
- Slept better

- Less stress
- Drank more water
- Routine was better
- Not sure

E. Branch Logic Table

User Selection	System Action	Backend Status
Selects positive shift	Store positive event	positive_event_logged = true
Selects Other	Store custom positive shift	positive_shift_other_text
Skips optional follow-up	Still store positive event	possible_positive_context = blank
Reports discomfort in text	Route to unusual event/safety logic	manual_review if needed

F. User Message After Submission

Good to note.

We have marked this as a positive shift for Day [X].

You do not need to log every good day. Continue your routine and mark your Reset Card.

G. Data Captured

- user_id
 - reset_day
 - calendar_date
 - positive_event_reported_at
 - positive_shift_type
 - positive_shift_other_text
 - possible_positive_context
 - capsule_taken_that_day
 - source_channel
 - used_in_summary_yes_no
-

H. Admin Impact

Admin should see:

- Positive event count
 - First positive event day
 - Positive shift type
 - Users with potential testimonial signal
-

13. Step 7 — Unusual-Day Reporting

A. Purpose

Allow user to report unusual discomfort without forcing daily symptom logging.

This is also the first safety-screening layer.

B. Entry Trigger

Triggered by:

- User clicks “Something feels unusual?”
 - User types unusual / discomfort / pain
 - User selects discomfort in milestone check-in
 - User reports product did not suit
 - Drop-off reason = product did not suit
-

C. User Flow Diagram

```
User reports unusual feeling
      ↓
Ask what felt unusual
      ↓
Ask possible trigger
      ↓
Ask severity
      ↓
Classify:
Mild → Monitor
Clearly worse → Pause
Severe → Stop / Doctor-first
```

D. Questions

Question 1 — What felt unusual?

Options:

- More bloating
- More gas
- Heaviness
- Acidity / burning
- Constipation
- Loose stools
- Cramping or discomfort
- Other

Question 2 — What may have triggered it?

Options:

- Outside food
- Fried or spicy food
- Late meal
- Dairy
- Stress
- Poor sleep
- Travel
- Overeating
- Missed capsule
- Not sure

Question 3 — Severity

Options:

- Mild and manageable
- Clearly worse than usual
- Severe or unusual discomfort

E. Branch Logic Table

Severity	User Message	System Action	Backend Status
Mild and manageable	“We have noted this. Continue only if it feels manageable. If it increases, pause and report it.”	Continue journey, mark monitor	status = monitor
Clearly worse than usual	“Do not push through. Pause the capsule for now. If symptoms continue or feel strong, consult a doctor.”	Pause automation; manual review	status = pause
Severe or unusual discomfort	“Stop the capsule now. Please consult a doctor if symptoms are strong, persistent, or concerning.”	Stop automation; safety flag	status = doctor_first
Safety keyword detected	Doctor-first message	Immediate safety flag	safety_flag = true

F. Data Captured

- unusual_symptom_type
- suspected_trigger
- severity_level
- capsule_taken_that_day
- safety_keyword_detected
- manual_review_required

G. Admin Impact

Admin should see:

- Unusual event
 - Severity
 - Trigger
 - Monitor / Pause / Stop status
 - Manual review required
-

14. Step 8 — Day 3 Comfort Check

A. Purpose

Day 3 is a comfort and safety checkpoint.

It is not for proving results.

It answers:

“Is the product feeling okay so far?”

B. Entry Trigger

Triggered on Day 3 from actual_start_date.

C. User Flow Diagram

```
Day 3 trigger
  ↓
Ask capsules taken so far
  ↓
Ask first 3-day comfort
  ↓
User selects comfort path
  ↓
System classifies:
Continue / Monitor / Pause / Stop
  ↓
Show Day 3 Summary
```

D. Questions

Question 1

How many capsules have you taken so far?

Options:

- 3 capsules
- 2 capsules
- 1 capsule
- I have not started yet

Question 2

Compared with your usual digestion, how have the first few days felt?

Options:

- Normal — nothing unusual
- Slightly better
- Slightly uncomfortable, but manageable
- Clearly worse than usual
- Severe or unusual discomfort

E. Branch Logic Table

Selection	System Action	Backend Status	Next Step
3 capsules	Continue comfort check	day3_capsules = 3	Continue
2 capsules	Continue comfort check	day3_capsules = 2	Continue
1 capsule	Mark inconsistent start	adherence_signal = low	Continue but summary notes weak signal
Not started	Ask user to start now or reschedule	actual_start_date may change	Reschedule Day 3 if needed
Normal	Continue	classification = continue	Day 7
Slightly better	Continue, early positive signal	classification = early_positive	Day 7
Slight discomfort	Ask discomfort + trigger follow-up	classification = monitor	Day 7 with watch
Clearly worse	Pause	classification = pause	Manual review
Severe/unusual	Stop + doctor-first	classification = doctor_first	Automation paused

F. Follow-Up for Slight Discomfort

Ask:

What felt slightly uncomfortable?

Options:

- More bloating
- More gas
- Heaviness
- Acidity or burning
- Loose stools
- Constipation
- Mild cramping
- Other

Ask:

Did anything else stand out in the last 2–3 days?

Options:

- Outside food
- Spicy or fried food
- Late meal
- Dairy
- Stress
- Poor sleep
- Travel
- Missed capsule
- Not sure

G. Data Captured

- capsules taken so far
- early comfort status
- discomfort type
- trigger if relevant
- path classification
- safety flag if any
- summary type shown
- next step

H. Day 3 Summary Requirements

Summary must include:

- Capsules taken so far
- Product comfort
- Current classification
- Next step

I. Admin Impact

Admin should see:

- Day 3 completed / missed
 - Continue / monitor / pause / stop
 - Manual review required
 - Safety flag if any
-

15. Step 9 — Day 7 First-Week Review

A. Purpose

Day 7 is the first meaningful review.

It checks:

1. First-week capsule consistency
 2. Reset Card / QR / digital usage
 3. Product comfort
 4. Early direction
 5. Quantified movement from Day 0
-

B. Entry Trigger

Triggered on Day 7 from actual_start_date.

C. User Flow Diagram

```
Day 7 trigger
  ↓
Ask first-week capsule consistency
  ↓
Ask Reset Card / digital usage
  ↓
Ask product comfort
  ↓
Ask early direction
  ↓
Ask quick quantified scores
  ↓
```

Compare with Day 0
↓
Classify path
↓
Show Day 7 Summary

D. Questions

Question 1 — Capsule Consistency

Life gets sideways in week one. How many days did you successfully match your capsule with your anchor routine?

Options:

- 6–7 days: Locked in
- 3–5 days: Getting there
- 1–2 days: Let's reset the anchor
- I did not really start

Question 2 — Reset Card / Tracking Usage

Were you able to mark your 30-Day Reset Card?

Options:

- Yes, most days
- Some days
- No, I forgot
- I did not use the card, but I tracked digitally
- I did not use any tracker

Question 3 — Product Comfort

How did the product feel in your body during the first week?

Options:

- Comfortable — nothing unusual
- Slightly better than usual
- Mostly the same
- Slightly uncomfortable, but manageable
- Clearly worse than usual
- Severe or unusual discomfort

Question 4 — Early Direction

Compared with your Day 0 starting point, how does your digestion feel after the first week?

Options:

- Slightly better
- About the same
- Mixed — some things better, some things same or worse
- Slightly worse
- Too early to tell

Question 5 — Quantified Signal Check

Ask:

- Bloating severity 0–10
- Heaviness after meals 0–10
- Overall stomach comfort 1–10

Optional:

Did you use any quick relief method this week?

E. Branch Logic Table

Condition	Classification	User Message	Next Step
6–7 capsules + comfortable + slight improvement	early_positive	Early signal, continue	Day 14
6–7 capsules + comfortable + same	no_clear_signal_yet	Too early to judge, continue	Day 14
3–5 capsules	inconsistent_but_active	Response harder to judge	Day 14
1–2 capsules / did not start	low_adherence	Too little to judge	Restart routine
Mixed direction	mixed_early	Track what improved and what did not	Day 14
Slight discomfort	monitor	Continue only if manageable	Day 14 with watch
Clearly worse	pause	Pause capsule	Manual review

Condition	Classification	User Message	Next Step
Severe/unusual	doctor_first	Stop + doctor-first	Automation paused

F. Data Captured

- week1_capsule_count
 - reset_card_usage
 - comfort_status
 - early_direction
 - quantified Day 7 scores
 - quick relief use
 - path classification
 - positive_event_count_to_date
 - summary type
-

G. Summary Requirements

Day 7 summary must include:

- Capsule consistency
 - Tracking method
 - Product comfort
 - Early direction
 - Quantified score movement
 - Positive shifts logged
 - Possible triggers
 - Next step
-

H. Admin Impact

Admin should see:

- Day 7 completed / missed
 - Adherence estimate
 - Tracking usage
 - Early response type
 - Monitor / pause / safety if relevant
-

16. Step 10 — Day 14 Direction Check

A. Purpose

Day 14 is the midpoint review.

It answers:

“Halfway done. Is this moving in the right direction?”

It must connect back to:

- Day 0 priority areas
 - Day 0 success expectation
 - Quantified score movement
-

B. Entry Trigger

Triggered on Day 14 from actual_start_date.

C. User Flow Diagram

```
Day 14 trigger
  ↓
Show Day 0 priority areas
  ↓
Show Day 0 success expectation
  ↓
Ask Week 2 consistency
  ↓
Ask tracking usage
  ↓
Ask two-week product comfort
  ↓
Ask midpoint direction
  ↓
Ask which priority areas improved
  ↓
Ask which still bother user
  ↓
Ask quantified scores
  ↓
Classify midpoint response
  ↓
Show Day 14 Summary
```

D. Questions

Ask:

1. Week 2 capsule consistency
2. Reset Card / QR / digital tracking usage
3. Two-week product comfort
4. Midpoint direction
5. Priority areas improved
6. Priority areas still bothering user
7. Quantified scores
8. Quick relief / rescue remedy use

Quantified scores:

- Bloating 0–10
- Gas/burping 0–10
- Heaviness 0–10
- Acidity 0–10
- Overall stomach comfort 1–10

E. Branch Logic Table

Condition	Classification	User Message	Next Step
Comfortable + clear/slight improvement + score movement	positive_midpoint_signal	Positive midpoint signal, complete full 30 days	Day 21
Comfortable + no clear movement	low_signal_midpoint	No clear change yet, continue if comfortable	Day 21
Some improved, some unresolved	mixed_midpoint_response	Mixed response, watch triggers	Day 21
Inconsistent Week 2	inconsistent_midpoint	Too inconsistent to judge clearly	Continue / reset consistency
Slight discomfort	monitor_closely	Continue only if manageable	Day 21 with watch

Condition	Classification	User Message	Next Step
Clearly worse	pause	Pause capsule	Manual review
Severe/unusual	doctor_first	Stop + consult doctor	Automation paused

F. Data Captured

- week2_capsule_count
 - tracking usage
 - two_week_comfort
 - midpoint_direction
 - priority areas improved
 - priority areas unresolved
 - quantified scores
 - quick relief usage
 - path classification
 - summary type
-

G. Summary Requirements

Day 14 summary must include:

- Week 2 capsule consistency
 - Tracking method
 - Two-week comfort
 - Midpoint direction
 - Day 0 success expectation
 - Priority areas improved
 - Priority areas still bothering user
 - Quantified score movement
 - Positive shifts logged so far
 - Possible triggers
 - Recommended next step
-

H. Admin Impact

Admin should see:

- Day 14 completion

- Midpoint classification
 - GRS movement so far
 - Positive / low / mixed / monitor / pause / stop status
-

17. Step 11 — Day 21 Final-Stretch Check

A. Purpose

Day 21 prepares user to complete the final 9 days.

It checks:

1. Week 3 consistency
 2. Direction since Day 14
 3. Late discomfort
 4. Final-stretch readiness
 5. Optional Phase 2 interest for eligible users
-

B. Entry Trigger

Triggered on Day 21 from `actual_start_date`.

C. User Flow Diagram

```
Day 21 trigger
  ↓
Ask Week 3 consistency
  ↓
Ask tracking usage
  ↓
Ask direction since Day 14
  ↓
Ask priority area quick check
  ↓
Ask late comfort check
  ↓
Ask overall comfort score
  ↓
If eligible, ask Phase 2 interest
  ↓
Show Day 21 Summary
```

D. Questions

Ask:

1. Week 3 capsule consistency
2. Reset Card / QR / digital tracking usage
3. Direction since Day 14
4. Priority area quick check
5. Late comfort check
6. Overall comfort score
7. Optional Phase 2 interest for eligible users

E. Branch Logic Table

Condition	Classification	User Message	Next Step
Improvement continuing	positive_direction_holding	Positive direction is holding	Complete Day 30
Improvement clearer now	late_positive_signal	Late positive signal emerging	Complete Day 30
Mostly same	low_response_signal	Complete if comfortable; low signal so far	Day 30
Mixed good/off days	mixed_week3	Final review will separate partial vs trigger-driven	Day 30
Mild discomfort	late_monitor	Continue only if manageable	Day 30 with caution
Clearly worse	pause	Pause capsule	Manual review
Severe/unusual	doctor_first	Stop + doctor-first	Automation paused

F. Phase 2 Interest Logic

Show only to eligible users:

Eligible:

- Continue
- Positive direction holding
- Late positive signal
- Comfortable low-signal
- Mixed but comfortable

Do not show to:

- Pause
- Stop
- Severe/unusual
- Doctor-first

Prompt:

If the final 30-day summary feels useful, would you consider continuing into a second guided phase?

Options:

- Yes, tell me more
 - Maybe, depending on final results
 - Not sure yet
 - No
-

G. Data Captured

- week3_capsule_count
 - tracking usage
 - direction_since_day14
 - priority_status
 - late_comfort_status
 - overall_comfort_score
 - day21_phase2_interest
 - path classification
-

H. Admin Impact

Admin should see:

- Day 21 completion
 - Final-stretch readiness
 - Phase 2 interest
 - High-risk users before Day 30
-

18. Step 12 — Drop-Off / Reactivation

A. Purpose

Capture why users stop responding or fall out of the journey.

This is critical pilot learning.

B. Trigger Logic

Trigger if:

- User misses a milestone check-in
 - User does not respond for 3–4 days
 - User skips multiple capsule reminders
 - User stops taking capsules
 - User stops using Reset Card
 - User has Day 1 pending for too long
-

C. User Flow Diagram

```
System detects inactivity
      ↓
Send reactivation prompt
      ↓
Ask what happened
      ↓
User selects reason
      ↓
System routes:
Forgot → continue
Too many messages → milestone-only
Product did not suit → discomfort flow
Wants restart → restart
Lost interest → mark drop-off
```

D. Prompt

Looks like you missed a few reset steps. No issue — this helps us understand what happened.

Question:

What happened?

Options:

- I forgot to take the capsule

- I took the capsule but forgot to update
- I did not use the Reset Card
- Travel or routine change
- Product did not suit me
- I did not feel much benefit
- Too many messages
- I lost interest
- I want to restart
- Other

E. Branch Logic Table

User Selection	System Action	Backend Status
Forgot to take capsule	Encourage restart today	reactivation_reason = forgot
Took capsule but forgot to update	Allow adherence correction	reactivation_reason = forgot_to_update
Did not use Reset Card	Offer WhatsApp / QR backup	card_usage_low
Travel or routine change	Mark disruption	disruption_during_reset = true
Product did not suit me	Route to discomfort/safety flow	possible_discomfort
Did not feel much benefit	Mark low perceived value	low_value_signal
Too many messages	Offer milestone-only reminders	reminder_fatigue = true
Lost interest	Mark dropped_off	status = dropped_off
I want to restart	Restart routine from today	status = reactivated
Other	Capture text	manual_review_optional

F. Data Captured

- dropoff_detected_at
- reset_day
- missed_event_type
- missed_event_count

- dropoff_reason
 - restart_requested_yes_no
 - reminder_fatigue_yes_no
 - product_discomfort_yes_no
 - reactivation_response
 - user_status_after_reactivation
-

G. Admin Impact

Admin should see:

- Drop-off reason
 - Reactivation status
 - Users requiring manual follow-up
 - Reminder fatigue users
 - Product discomfort users
-

19. Step 13 — Day 30 Final Review

A. Purpose

Day 30 is the payoff.

The user should understand:

1. What changed
 2. What did not change
 3. Whether the product seemed to suit them
 4. Whether triggers played a role
 5. What they should do next
-

B. Entry Trigger

Triggered on Day 30 from actual_start_date.

C. User Flow Diagram

Day 30 trigger

↓

Ask final capsule consistency
↓
Ask final tracking usage
↓
Ask product comfort over 30 days
↓
Ask priority area review
↓
Ask core signal comparison
↓
Ask Day 30 quantified scores
↓
Ask trigger pattern review
↓
Ask user verdict
↓
Ask continue/repeat intent
↓
Ask recommendation intent
↓
Calculate GRI + GRS
↓
Assign final classification
↓
Generate Day 30 summary
↓
Show next-step decision

D. Final Check-In Sections

Section 1 — Capsule Consistency

Ask:

Since your Day 21 check, how many days did you take the capsule?

Options:

- All remaining days
- Most days
- A few days
- I stopped before Day 30
- I do not remember clearly

Section 2 — Final Tracking Usage

Ask:

Since your Day 21 check, were you able to keep marking your Reset Card or tracking digitally?

Options:

- Yes, most days
- Some days
- No, I forgot
- I tracked digitally
- I stopped tracking
- I do not remember clearly

Section 3 — Product Comfort

Ask:

Overall, how did the product feel in your body during the reset?

Options:

- Comfortable throughout
- Comfortable after the first few days
- Mostly comfortable, with a few off days
- Mixed — sometimes comfortable, sometimes uncomfortable
- Clearly uncomfortable
- I stopped because it did not suit me

Section 4 — Priority Area Review

Show Day 0 priority areas.

Ask:

Which of your selected areas feel better after 30 days?

Options:

- [Selected Area 1]
- [Selected Area 2]
- [Selected Area 3]
- None clearly better

Ask:

Which still bother you?

Options:

- [Selected Area 1]
- [Selected Area 2]
- [Selected Area 3]
- None of these bother me now

Section 5 — Core Signal Comparison

Ask for each:

Compared with Day 0, this is:

- Clearly better
- Slightly better
- About the same
- Worse
- Not relevant for me

Signals:

- Bloating
- Gas / burping
- Heaviness after meals
- Regularity
- Acidity / burning
- Overall stomach comfort

Section 6 — Day 30 Quantified Scores

Ask:

- Bloating 0–10
- Gas / burping 0–10
- Heaviness 0–10
- Acidity 0–10
- Overall stomach comfort 1–10

Optional:

Did you use any quick relief method during the last week?

Section 7 — Trigger Pattern Review

Ask:

During the reset, did you notice any of these affecting your digestion?

Options:

- Outside food / restaurant food
- Fried or spicy food
- Late meals
- Overeating or heavy meals
- Dairy
- Sweets or sugar
- Packaged snacks
- Alcohol
- Too much tea or coffee

- Stress
- Poor sleep
- Travel or routine change
- Sitting for long hours
- Missed capsule days
- Not drinking enough water
- Not sure
- None stood out

Section 8 — User Verdict

After 30 days, which statement feels closest?

Options:

- This reset clearly helped me
- It helped somewhat
- I am not sure
- I did not notice much change
- It did not suit me

Ask:

Would you continue or repeat this kind of reset?

Options:

- Yes, I would continue
- Yes, I may repeat later when needed
- Not sure yet
- No

Ask:

Would you recommend this to someone with similar digestion concerns?

Options:

- Yes
- Maybe
- No

E. Branch Logic Table

Final Pattern	Classification	Decision
Strong adherence + comfort + improvement + positive verdict	Clear Positive Response	Continue / maintenance option
Some improvement + some unresolved + comfortable	Partial Positive Response	Continue only if meaningful
Comfortable but no clear improvement	Low / No Clear Response	Stop; do not continue blindly
Improvement mixed with trigger pattern	Mixed / Trigger-Driven	Focus on top triggers
Low adherence / incomplete data	Inconsistent Usage	Cannot judge; restart only if committed
Product uncomfortable / user stopped	Did Not Suit	Stop
Severe symptoms	Stop / Doctor-First	Stop + consult doctor

F. Data Captured

- final_stretch_capsule_count
- total_capsules_taken
- final_reset_card_usage
- qr_usage_count
- product_comfort_30_days
- day30_comfort_rating
- priority_areas_improved
- priority_areas_unresolved
- core signal comparison
- quantified Day 30 scores
- possible triggers
- top triggers
- user verdict
- continue/repeat intent
- recommendation intent

G. System Action

- Calculate GRI
- Calculate GRS
- Assign final classification
- Generate Day 30 summary

- Generate next-step decision
 - Trigger final feedback
-

20. Step 14 — Scoring Logic

A. GRI — Gut Reset Index

GRI is a product-experience completion score.

Formula:

$$\text{GRI} = (\text{Capsules Taken} \times 2) + (\text{Day 30 Comfort Rating} \times 4)$$

Maximum = 100

Bands:

Score	Band
80–100	Strong Reset Completion
60–79	Moderate Reset Completion
40–59	Low / Incomplete Signal
Below 40	Weak / Insufficient Signal

GRI is not a medical score.
GRI is not an efficacy score.

B. GRS — Gut Response Score

GRS is an internal quantified response layer.

Signals:

- Bloating
- Gas / burping
- Heaviness
- Acidity
- Overall comfort

Formula:

Total Symptom Burden = bloating + gas/burping + heaviness + acidity

GRS Movement = Day 0 Total Symptom Burden - Day 30 Total Symptom Burden

Comfort Delta = Day 30 comfort score - Day 0 comfort score

Interpretation:

Pattern	Meaning
Symptom burden reduced + comfort improved	Strong response signal
Some symptoms reduced	Partial response signal
No meaningful movement	No clear response
Mixed movement + triggers	Mixed / trigger-driven

GRS should not be shown as a medical score.

21. Step 15 — Final Classification

A. Classification Logic

The system should use:

- GRI
 - GRS
 - Adherence
 - Product comfort
 - Priority area movement
 - User verdict
 - Trigger pattern
 - Safety flags
-

B. Final Response Types

1. Clear Positive Response

Use when:

- Adherence strong
- Product comfortable
- Multiple priority areas improved

- GRS improved meaningfully
- Overall comfort improved
- User says reset clearly helped or helped somewhat

2. Partial Positive Response

Use when:

- Some priority areas improved
- Some issues remained
- Product mostly comfortable
- GRS improved partially
- User says it helped somewhat

3. Low / No Clear Response

Use when:

- Product comfortable
- Adherence reasonable
- Priority areas did not clearly improve
- GRS movement weak
- User did not notice much change

4. Mixed / Trigger-Driven Response

Use when:

- Some improvement appears
- Off days connect strongly to triggers
- Response pattern is not clean

5. Inconsistent Usage / Insufficient Data

Use when:

- Adherence low
- Tracking low
- Milestone check-ins incomplete
- Data too weak to judge

6. Did Not Suit / Discomfort Response

Use when:

- Product uncomfortable
- User stopped because it did not suit
- Symptoms worsened

7. Stop / Doctor-First

Use when:

- Severe abdominal pain
 - Persistent diarrhoea
 - Vomiting
 - Fever
 - Rash/allergic reaction
 - Blood in stool
 - Black stools
 - Severe or unusual discomfort
-

22. Step 16 — Day 30 Decision Tree

A. Purpose

Day 30 should not only summarize.

It must tell the user what to do next.

B. Decision Table

Final Classification	User Recommendation	Commercial Action
Clear Positive Response	Continue into maintenance or repeat later when needed	Ask paid continuation + testimonial
Partial Positive Response	Continue only if improvement felt meaningful and product felt comfortable	Offer focused continuation
Low / No Clear Response	Stop; do not continue blindly	No continuation push
Mixed / Trigger-Driven	Focus on top 1–2 triggers	Offer trigger-focused follow-up if available
Inconsistent Usage	Cannot judge; restart only if committed	Offer restart only if user opts in

Final Classification	User Recommendation	Commercial Action
Did Not Suit	Stop	No upsell
Doctor-First	Stop and consult doctor	No restart without medical guidance

23. Step 17 — Day 30 Personalized Summary

A. Summary Requirements

Every Day 30 summary must include:

1. What user wanted to improve
2. User's Day 0 success expectation
3. Capsule consistency
4. Reset Card / QR / WhatsApp usage
5. Day 0 comfort rating
6. Day 30 comfort rating
7. Comfort change
8. GRI score
9. GRS movement
10. Product comfort
11. Areas improved
12. Areas unresolved
13. Core signal comparison
14. Possible triggers
15. Positive shifts logged during reset
16. Recent disruption context, if relevant
17. User verdict
18. Response classification
19. Day 30 decision recommendation
20. Next step

B. Summary Template Structure

Your 30-Day Gut Reset Summary

Here is what we have noted:

- Capsule consistency: [X out of 30]
- Tracking method: [Reset Card / QR / WhatsApp / Low tracking]

- Day 0 comfort rating: [X/10]
- Day 30 comfort rating: [Y/10]
- Comfort change: [+Z]
- GRI: [X/100]
- GRS movement: [Symptom burden reduced / unchanged / mixed]
- Your Day 0 success expectation: [Expectation]
- Areas improved: [Areas]
- Areas still bothering you: [Areas]
- Positive shifts logged: [X]
- Possible triggers: [Triggers]
- Product comfort: [Comfortable / Mixed / Did not suit]

What this means:

[Rule-based interpretation]

Your next step:

[Decision recommendation]

24. Step 18 — Final Feedback

A. Purpose

Capture experience value, commercial intent, recommendation intent, and testimonial consent.

Feedback must happen only after Day 30 summary.

B. User Flow Diagram

```
graph TD
    A[Day 30 summary shown] --> B[Ask usefulness rating]
    B --> C[Ask what created most value]
    C --> D[Ask what was least useful]
    D --> E[Ask paid repeat intent]
    E --> F[Ask reasonable price band]
    F --> G[Ask recommendation intent]
    G --> H[If eligible, ask testimonial consent]
    H --> I[Capture final feedback]
```

C. Questions

Question 1

How useful was this 30-day reset experience?

Options:

- Very useful
- Somewhat useful
- Neutral
- Not very useful
- Not useful

Question 2

What created the most value for you?

Choose up to 2.

Options:

- The capsule itself
- The discipline of taking something daily
- The physical Reset Card
- QR / easy access from the pack or card
- WhatsApp reminders
- Milestone check-ins
- The final response summary
- Understanding possible triggers
- Nothing clearly created value

Question 3

What felt least useful?

Options:

- The capsule routine
- The Reset Card
- QR / scanning
- WhatsApp reminders
- Milestone check-ins
- The final response summary
- Trigger questions
- Nothing felt unnecessary
- Not sure

Question 4

If this was available as a paid 30-day guided reset, what would you do?

Options:

- I would buy again
- I would buy if priced reasonably
- I would recommend it but may not buy again immediately
- I would not buy again
- Not sure

Question 5

What price would feel reasonable?

Options:

- Under ₹999
- Around ₹1,499
- Around ₹1,999
- Above ₹1,999 if the result is strong
- Not sure
- I would not pay for this

Question 6

Would you recommend this to someone with similar digestion concerns?

Options:

- Yes
- Maybe
- No

Question 7

One-line feedback.

Question 8 — For Eligible Users Only

Would you be comfortable sharing a short testimonial?

Options:

- Yes, with my name
- Yes, anonymously
- Maybe later
- No

If yes:

In one line, what changed for you?

Ask permission:

Can we use this feedback in future pilot communication?

Options:

- Yes
 - No
 - Ask me before using
-

D. Data Captured

- usefulness_rating
 - most_valuable_element_1
 - most_valuable_element_2
 - least_useful_element
 - paid_repeat_intent
 - price_band
 - recommendation_intent
 - testimonial_consent
 - testimonial_text
 - usage_permission
 - final_feedback_text
-

25. WhatsApp Logic

A. WhatsApp Prompt Types

The system needs seven prompt types:

1. Onboarding prompt
 2. Daily adherence prompt
 3. Milestone prompt
 4. Unusual event prompt
 5. Positive-shift prompt
 6. Drop-off / reactivation prompt
 7. Safety escalation prompt
-

B. WhatsApp Identity Requirements

To reduce ignored messages:

- User should initiate first message wherever possible.
 - QR should open WhatsApp with pre-filled START.
 - User should be told to save contact as “Gut Reset Check-in.”
 - WhatsApp Business profile should show name, logo, description, support hours.
 - Messages should be short and predictable.
-

C. WhatsApp Fallback

If user does not open web flow, WhatsApp should collect minimum viable data.

Day 0 Fallback

Collect:

1. Primary target
2. Baseline comfort 1–10
3. Success expectation

Day 1 Fallback

Prompt:

Place bottle next to Reset Card.

Button:

I’m Set Up

Day 3 Fallback

How is the product feeling?

Options:

- All Good
- A Bit Reactive

Day 7 / Day 14 Fallback

If web not completed:

Send value drop + one-tap status.

Day 21 Fallback

Ask approximate consistency:

- 15–21 days
- Under 15 days

Day 30 Fallback

Collect:

- Total capsules taken
- Current comfort rating 1–10
- Paid repeat intent
- Value split

Then calculate GRI and send final summary.

26. QR Logic

A. Purpose

QR allows the same experience to work across:

- Founder handover
 - D2C
 - Amazon
 - Pharmacy
 - Retail
 - Referral
 - Community sales
-

B. QR Touchpoints

Required:

1. QR on instruction card — Start Day 0
 2. QR on Reset Card — Continue check-ins
 3. QR on bottle / pack — Resume reset
 4. Optional milestone QR markers — Day 3, 7, 14, 21, 30
-

C. Data Captured

- qr_scan_id
- user_id

- qr_source
 - qr_location
 - scan_timestamp
 - source_channel
 - milestone_context
 - action_taken_after_scan
 - new_user_or_existing_user
 - device_type
-

27. Admin Dashboard

A. User-Level Columns

Admin dashboard should show:

- User ID
- Name
- Phone
- Cohort
- Source channel
- Warm/cold user
- Product batch
- Start date
- Actual start date
- Current reset day
- Current status
- Day 0 completed
- Day 1 activated
- Day 3 status
- Day 7 status
- Day 14 status
- Day 21 status
- Day 30 completed
- Capsule adherence estimate
- Reset Card usage
- QR usage count
- WhatsApp response rate
- Baseline comfort
- Day 30 comfort
- Comfort delta
- GRI score
- GRS movement
- Current classification
- Final response type
- Day 30 decision recommendation
- Safety flag
- Manual review required

- Drop-off reason
 - Reactivation status
 - Day 21 Phase 2 interest
 - Day 30 paid repeat intent
 - Reasonable price band
 - Continue/repeat intent
 - Referral intent
 - Testimonial consent
 - Testimonial available
 - Most valuable element
 - Least useful element
 - Feedback
 - Admin notes
-

B. Dashboard Filters

Filters needed:

- Not started
- Active
- Dropped off
- Continue
- Monitor
- Pause
- Stop
- Safety flag
- Manual review
- Completed
- Clear positive response
- Partial response
- Mixed trigger-driven
- No clear response
- Inconsistent usage
- Did not suit
- Interested in Phase 2
- Would buy again
- Would not buy again
- Would recommend
- Positive event logged
- No positive event logged
- Wants restart
- Reminder fatigue
- Product did not suit
- Testimonial available
- Capsule value selected
- Reset Card value selected
- QR value selected
- Final summary value selected

- Trigger awareness value selected
-

C. Dashboard Metrics

Show:

- Total users onboarded
- Day 0 completion %
- Day 1 activation %
- Day 3 completion %
- Day 7 completion %
- Day 14 completion %
- Day 21 completion %
- Day 30 completion %
- Average capsule adherence
- Average Reset Card usage
- QR usage rate
- WhatsApp response rate
- Average baseline comfort
- Average Day 30 comfort
- Average comfort delta
- Average GRI
- Average GRS movement
- % clear positive response
- % partial positive response
- % no clear response
- % inconsistent usage
- % discomfort response
- % safety flags
- % users with positive event logged
- Average first positive event day
- Top positive shifts
- Drop-off rate by milestone
- Top drop-off reasons
- Reactivation success rate
- % users interested in Phase 2
- % users willing to buy again
- Price band distribution
- Paid intent by response classification
- Paid intent by GRI band
- Paid intent by GRS movement
- % users willing to give testimonial
- Most valuable element distribution
- Least useful element distribution
- Product-vs-experience value split
- % continue/repeat interest
- % recommendation intent

28. Backend Tables

Minimum backend tables:

1. Users
2. Day 0 Baseline
3. Quantified Gut Signals
4. Start Plan
5. Daily Adherence
6. Reset Card Usage
7. QR Scan Events
8. Milestone Check-ins
9. Unusual Events
10. Positive Events
11. Safety Flags
12. Drop-Off / Reactivation
13. Final Review
14. GRI Score
15. GRS Score
16. Final Classification
17. Day 30 Decision Output
18. Commercial Intent
19. Testimonial
20. Feedback
21. Admin Notes

29. Automation Trigger List

Trigger	Condition	Action
Day 0 complete	User completes baseline	Send confirmation; move to Start Plan
Start Plan complete	User locks start date	Schedule Day 1, 3, 7, 14, 21, 30
Day 1	Selected start date arrives	Send Day 1 activation
Daily reminder	User selected daily reminder	Ask “Capsule taken today?”
Day 3	<code>actual_start_date + 3</code>	Send comfort check
Day 7	<code>actual_start_date + 7</code>	Send first-week review

Trigger	Condition	Action
Day 14	actual_start_date + 14	Send midpoint check
Day 21	actual_start_date + 21	Send final-stretch check
Day 30	actual_start_date + 30	Send final review
Positive shift	User clicks positive link	Open positive-shift flow
Unusual event	User clicks unusual link or keyword	Open unusual flow
Safety keyword	Severe/pain/blood/fever etc.	Pause automation; safety flag
Drop-off	Missed milestone / no response 3–4 days	Send reactivation prompt
Final summary shown	Day 30 summary complete	Trigger feedback questions

30. No-Claim Language Rules

The system must never say:

- Your gut is healed
- Your microbiome improved
- This product cured your issue
- Your root cause is identified
- This is a diagnosis
- This is a treatment
- You should continue forever
- You need medical treatment
- Good bacteria increased
- Bad bacteria reduced
- Your gut was rebalanced

Use instead:

- Based on your inputs
- Your response suggests
- This may indicate
- The product seemed to suit you
- The product did not seem to suit you
- Possible trigger
- Response summary
- General digestive support
- Speak to a doctor if symptoms are severe, persistent, or concerning

- Your reported comfort improved
 - Your reported symptom burden reduced
-

31. Build Scope

A. Must Build for V1

- Mobile web onboarding
 - Day 0 baseline setup
 - Day 0 success expectation
 - Recent disruption baseline
 - Quantified gut signal baseline
 - Start plan
 - Day 1 activation
 - Day 3 comfort check
 - Day 7 review
 - Day 14 direction check
 - Day 21 final-stretch check
 - Day 30 final review
 - Positive-shift logging
 - Drop-off / reactivation prompt
 - Paid continuation / willingness-to-pay capture
 - Testimonial consent capture
 - Product-vs-experience value split
 - QR-led entry and tracking
 - WhatsApp reminders
 - WhatsApp quick replies
 - Unusual-day reporting
 - Safety keyword detection
 - Backend database
 - Admin dashboard
 - GRI calculation
 - GRS calculation
 - Day 30 decision tree
 - Response classification
 - Personalized milestone summaries
 - Manual review queue
-

B. Can Be Manual in V1

- Highly polished dashboard
- AI-generated summaries
- Advanced analytics
- Payment automation

- Doctor escalation workflow
 - Complex personalization engine
 - Native app
 - Long-term user history
 - Lab-test integration
 - Microbiome testing
 - Breath testing
-

C. Should Not Build in V1

- Full native app
 - Daily food diary
 - Wearable integration
 - Medical diagnosis engine
 - Community feature
 - Complex gamification
 - Multiple product paths
 - Deep personalization archetypes
 - User-facing product/batch form
 - User-facing current medicine/supplement form
 - Detailed bowel movement form
 - Microbiome test interpretation engine
 - Doctor workflow
-

32. Build Sequence

Phase 1 — Data Architecture

Align on:

- User tables
- Field names
- Status values
- Checkpoint logic
- Safety flag system
- Drop-off detection logic
- QR event tracking
- Summary variables
- GRI formula
- GRS formula
- Classification rules

Phase 2 — User Flow

Build:

- Landing page
- Day 0 setup
- Start plan
- Day 1 activation
- Positive-shift logging
- Unusual-event logging
- Milestone check-ins
- Day 30 review
- Final feedback

Phase 3 — WhatsApp + QR

Build:

- QR routing
- Welcome message
- Daily adherence prompt
- Milestone prompts
- Fallback prompts
- Positive-shift prompt
- Drop-off prompt
- Safety webhook

Phase 4 — Summary Logic

Build:

- Day 3 summary
- Day 7 summary
- Day 14 summary
- Day 21 summary
- Day 30 summary

Phase 5 — Admin Dashboard

Build:

- User progress table
- Filters
- Safety queue
- Drop-off queue
- GRI / GRS view
- Final classifications
- Commercial intent view
- Testimonial view

Phase 6 — Testing

Test:

- Normal user
 - Inconsistent user
 - Mild discomfort user
 - Clearly worse user
 - Severe symptom user
 - No response user
 - User who reschedules start date
 - User who skips capsule
 - User who logs positive shift
 - User who drops off and reactivates
 - User who says messages are too many
 - User who wants restart
 - User who completes Day 30
 - User who shows paid repeat interest
 - User who gives testimonial consent
 - User who uses QR only
 - User who uses Reset Card only
 - User who ignores WhatsApp
 - User who does WhatsApp only
 - User who completes web flow
-

33. Developer Meeting Agenda

Opening Explanation

We are building a lightweight 30-day guided product journey around one capsule.

The system should help the user:

1. Start correctly
2. Stay consistent
3. Check in only at key moments
4. Report issues safely
5. Understand what changed at Day 30
6. Know what to do next

Walkthrough Order

1. Master journey
2. Day 0 setup
3. Start plan

4. Day 1 activation
5. Daily adherence
6. Milestone check-ins
7. Safety flow
8. Drop-off flow
9. Day 30 summary
10. Admin dashboard

Developer Questions to Resolve

1. What is the simplest tech stack for V1?
 2. Should the flow be no-login or OTP-based?
 3. How do we identify users across WhatsApp, QR, and web?
 4. How should milestone scheduling work?
 5. What should be automated vs manual in V1?
 6. How do safety flags pause automation?
 7. What dashboard can be built fastest?
 8. What is the build order?
 9. What are the dependencies from founder side?
 10. What can be launched as MVP first?
-

34. Final Instruction to Developer

Do not build this as a generic form.

Do not build this as a reminder bot.

Build it as a 30-day guided response-learning journey.

The system must preserve three things:

1. Light user experience
2. Clean data capture
3. Useful Day 30 decision

The product experience succeeds when the user says:

“I did the 30 days, and now I know whether this helped me, whether it suited me, and what I should do next.”