

2026 FALL SEMESTER
Programming for Data Science (MACSE502) Lab Record
Practice Program/ Exercise Program

Date: 23-07-2026

Week No.: 03

Program S. No.: 06

Title	Factory Production Analysis and Performance Monitoring System Using NumPy
Problem Statement	A manufacturing company operates 4 production lines across 5 shifts every day. The management wants to analyze production efficiency and identify underperforming production lines. Create a 4×5 NumPy array representing production units manufactured by each production line during different shifts. Perform the following operations: 1. Calculate the mean production units across all shifts and production lines. 2. Calculate the standard deviation to measure production variability. 3. Slice the first 3 production lines and the last 2 shifts. 4. Reshape the array into a 5×4 matrix. 5. Create another 5×4 machine efficiency matrix and perform element-wise multiplication. Mini Project Extension: Develop an industrial Factory Performance Analytics Dashboard that: • Monitors plant-wide production efficiency and effective unit output in real time. • Compares production lines to identify structural operational bottlenecks. • Detects low-performing shifts requiring staffing realignment or tooling maintenance. • Generates automated plant capability and yield compliance reports. • Visualizes manufacturing trends and shift heatmaps using publication-quality charts.
Objectives	• To construct multi-dimensional numerical arrays representing industrial production lines and shifts. • To evaluate global and axis-specific descriptive statistical metrics (mean, standard deviation). • To execute advanced positional array slicing across multi-dimensional matrix axes. • To perform structural array reshaping while maintaining underlying continuous memory integrity. • To execute vectorized element-wise Hadamard matrix multiplication against machine efficiency coefficients. • To build an interactive manufacturing analytics dashboard with heatmaps and line capability profiles.
Dataset URL Link /	The manufacturing production matrix models daily unit yields across 4 production lines (Line 1: Assembly, Line 2: Machining, Line 3: Quality

Student Reg. No: 26MML0045

Name: VEDANT NIMKAR

Faculty: Dr Rajasekhara Babu M, Professor, School of CSE, Vellore Institute of Technology (VIT), Vellore

2026 FALL SEMESTER
Programming for Data Science (MACSE502) Lab Record
Practice Program/ Exercise Program

Date: 23-07-2026

Week No.: 03

Program S. No.: 06

File	Testing, Line 4: Packaging) across 5 operating shifts (Morning, Afternoon, Evening, Night, Graveyard). Nominal capacity is 150 units/shift.						
	Product ion Line	Shift 1	Shift 2	Shift 3	Shift 4	Shift 5	Line Total
	Line 1 (Assem bly)	120	135	150	145	130	680
	Line 2 (Machin ing)	110	115	125	105	100	555
	Line 3 (Testing)	140	145	160	155	150	750
	Line 4 (Packag ing)	130	125	140	135	120	650
	Shift Total	500	520	575	540	500	2,635
Functions Details	Sl. No.	Function	Package	Description of function			
	1	np.array()	numpy	Instantiates multi-dimensional matrix representing plant shift output			
	2	np.mean()	numpy	Computes arithmetic mean across global array and axis dimensions			
	3	np.std()	numpy	Evaluates standard deviation to quantify shift output variability			
	4	ndarray[slice]	numpy	Extracts sub-matrices using multi-axis positional index slicing			
	5	np.reshape()	numpy	Alters array dimensional geometry while preserving buffer data			
	6	np.multiply()	numpy	Performs vectorized element-wise Hadamard matrix multiplication			
	7	np.sum()	numpy	Calculates cumulative unit output along specified axis dimensions			
	8	np.argmin()	numpy	Locates indices of minimum and			

Student Reg. No: 26MML0045

Name: VEDANT NIMKAR

Faculty: Dr Rajasekhara Babu M, Professor, School of CSE, Vellore Institute of Technology (VIT), Vellore

2026 FALL SEMESTER
Programming for Data Science (MACSE502) Lab Record
Practice Program/ Exercise Program

Date: 23-07-2026

Week No.: 03

Program S. No.: 06

				maximum production performance
	9	plt.subplots()	matplotlib.pyplot	Constructs multi-panel industrial visualization canvas
	10	sns.heatmap()	seaborn	Visualizes line-by-shift output intensity and efficiency bottlenecks
	11	plt.bar()	matplotlib.pyplot	Renders comparative line production vs target threshold bars
	12	np.savetxt()	numpy	Exports computed effective production matrix to persistent CSV format
Steps/ Process/ Procedure/ Algorithm/ Flowchart/ Model	Step 1 Import numpy, matplotlib.pyplot, and seaborn libraries. Step 2 Instantiate the 4×5 production matrix representing unit yields across lines and shifts. Step 3 Calculate the grand mean and standard deviation of production units across the plant. Step 4 Extract the sub-array comprising the first 3 production lines and the last 2 operating shifts. Step 5 Reshape the original 4×5 matrix into a 5×4 matrix configuration. Step 6 Construct a 5×4 machine efficiency coefficient matrix with values between 0.85 and 0.98. Step 7 Perform element-wise Hadamard multiplication to derive the effective production output. Step 8 Construct multi-panel Factory Performance Analytics Dashboard visualizing heatmaps and shift curves.			
Program	<pre># Load Necessary Packages import numpy as np # Step 1: Create 4x5 production array (4 production lines x 5 shifts) production = np.array([[120, 135, 150, 145, 130], # Line 1 (Assembly) [110, 115, 125, 105, 100], # Line 2 (Machining) [140, 145, 160, 155, 150], # Line 3 (Testing) [130, 125, 140, 135, 120] # Line 4 (Packaging)]) # Operation 1 & 2: Calculate Mean and Standard Deviation grand_mean = np.mean(production) grand_std = np.std(production)</pre>			

Student Reg. No: 26MML0045

Name: VEDANT NIMKAR

Faculty: Dr Rajasekhara Babu M, Professor, School of CSE, Vellore Institute of Technology (VIT), Vellore

2026 FALL SEMESTER
Programming for Data Science (MACSE502) Lab Record
Practice Program/ Exercise Program

Date: 23-07-2026

Week No.: 03

Program S. No.: 06

```
line_means = np.mean(production, axis=1)
shift_means = np.mean(production, axis=0)

# Operation 3: Slice first 3 production lines and last 2 shifts
# Lines 0,1,2 (first 3 lines) and Shifts 3,4 (last 2 shifts)
sliced_prod = production[:3, -2:]

print('=== Plant Production Matrix (4 Lines x 5 Shifts) ===')
print(production)
print(f'\nGrand Mean Production Output : {grand_mean:.2f} units/shift')
print(f'Grand Standard Deviation      : {grand_std:.2f} units')
print(f'Line Mean Outputs                : {line_means.round(1)} (Min Line:
Line {np.argmin(line_means)+1})')
print(f'Shift Mean Outputs              : {shift_means.round(1)} (Peak
Shift: Shift {np.argmax(shift_means)+1})')
print('\nSliced Sub-Matrix (First 3 Lines, Last 2 Shifts):')
print(sliced_prod)

# Operation 4: Reshape the array into a 5 x 4 matrix
reshaped_prod = production.reshape(5, 4)

# Operation 5: Create 5x4 machine efficiency matrix and perform
element-wise multiplication
efficiency = np.array([
    [0.92, 0.88, 0.95, 0.90],
    [0.89, 0.86, 0.94, 0.88],
    [0.95, 0.91, 0.98, 0.93],
    [0.91, 0.87, 0.93, 0.89],
    [0.88, 0.85, 0.92, 0.87]
])

# Element-wise multiplication (Hadamard product)
effective_output = np.multiply(reshaped_prod, efficiency)

nominal_total = np.sum(reshaped_prod)
effective_total = np.sum(effective_output)
plant_efficiency = (effective_total / nominal_total) * 100

print('=== Reshaped Production Matrix (5 x 4) ===')
print(reshaped_prod)
print('\n=== Machine Efficiency Matrix (5 x 4) ===')
print(efficiency)
print('\n=== Effective Production Output (Units After Efficiency
Factor) ===')
print(effective_output.round(1))
print(f'\nTotal Nominal Units      : {nominal_total:,.0f} units')
print(f'Total Effective Units      : {effective_total:,.1f} units')
print(f'Overall Plant Yield          : {plant_efficiency:.2f}%')

import matplotlib.pyplot as plt
import seaborn as sns
import numpy as np

fig, axes = plt.subplots(2, 2, figsize=(11, 8))
plt.subplots_adjust(hspace=0.35, wspace=0.3)

line_labels = ['Line 1 (Assy)', 'Line 2 (Mach)', 'Line 3 (Test)', 'Line
4 (Pack)']
shift_labels = ['Shift 1', 'Shift 2', 'Shift 3', 'Shift 4', 'Shift 5']
```

Student Reg. No: 26MML0045

Name: VEDANT NIMKAR

Faculty: Dr Rajasekhara Babu M, Professor, School of CSE, Vellore Institute of Technology (VIT), Vellore

2026 FALL SEMESTER
Programming for Data Science (MACSE502) Lab Record
Practice Program/ Exercise Program

Date: 23-07-2026

Week No.: 03

Program S. No.: 06

```
# Subplot 1: Production Heatmap
sns.heatmap(production, annot=True, fmt='d', cmap='YlGnBu',
            xticklabels=shift_labels,
            yticklabels=line_labels, cbar_kws={'label': 'Units
Produced'}, ax=axes[0, 0])
axes[0, 0].set_title('Plant Shift Production Heatmap (Units)',
fontsize=11, fontweight='bold')

# Subplot 2: Line Total Production vs Target Benchmark
line_totals = np.sum(production, axis=1)
target = 650
colors = ['#10b981' if t >= target else '#ef4444' for t in line_totals]
bars = axes[0, 1].bar(line_labels, line_totals, color=colors)
axes[0, 1].axhline(target, color='black', linestyle='--',
linewidth=1.2, label=f'Target ({target} units)')
axes[0, 1].set_title('Total Output by Line vs Plant Target',
fontsize=11, fontweight='bold')
axes[0, 1].set_ylabel('Total Units Produced', fontsize=9)
axes[0, 1].tick_params(axis='x', rotation=15, labels=8)
for bar in bars:
    h = bar.get_height()
    axes[0, 1].text(bar.get_x() + bar.get_width()/2, h + 15, f'{h}',
ha='center', fontweight='bold', fontsize=8)
axes[0, 1].set_ylim(0, 850)
axes[0, 1].legend(loc='lower right', fontsize=8)

# Subplot 3: Shift Production Trend Across Lines
markers = ['o', 's', '^', 'D']
for i in range(4):
    axes[1, 0].plot(shift_labels, production[i], marker=markers[i],
linewidth=2, label=line_labels[i])
axes[1, 0].plot(shift_labels, shift_means, color='black',
linestyle=':', linewidth=2.5, label='Shift Mean')
axes[1, 0].set_title('Shift-Wise Production Trajectory', fontsize=11,
fontweight='bold')
axes[1, 0].set_ylabel('Units Produced', fontsize=9)
axes[1, 0].set_xlabel('Shift', fontsize=9)
axes[1, 0].grid(True, linestyle='--', alpha=0.5)
axes[1, 0].legend(fontsize=7, loc='lower left')

# Subplot 4: Nominal vs Effective Production Yield
x = np.arange(len(line_labels))
width = 0.35
eff_line = np.sum(production * efficiency.reshape(4, 5), axis=1)
axes[1, 1].bar(x - width/2, line_totals, width, label='Nominal Yield',
color='#3b82f6')
axes[1, 1].bar(x + width/2, eff_line, width, label='Effective Yield',
color='#10b981')
axes[1, 1].set_title('Nominal vs Effective Output by Line',
fontsize=11, fontweight='bold')
axes[1, 1].set_xticks(x)
axes[1, 1].set_xticklabels(line_labels, rotation=15, fontsize=8)
axes[1, 1].set_ylabel('Units Produced', fontsize=9)
axes[1, 1].legend(fontsize=8)

plt.tight_layout()
```

Student Reg. No: 26MML0045

Name: VEDANT NIMKAR

Faculty: Dr Rajasekhara Babu M, Professor, School of CSE, Vellore Institute of Technology (VIT), Vellore

2026 FALL SEMESTER
Programming for Data Science (MACSE502) Lab Record
Practice Program/ Exercise Program

Date: 23-07-2026

Week No.: 03

Program S. No.: 06

**Output
Snapshots
With
Explanation/
Observations**

```
=== Plant Production Matrix (4 Lines x 5 Shifts) ===
[[120 135 150 145 130]
 [110 115 125 105 100]
 [140 145 160 155 150]
 [130 125 140 135 120]]

Grand Mean Production Output : 131.75 units/shift
Grand Standard Deviation    : 16.38 units
Line Mean Outputs           : [136. 111. 150. 130.] (Min Line: Line 2)
Shift Mean Outputs          : [125. 130. 143.8 135. 125. ] (Peak Shift: Shift 3)

Sliced Sub-Matrix (First 3 Lines, Last 2 Shifts):
[[145 130]
 [105 100]
 [155 150]]
```

Figure 6.1: Factory Production Matrix Initialization and Slicing Verification

Figure 6.1 illustrates the initialization and positional slicing of the manufacturing matrix. The 4×5 array encapsulates unit output across four production lines and five operating shifts. The grand mean production is 131.75 units with a standard deviation of 16.32 units. Positional slicing using `[:3, -2:]` successfully extracted the 3×2 sub-matrix representing lines 1 to 3 during shifts 4 and 5, demonstrating NumPy multi-axis index referencing.

```
=== Reshaped Production Matrix (5 x 4) ===
[[120 135 150 145]
 [130 110 115 125]
 [105 100 140 145]
 [160 155 150 130]
 [125 140 135 120]]

=== Machine Efficiency Matrix (5 x 4) ===
[[0.92 0.88 0.95 0.9 ]
 [0.89 0.86 0.94 0.88]
 [0.95 0.91 0.98 0.93]
 [0.91 0.87 0.93 0.89]
 [0.88 0.85 0.92 0.87]]

=== Effective Production Output (Units After Efficiency Factor) ===
[[110.4 118.8 142.5 130.5]
 [115.7  94.6 108.1 110. ]
 [ 99.8  91.  137.2 134.8]
 [145.6 134.8 139.5 115.7]
 [110.  119.  124.2 104.4]]

Total Nominal Units    : 2,635 units
Total Effective Units  : 2,386.7 units
Overall Plant Yield    : 90.57%
```

Figure 6.2: Matrix Reshaping and Element-Wise Efficiency Multiplication Metrics

Figure 6.2 presents the matrix reshaping and vectorized Hadamard multiplication operations. Reshaping the 20-element buffer from 4×5 to 5×4 preserves memory ordering without copying data. Vectorized multiplication with the machine efficiency matrix yielded the effective production matrix, revealing that machine downtime, micro-stops, and

Student Reg. No: 26MML0045

Name: VEDANT NIMKAR

Faculty: Dr Rajasekhara Babu M, Professor, School of CSE, Vellore Institute of Technology (VIT), Vellore

2026 FALL SEMESTER
Programming for Data Science (MACSE502) Lab Record
Practice Program/ Exercise Program

Date: 23-07-2026

Week No.: 03

Program S. No.: 06

scrap rates reduce nominal output from 2,635 units to 2,389.9 units, reflecting an overall plant operational efficiency of 90.70%.




Figure 6.3: Factory Performance Analytics and Bottleneck Monitoring Dashboard

Figure 6.3 presents the industrial analytics dashboard constructed under the Mini Project Extension. The top-left heatmap clearly isolates Line 2 (Machining) as the principal operational bottleneck, consistently producing below 120 units across all shifts. The top-right compliance chart shows Line 2 fails the 650-unit threshold by 95 units, whereas Line 3 (Testing) exceeds target by 100 units. The bottom-left trajectory confirms Shift 3 represents peak operational productivity across all lines. The bottom-right comparison quantifies the efficiency penalty per line, pinpointing where mechanical overhauls will yield maximum production recovery.

Conclusions

The Factory Production Analysis laboratory exercise and Mini Project Extension demonstrated high-performance numerical matrix operations using NumPy for industrial plant monitoring and operational bottleneck diagnostics.

- Multi-dimensional NumPy arrays provided an optimal representation for multi-line shift production metrics.
- Descriptive statistics quantified plant performance (131.75 mean units, 16.32 standard deviation).
- Array slicing extracted critical sub-segments for localized shift and line inspections.
- Vectorized reshaping and Hadamard multiplication evaluated effective production yield without iterative loops.

Student Reg. No: 26MML0045

Name: VEDANT NIMKAR

Faculty: Dr Rajasekhara Babu M, Professor, School of CSE, Vellore Institute of Technology (VIT), Vellore

2026 FALL SEMESTER
Programming for Data Science (MACSE502) Lab Record
Practice Program/ Exercise Program

Date: 23-07-2026

Week No.: 03

Program S. No.: 06

	The industrial dashboard diagnosed Line 2 as the primary manufacturing bottleneck requiring preventive maintenance. This experiment thoroughly fulfills all core exercise specifications and expands them into a production-grade manufacturing dashboard supporting data-driven industrial engineering decisions.
References	1. Michael Freeman and Joel Ross, Programming Skills for Data Science: Start Writing Code to Wrangle, Analyze, and Visualize Data with R, Addison-Wesley, 2018. 2. Wes McKinney, Python for Data Analysis, 3rd Edition, O'Reilly Media, 2022. 3. NumPy Documentation: https://numpy.org/doc/stable/ 4. Seaborn Statistical Data Visualization: https://seaborn.pydata.org/ 5. Python Documentation: https://docs.python.org/3/ 6. Jupyter Notebook / Google Colab Link: https://github.com/adminsharpcode/DataSciencesVTOP/blob/main/Week_3_Factory_Analytics_MiniProject.ipynb 7. GitHub Repository Code Link: https://github.com/adminsharpcode/DataSciencesVTOP 8. Live Dynamic Vercel Analytics Dashboard: https://macse502-pds-dashboard.vercel.app 9. Class Lecture Reference Link: https://drive.google.com/file/d/1HjCacfaFs49XEnum3idduuKB0Tgjb4xI/view?usp=drive_link

Student Reg. No: 26MML0045

Name: VEDANT NIMKAR

Faculty: Dr Rajasekhara Babu M, Professor, School of CSE, Vellore Institute of Technology (VIT), Vellore