SOFTWARE REQUIREMENTS SPECIFICATION

for

Smart Requirements

Version My Report

Prepared by : Muhammad Adnan

June 22, 2023

Contents

1 Introduction **3**
- 1.1 Purpose . . . 3
- 1.2 Document Conventions . . . 3
- 1.3 Intended Audience and Reading Suggestions . . . 3
- 1.4 Product Scope . . . 3
- 1.5 References . . . 3

2 Overall Description **4**
- 2.1 Product Perspective . . . 4
- 2.2 Product Functions . . . 4
- 2.3 User Classes and Characteristics . . . 4
- 2.4 Operating Environment . . . 4
- 2.5 Design and Implementation Constraints . . . 5
- 2.6 User Documentation . . . 5
- 2.7 Assumptions and Dependencies . . . 5

3 Features **6**
- 3.1 Feature 1 . . . 6

4 Other Nonfunctional Requirements **7**
- 4.1 Performance Requirements . . . 7
- 4.2 Saftey Requirements . . . 7
- 4.3 Security Requirements . . . 7
- 4.4 Software Quality Attributes . . . 8
- 4.5 Business Rules . . . 8

5 Other Requirements **9**

1 Introduction

1.1 Purpose

The purpose of this document is to build an online system to manage flights and passengers to ease the flight management.

1.2 Document Conventions

This document uses the following conventions.
DBDatabaseDDBDistributed DatabaseEREntity Relationship

1.3 Intended Audience and Reading Suggestions

This document uses the following conventions.
DBDatabaseDDBDistributed DatabaseEREntity Relationship

1.4 Product Scope

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

1.5 References

Fundamentals of database systems by ramez elmarsi and shamkant b.navathe

2 Overall Description

2.1 Product Perspective

A distributed airline database system stores the following information. Flight details: It includes the originating flight terminal and destination terminal, along with the stops in between, the number of seats booked/available seats between two destinations etc. Customer description: It includes customer code, name, address, and phone number. This information may be used for keeping the records of the customer for any emergency or for any other kind of information. Reservation description: It includes customer details, code number, flight number, date of booking, date of travel.

2.2 Product Functions

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

2.3 User Classes and Characteristics

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

2.4 Operating Environment

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B

is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

2.5 Design and Implementation Constraints

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

2.6 User Documentation

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

2.7 Assumptions and Dependencies

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

3 Features

3.1 Feature 1

testt

Table 3.1: Requirement Tracability Matrix

RTM Id	URID	SRID	Requirement
1.	URID-63d9f4-1e9d32-84c80d	SRID-63d9f7-3e12cd-9eecbc	Login
2.	URID-63d9f4-1e9d32-84c80d	SRID-63d9f7-2712cd-9eecbc	Create New Account
3.	URID-63d9f3-b29d32-84c80d	SRID-63d9f6-689d32-84c80d	Create Project

4 Other Nonfunctional Requirements

4.1 Performance Requirements

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

4.2 Saftey Requirements

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

4.3 Security Requirements

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

4.4 Software Quality Attributes

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

4.5 Business Rules

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions:

5 Other Requirements

Users of the system should be able to retrieve flight information between two given cities with the given date/time of travel from the database. A route from city A to city B is a sequence of connecting flights from A to B such that: a) there are at most two connecting stops, excluding the starting city and destination city of the trip, b) the connecting time is between one to two hours. The system will support two types of user privileges, Customer, and Employee. Customers will have access to customer functions, and the employees will have access to both customer and flight management functions. The customer should be able to do the following functions: