

Since 2003

NOKTA DİZAYN

MARKET EKİPMANLARI

- Turnkey Project
- Renovation and Architectural Support
- Custom Concept Design & Layout
- Installation and Application

- Anahtar Teslim Proje
- Yenileme ve Mimari Destek
- Özel Konsept Tasarım & Yerleşim
- Kurulum

Integrated Store Systems Since 2003

Established in 2003, Nokta Dizayn has been shaping the retail sector and is one of Türkiye's leading integrated store systems companies in store design, production, and turnkey store installation.

Today, with its 11,000 m² production facility, over 250 expert employees, extensive service network throughout Turkey, and export capabilities reaching more than 60 countries, Nokta Dizayn operates as a reliable solution partner for local and global brands.

Nokta Dizayn brings together all the systems a store needs under one roof. From cooling systems to shelving solutions, from custom-made store furniture to cashier areas, all processes are managed with engineering, production, and application expertise. This allows our customers to meet all their needs from a single point, without losing time and cost between different suppliers.

We approach each project not just as a store setup, but as a strategic investment in the future of the brand. The solutions we develop with this understanding increase operational efficiency, enhance customer experience, and contribute to sales performance.

Throughout our more than 20 years of experience, we have provided solutions to over 30,000 points of sale, ranging from supermarkets and mini-markets to gourmet markets, gas station convenience stores, franchise chains, and concept stores. Our accumulated knowledge across diverse sectors and scales is our greatest asset, adding value to every project.

2003'ten Bu Yana Entegre Mağaza Sistemleri

2003 yılından bu yana perakende sektörüne yön veren Nokta Dizayn, mağaza tasarımı, üretimi ve **anahtar teslim mağaza** kurulumunda Türkiye'nin lider entegre mağaza sistemleri şirketlerinden biridir.

Bugün 11.000 m² üretim tesisi, 250'den fazla uzman çalışanı, Türkiye genelindeki yaygın servis ağı ve 60'tan fazla ülkeye ulaşan ihracat gücüyle; yerel ve global markaların güvenilir çözüm ortağı olarak faaliyet göstermektedir.

Nokta Dizayn, bir mağazanın ihtiyaç duyduğu tüm sistemleri tek çatı altında bir araya getirir. Soğutma sistemlerinden raf çözümlerine, özel üretim mağaza mobilyalarından kasa alanlarına kadar tüm süreçler; mühendislik, üretim ve uygulama uzmanlığıyla yönetilir. Böylece müşterilerimiz farklı tedarikçiler arasında zaman ve maliyet kaybetmeden, tüm ihtiyaçlarını tek noktadan karşılayabilir.

Her projeye yalnızca bir mağaza kurulumu olarak değil, markanın geleceğine yapılan stratejik bir yatırım olarak yaklaşıyoruz. Bu anlayışla geliştirdiğimiz çözümler; operasyonel verimliliği artırır, müşteri deneyimini güçlendirir ve satış performansına katkı sağlar.

20 yılı aşkın deneyimimiz boyunca süpermarketlerden mini marketlere, gurme marketlerden akaryakıt istasyonu marketlerine, franchise zincirlerinden özel konsept mağazalara kadar 30.000'in üzerinde satış noktasına çözüm ürettik. Farklı sektörlerde ve farklı ölçeklerde edindiğimiz bilgi birikimi, her projeye değer katan en önemli gücümüzdür.

Our Story, Engineering, and Global Vision



- Engineering-focused approach – Every project begins with technical calculations and system analysis. Integrated solution – One-stop store setup from refrigeration to shelving, cash register to furniture
- After-sales responsibility – Long-term relationship with warranty, maintenance and service support
- Global experience – Proven performance in different climate and market conditions with exports to 60+ countries

ESTABLISHMENT

2003

Industry experience

GLOBAL

60+

Solutions to countries

REFERRAL

30.000+

Points served

FACILITY

11.000 m²

Indoor production infrastructure

SERVICE

360°

Project, production, installation, and service

Hikayemiz, Mühendisliğimiz ve Global Vizyonumuz

- Mühendislik odaklı yaklaşım – Teknik hesap ve sistem analizi
- Bütünleşik çözüm – Soğutmadan rafa, kasadan mobilyaya tek elden mağaza kurulumu
- Satış sonrası sorumluluk – Garanti, bakım ve servis desteğiyle uzun vadeli ilişki
- Global deneyim – 60+ ülkeye ihracat ile farklı iklim ve pazar koşullarında kanıtlanmış performans

KURULUŞ

2003

Sektör deneyimi

GLOBAL

60+

Ülkeye çözüm

REFERANS

30.000+

Hizmet verilen nokta

TESİS

11.000 m²

Kapalı üretim altyapısı

HİZMET

360°

Proje, üretim, kurulum ve servis



Operating in over 60 countries, Nokta Design adds value to the retail sector with its modern market equipment and store systems solutions. Managing design, production, and implementation processes under one roof, the company stands out as a reliable global solution partner.

60+ Countries Active

Turkey's global presence continues to grow in many regions around the world.



60+ Ülkede Aktif

Türkiye'den başlayarak global pazarlara uzanan ihracat ağıımız.



60'tan fazla ülkede faaliyet gösteren Nokta Dizayn, modern market ekipmanları ve mağaza sistemleri çözümleriyle perakende sektörüne değer katmaktadır. Tasarım, üretim ve uygulama süreçlerini tek çatı altında yöneten firma, global ölçekte güvenilir bir çözüm ortağı olarak öne çıkmaktadır.



CONTENTS

Multidecks / Plug-In

<u>Gatria FG-DGD</u>	1
<u>Gatria FG-PDGD</u>	3
<u>Gatria T-DGD</u>	5
<u>Gatria DGD</u>	7
<u>Gatria NC</u>	9
<u>Gatria FV</u>	11

Multidecks / Remote

<u>Merga FG-DGD</u>	13
<u>Merga FG-PDGD</u>	15
<u>Merga T-DGD</u>	17
<u>Merga DGD</u>	19
<u>Merga NC</u>	21
<u>Merga FV</u>	23

Freezers / Remote

<u>Grafias TGD</u>	25
--------------------------	----

Counter / Plug-In

<u>Sadira FG</u>	27
<u>Sadira CG</u>	29

Counter / Remote

<u>Navi Flat FG / Navi Flat CG</u>	31
<u>Navi Flat SS.FG / Navi Flat SS.CG / Navi Flat BM</u>	33
<u>Navi Hypnos FG</u>	35
<u>Navi Hypnos CG</u>	39
<u>Baham</u>	41
<u>İzar</u>	43

Promotion

<u>Propus Open</u>	45
--------------------------	----

Gatria FG-DGD

FG| Full Glass

DGD | Double Glazed Doors

ND
GROUP
COMPANIES



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2500	2812,5	3750

Plug-In Multideck

TECHNICAL SPECIFICATIONS



Full Glass Doors

Soft-closing doors with anti-slam technology



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



More display

Total visibility of products



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Extra Shelf





Front Bumper




Vertical Led Lights




Energy saving Ec Fans



GATRIA
53.A10.L.FG-DGD



GATRIA
63.A10.L.FG-DGD



Gatria FG-PDGD

FG| Full Glass

PDGD |Painted Double Glazed Doors



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2500	2812,5	3750

Plug-In Multideck

TECHNICAL SPECIFICATIONS



Full Glass Doors

Soft-closing doors with anti-slam technology



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



More display

Total visibility of products



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Extra Shelf







Front Bumper



Vertical Led Lights



Energy saving Ec Fans



Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Gatria T-DGD

T| Transparent

DGD| Double Glazed Doors

ND
GROUP
COMPANIES



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2500	2812,5	3750

Plug-In Multideck

TECHNICAL SPECIFICATIONS



Transparent doors

Soft-closing doors with anti-slam technology



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



More display

More visibility of products



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Extra Shelf







Front Bumper



Vertical - Undershelf Led Lights



Energy saving Ec Fans



Gatria DGD

DGD | Double Glazed Doors

Aluminum Framed Double Glazed Doors



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2500	2812,5	3750

Plug-In Multideck

TECHNICAL SPECIFICATIONS



Transparent doors

Soft-closing doors with anti-slam technology



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



More display

More visibility of products



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Extra Shelf







Front Bumper



Vertical - Undershelf Led Lights



Energy saving Ec Fans



Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Gatria NC

NC|Night Curtain

Open Front With Night Curtain



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2500	2812,5	3750

Plug-In Multideck

TECHNICAL SPECIFICATIONS



Night Curtain

Keep the cold air inside



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Extra Shelf



Front Bumper




Undershelf Led Lights



Energy saving Ec Fans



Automatic night curtain



Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Gatria FV

FV|Fruit & Vegetable

Open Front With Night Curtain



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2500

Plug-In Multideck

TECHNICAL SPECIFICATIONS



Night Curtain

Keep the cold air inside



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Special FV Shelves




Front Bumper



Vertical - Undershelf Led Lights



Energy saving Ec Fans



Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Merga FG-DGD

FG| Full Glass

DGD |Double Glazed Doors

ND
GROUP
COMPANIES



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
						

Remote Multideck

TECHNICAL SPECIFICATIONS



Full Glass Doors

Soft-closing doors with anti-slam technology



Cooling Power

3m1 / 3m2 Temp. Class



More display

Total visibility of products



Refrigerant

HFC Freon - Co² gas systems



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Panoramic end wall



Extra Shelf



Front Bumper




Vertical - Undershef Led Lights




Energy saving Ec Fans


MERGA
53.A10.FG-DGD




MERGA
63.A10.FG-DGD




MERGA
73.A10.FG-DGD




MERGA
53.A10.L.FG-DGD



MERGA
63.A10.L.FG-DGD



MERGA
73.A10.L.FG-DGD



Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Merga FG-PDGD

FG| Full Glass

PDGD |Painted Double Glazed Doors



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
 B A D	 B A D	 B A D	 B A D	 B A D	 B A D	 B A D

Remote Multideck

TECHNICAL SPECIFICATIONS



Full Glass Painted Doors

Soft-closing doors with anti-slam technology



Cooling Power

3m1 / 3m2 Temp. Class



More display

More visibility of products



Refrigerant

HFC Freon - Co² gas systems



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Panoramic end wall



Extra Shelf




Front Bumper



Vertical - Undershelf Led Lights



Energy saving Ec Fans



Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Merga T-DGD

T| Transparent

DGD|Double Glazed Doors



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
 	 	 	 	 	 	 

Remote Multideck

TECHNICAL SPECIFICATIONS



Transparent doors

Soft-closing doors with anti-slam technology



Cooling Power

3m1 / 3m2 Temp. Class



More display

More visibility of products



Refrigerant

HFC Freon - Co² gas systems



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Panoramic end wall



Extra Shelf




Front Bumper



Vertical - Undershelf Led Lights



Energy saving Ec Fans



Merga DGD

DGD | Double Glazed Doors

Aluminum Framed Double Glazed Doors



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Remote Multideck

TECHNICAL SPECIFICATIONS



Double Glazed Doors

Soft-closing doors with anti-slam technology



Cooling Power

3m1 / 3m2 Temp. Class



Refrigerant

HFC Freon - Co² gas systems



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Panoramic end wall



Extra Shelf



Front Bumper



Vertical - Undershef Led Lights




Energy saving Ec Fans




Painted Door-Frame


MERGA
53.A10 DGD




MERGA
63.A10 DGD




MERGA
73.A10 DGD




MERGA
53.A10.L DGD



MERGA
63.A10.L DGD



MERGA
73.A10.L DGD



Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Merga NC

NC|Night Curtain

Open Front With Night Curtain



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Remote Multideck

TECHNICAL SPECIFICATIONS



Night Curtain

Keep the cold air inside



Cooling Power

3m1 / 3m2 Temp. Class



Refrigerant

HFC Freon - CO² gas systems



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Panoramic end wall



Extra Shelf



Front Bumper



Undershelf Led Lights




Energy saving Ec Fans




Automatic night curtain


MERGA NC
53.A10




MERGA NC
63.A10




MERGA NC
73.A10




MERGA NC
53.A10.L



MERGA NC
63.A10.L



MERGA NC
73.A10.L



Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Merga FV

FV|Fruit & Vegetable

Open Front With Night Curtain



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Remote Multideck

TECHNICAL SPECIFICATIONS



Night Curtain

Keep the cold air inside



Cooling Power

3m1 / 3m2 Temp. Class



Refrigerant

HFC Freon - Co° gas systems



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Panoramic end wall



Front Bumper



Undershelf Led Lights




Energy saving Ec Fans




Automatic night curtain


MERGA FV
53.A10




MERGA FV
63.A10




MERGA FV
73.A10




MERGA FV
53.A10.L



MERGA FV
63.A10.L



MERGA FV
73.A10.L



Nokta Dizayn reserves the right to change standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

Grafias TGD

TGD|TripleGlazed

SGD|DoubleGlazedSlidingDoors



AVAILABLE DIMENSIONS

1875



2500



3750



Remote Combined Freezer

TECHNICAL SPECIFICATIONS



Top - Bottom Glass Doors

Soft-closing doors on top / sliding glass doors on bottom



Cooling Power

3L1 Temp. Class



More display

Horizontal and vertical product showcase



Refrigerant

HFC Freon - Co² gas systems



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on top frame and bottom canopy

OPTIONS



Wire Divider



Front Bumper




Energy saving Ec Fans




Painted Door-Frame

GRAFÍAS
83.A1. TGD - SGD



GRAFÍAS
83.A1.L. TGD-SGD



SADIRA

FG | Flat Glass



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Plug-In

TECHNICAL SPECIFICATIONS



Full Stainless Steel Interior

AISI 304 / hygienic and easy-to-clean inner surfaces



Refrigerated Storage

Internal refrigerated storage for temporary product storage



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



Large Display Surface

Wide and clear product presentation area



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Back Sliding Plexi



Front Bumper





Meat colour Led Lights



Energy saving Ec Fans



On Top of Each Other Loading



* This model has the same pan levels when combined with models without refrigerated storage.

Nokta Dizayn reserves the right to change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

SADIRA

CG | Curved Glass

ND
GROUP
COMPANIES



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Plug-In

TECHNICAL SPECIFICATIONS



Full Stainless Steel Interior

AISI 304 / hygienic and easy-to-clean inner surfaces



Refrigerated Storage

Internal refrigerated storage for temporary product storage



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



Large Display Surface

Wide and clear product presentation area



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Back Sliding Plexi



Front Bumper





Meat colour Led Lights



Energy saving Ec Fans



On Top of Each Other Loading



NAVI FLAT

FG | Flat Glass

CG | Curved Glass



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Remote Counter

TECHNICAL SPECIFICATIONS



Full Stainless Steel Interior

AISI 304 / hygienic and easy-to-clean inner surfaces



Cooling Power

3m1 / 3m2 Temp. Class



Large Display Surface

Wide and clear product presentation area



Refrigerant

HFC Freon - Co² gas systems



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Back Sliding Plexi



Front Bumper







Meat colour Led Lights



Energy saving Ec Fans



On Top Of Each Other Loading



Nokta Dizayn reserves the change device standards or withdraw products from the market without prior notice. The stated energy efficiency class depends on the module type, equipment, glazing version, and refrigerant type. Changes to any of these parameters may result in a change to the energy efficiency class. To find out the energy efficiency class of a product with parameters different from those stated in the catalog, contact the manufacturer.

NAVI FLAT

SS.FG | Self Service Flat Glass

SS.CG | Self Service Curved Glass

BM | Bain Marie



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Remote Counter

TECHNICAL SPECIFICATIONS



Full Stainless Steel Interior

AISI 304 / hygienic and easy to-clean inner surfaces



Cooling Power

3m1 / 3m2 Temp. Class



Large Display Surface

Wide and clear product presentation area



Refrigerant

HFC Freon - Co⁵ gas systems



Optimized Airflow

Air circulation with FMI Q fans

OPTIONS



Front Bumper




Energy saving Ec Fans




On Top Of Each Other Loading


NAVI FLAT
85.A2.AK.SS.FG




NAVI FLAT
95.A2.AK.SS.FG




NAVI FLAT
85.A2.AK.SS.CG




NAVI FLAT
95.A2.AK.SS.CG



NAVI FLAT
85.A2.AK.FG
Bainmarie



NAVI FLAT
95.A2.AK.FG
Bainmarie



NAVI HYPNOS

FG | Flat Glass

CG | Curved Glass



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Remote Counter

TECHNICAL SPECIFICATIONS



Full Stainless Steel Interior

AISI 304 / hygienic and easy-to-clean inner surfaces



Refrigerated Storage

Internal refrigerated storage for temporary product storage



Refrigerant

HFC Freon - Co² gas systems



Cooling Power

3m1 / 3m2 Temp. Class



Large Display Surface

Wide and clear product presentation area



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Back Sliding Plexi



Front Bumper



Meat colour Led Lights







Energy saving Ec Fans



On Top Of Each Other Loading




Refrigerator Name: NAVI HYPNOS




* This model has the same pan levels when multiplexed with models without refrigerated storage.




OCC 90°




OCC 90°




BEC 90°




BEC 90°




ICC 90°




BIC 90°




ICC 90°




BIC 90°




OCC.L 90°




OCC.L 90°



ICC.L 90°



ICC.L 90°



NAVI HYPNOS

CG | Curved Glass

ND
GROUP
COMPANIES



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750

Remote Counter

TECHNICAL SPECIFICATIONS



Full Stainless Steel Interior

AISI 304 / hygienic and easy-to-clean inner surfaces



Refrigerated Storage

Internal refrigerated storage for temporary product storage



Refrigerant

HFC Freon - Co² gas systems



Cooling Power

3m1 / 3m2 Temp. Class



Large Display Surface

Wide and clear product presentation area



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Back Sliding Plexi



Front Bumper





Meat colour Led Lights



Energy saving Ec Fans



On Top Of Each Other Loading





AVAILABLE DIMENSIONS

1875

B

A ↑
G

2500

C

A ↑
G

3750

C

A ↑
G

Remote Counter

TECHNICAL SPECIFICATIONS



Full Stainless Steel Interior

AISI 304 / hygienic and easy-to-clean inner surfaces



Refrigerated Storage

Internal refrigerated storage for temporary product storage



Refrigerant

HFC Freon - Co² gas systems



Cooling Power

3m1 / 3m2 Temp. Class



Large Display Surface

Wide and clear product presentation area



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting on canopy

OPTIONS



Back Sliding Plexi



Front Bumper




Meat colour Led Lights




Energy saving Ec Fans

BAHAM
83.A1



BAHAM
83.A1.SGD





AVAILABLE DIMENSIONS



Remote Counter

TECHNICAL SPECIFICATIONS



Full Stainless Steel Interior

AISI 304 / hygienic and easy-to-clean inner surfaces



Refrigerated Storage

Internal refrigerated storage for temporary product storage



Refrigerant

HFC Freon - Co² gas systems



Cooling Power

3m1 / 3m2 Temp. Class



Large Display Surface

Wide and clear product presentation area



Optimized Airflow

Air circulation with FMI Q fans



Lighting System

Energy-saving LED lighting

OPTIONS



Front Bumper




Meat colour Led Lights




Energy saving Ec Fans

iZAR
83.A1



iZAR
83.A1.SGD





AVAILABLE DIMENSIONS

937,5	1250	1875	2500
			

Promotion

TECHNICAL SPECIFICATIONS



Flexible Top Configuration

Open, night curtain or sliding glass door versions



Cooling Power

3m1 / 3m2 Temp. Class



Energy Efficiency

Low energy consumptions



Refrigerant

R290 propane gas system



Optimized Airflow

Air circulation with FMI Q fans



Easy Mobility

Equipped with lockable wheels for easy repositioning

OPTIONS



Front - Side Bumper



On Top Of Each Other Loading

