Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change Showing results for contents of text-input area

```
Checker Input
Show source
             outline
                     image report
Options...
{% extends "base.html" %}
{% block structure %}
    <!-- Static image for the background taken from
https://unsplash.com/photos/08b0YnH_r_E-->
    <imq src="{{ url_for('static', filename='img/bq.jpq') }}" class="bq-image">
    <h3 class="center-header">Add Meal Type</h3>
    {% block content %}
    <div class="row add-recipe-card card-panel">
        <!-- using the POST Method and calling on the functin 'add_meal'-->
        <form class="col s12" method="POST" action="{{ url_for('add_meal') }}">
            <!--Placeholder recipe name (mandatory field)-->
            <div class="row">
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25

{% extends "base.html" %} else bl

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send email to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

[<!DOCTYPE html>].

From line 1, column 1; to line 1, column 25

[{% extends "base.html" %} !! {% bl}
```

```
3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 25

{% extends "base.html" %} !! {% bl}

Content model for element head:
```

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
Error Bad value {{ url_for('static', filename='img/bg.jpg') }} for
4
    attribute | src | on element | img |: Illegal character in path segment: | { | is not allowed.
    From line 5, column 5; to line 5, column 79
               <img src="{{ url_for('static', filename='img/bg.jpg') }}" class="bg-</pre>
    image">↩↩
    Error An img element must have an alt attribute, except under certain conditions.
5.
    For details, consult guidance on providing text alternatives for images.
    From line 5, column 5; to line 5, column 79
               <img src="{{ url_for('static', filename='img/bg.jpg') }}" class="bg-</pre>
    image">ಳಳ
    Error | Bad value | {{ url for('add meal') }} | for attribute | action | on element
6.
    <u>form</u>: Illegal character in path segment: | { | is not allowed.
    From line 12, column 9; to line 12, column 79
               <form class="col s12" method="POST" action="{{ url for('add meal')}</pre>
    }}">↩
    Error Bad value row flashes for attribute id on element div: An ID must not
7.
    contain whitespace.
    From line 29, column 29; to line 29, column 50
               <div id="row flashes">↔
8.
    Error Stray end tag form.
    From line 53, column 9; to line 53, column 15
               </form>↔
```

Document checking completed.

Source

```
1. {% extends "base.html" %}↔
2. {% block structure %}↔
3. ↔
4. <!-- Static image for the background taken from https://unsplash.com/photos/08bOYnH r E--> ↔
5. <img src="{{ url_for('static', filename='img/bg.jpg') }}" class="bg-image">↔
6. ↔
7. <h3 class="center-header">Add Meal Type</h3>↔
8. ↔
9. {% block content %}↔
10. <div class="row add-recipe-card card-panel">↔
11. <!-- using the POST Method and calling on the functin 'add_meal'-->↔
```

```
<form class="col s12" method="POST" action="{{ url_for('add_meal') }}">\(\rightarrow\)
12.
13.
                 <!--Placeholder recipe name (mandatory field)-->↔
                 <div class="row">ب
14.
15.
                     <div class="input-field col m10 offset-m1 s12">←
16.
                          <i class="fas fa-pencil-alt prefix"></i>↔
17.
                          <!-- input requirement of min length of 3 characters and max
    length of 25-->↔
18.
                          <input id="meal name" name="meal name" minlength="3"</pre>
   maxlength="25" ↔
19.
                              type="text" class="validate" required>↔
20.
                          <label for="meal name">Meal Name*</label>←
21.
22.
23.
                     </div>↔
                 </div> ↔
24.
                 <section>↔
25.
                     <!-- Flash message to delivery the said message from the app.py
    file -->↩
26.
                     {% with messages = get_flashed_messages() %}↔
27.
                          {% if messages %}↔
28.
                              {% for message in messages %}↔
29.
                                   <div id="row flashes">↔
30.
                                       <h4 class="red lighten-4 center-align"
    id="snackbar">{{ message }}</h4>↔
31.
                                   </div>↔
32.
                              {% endfor %}↔
33.
                          {% endif %}↔
34.
                      {% endwith %}↔
35.
                 </section>↩
36.
37.
                 <div class="row button-set"> ↔
38.
                     <!-- To create the back button, i used the following website to
    assist https://www.computerhope.com/issues/ch000317.htm -->↔
39.
                     <button class="col 14 m4 s12 btn-large grey accent-1 black-text</pre>
    text-shadow" ↔
                     value="Go back!" onclick="history.back()">↔
40.
41.
                          <i class="fas fa-arrow-circle-left"></i> Go Back↔
42.
                     </button>↔
43.
                     <!-- Clear the form button -->↔
                     <button type="reset" class="col 14 m4 s12 middle-button btn-</pre>
44.
    large red accent-1 black-text text-shadow">←
45.
                          Clear <i class="fas fa-times-circle"></i>↔
46.
                     </button>↩
                     <!-- Submit the form button -->+ <button type="submit" class="col 14 m4 s12 center-align btn-
47.
48.
    large orange accent-1 black-text text-shadow">\sim
49.
                          Add Meal Type <i class="fas fa-plus-circle"></i>↔
50.
                     </button>↔
51.
                 </div>↔
52.
                 </form>
            </form>↩
53.
54.
        </div>↩
55.
        {% endblock %}↔
56.
57. {% endblock %}
```

Used the HTML parser.

Total execution time 8 milliseconds.

About this checker • Report an issue • Version: 21.5.8