

import numpy as np.py 1
E: > FODS PROJECTS > import numpy as np.py
import numpy as np
student_scores = np.array([
[80, 75, 85, 70],
[90, 85, 80, 75],
[70, 80, 90, 85],
[85, 90, 75, 80]
])
averages = np.mean(student_scores, axis=0)
subjects = ["Math", "Science", "English", "History"]
for i in range(4):
print(subjects[i], "Average:", averages[i])
highest_index = np.argmax(averages)
print("Highest Average Subject:", subjects[highest_index])
print("Highest Average:", averages[highest_index])
Problems 1
Output
Debug Console
Terminal
Ports
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code> & C:\Users\adnan\AppData\Local\Programs\Python\Python314\python.exe "e:/FODS PROJECTS/import numpy as np.py"
Math Average: 81.25
Science Average: 82.5
English Average: 82.5
History Average: 77.5
Highest Average Subject: Science
Highest Average: 82.5
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code>


```python
import numpy as np


sales_data = np.array([
    [100, 200, 300],
    [150, 250, 350],
    [200, 300, 400]
])


average_price = np.mean(sales_data)


print("Average price:", average_price)
```

```
Average price: 250.0
```


File Edit Selection View Go Run Terminal Help
Search
import numpy as np.py
E: > FODS PROJECTS > import numpy as np.py > ...
Run Python File
1 import numpy as np
2
3 # Columns: bedrooms, square footage, sale price
4 house_data = np.array([
5 [3, 1200, 200000],
6 [5, 1800, 350000],
7 [6, 2200, 450000],
8 [4, 1500, 280000],
9 [5, 2000, 400000]
10])
11
12 filtered_houses = house_data[house_data[:, 0] > 4]
13
14 average_price = np.mean(filtered_houses[:, 2])
15
16 print("Average sale price:", average_price)
Problems Output Debug Console Terminal Ports
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code> & C:\Users\adnan\AppData\Local\Programs\Python\Python314\python.exe "e:/FODS PROJECTS/import numpy as np.py"
Average sale price: 400000.0
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code>
powersh...
Python
Ln 16, Col 44 Spaces: 4 UTF-8 CRLF { } Python Python 3.14 (64-bit)
29°C
Partly sunny
Search
ENG
IN
23%
10:06
14-10-2026


File Edit Selection View Go Run Terminal Help
Search
import numpy as np.py
E: > FODS PROJECTS > import numpy as np.py > ...
Run Python File
1 import numpy as np
2
3 sales_data = np.array([10000, 12000, 15000, 18000])
4
5 total_sales = np.sum(sales_data)
6
7 percentage_increase = (
8 (sales_data[3] - sales_data[0]) / sales_data[0]
9) * 100
10
11 print("Total annual sales:", total_sales)
12 print("Percentage increase:", percentage_increase, "%")
Problems Output Debug Console Terminal Ports
Python
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code> & C:\Users\adnan\AppData\Local\Programs\Python\Python314\python.exe "e:/FODS PROJECTS/import numpy as np.py"
Total annual sales: 55000
Percentage increase: 80.0 %
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code>
Ln 12, Col 56 Spaces: 4 UTF-8 CRLF { } Python Python 3.14 (64-bit)
29°C
Partly sunny
Search
ENG
IN
23%
10:09
14-10-2026


File Edit Selection View Go Run Terminal Help
Search
import numpy as np.py
E: > FODS PROJECTS > import numpy as np.py > ...
Run Python File
1 import numpy as np
2
3 fuel_efficiency = np.array([25, 30, 35, 40, 45])
4
5 average = np.mean(fuel_efficiency)
6
7 car1 = 30
8 car2 = 40
9
10 improvement = ((car2 - car1) / car1) * 100
11
12 print("Average fuel efficiency:", average, "MPG")
13 print("Percentage improvement:", improvement, "%")
Problems Output Debug Console Terminal Ports
Python
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code> & C:\Users\adnan\AppData\Local\Programs\Python\Python314\python.exe "e:/FODS PROJECTS/import numpy as np.py"
Average fuel efficiency: 35.0 MPG
Percentage improvement: 33.33333333333333 %
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code>
Ln 13, Col 51 Spaces: 4 UTF-8 CRLF { } Python Python 3.14 (64-bit)
29°C
Partly sunny
Search
ENG
IN
23%
10:11
14-10-2026


File Edit Selection View Go Run Terminal Help
Search
import numpy as np.py
E: > FODS PROJECTS > import numpy as np.py > ...
Run Python File
1 prices = [100, 200, 150]
2 quantities = [2, 1, 3]
3
4 discount_rate = 10
5 tax_rate = 5
6
7 subtotal = sum(
8 price * quantity
9 for price, quantity in zip(prices, quantities)
10)
11
12 discount = subtotal * discount_rate / 100
13 after_discount = subtotal - discount
14
15 tax = after_discount * tax_rate / 100
16 total_cost = after_discount + tax
17
18 print("Subtotal:", subtotal)
19 print("Discount:", discount)
20 print("Tax:", tax)
21 print("Total cost:", total_cost)
Problems Output Debug Console Terminal Ports
Python
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code> & C:\Users\adnan\AppData\Local\Programs\Python\Python314\python.exe "e:/FODS PROJECTS/import numpy as np.py"
Subtotal: 850
Discount: 85.0
Tax: 38.25
Total cost: 803.25
PS C:\Users\adnan\AppData\Local\Programs\Microsoft VS Code>
Ln 21, Col 33 Spaces: 4 UTF-8 CRLF { } Python Python 3.14 (64-bit)
29°C
Partly sunny
Search
ENG
IN
23%
10:13
14-10-2026