```
/*

        This work has been done all together, so we didn't split it.

*/


CREATE TABLE  "ADMIN"
   (    "ADMIN_SSN" NUMBER NOT NULL ENABLE,
            CONSTRAINT "ADMIN_PK" PRIMARY KEY ("ADMIN_SSN") ENABLE,
             CONSTRAINT "ADMIN_FK" FOREIGN KEY ("ADMIN_SSN")
             REFERENCES  "EMPLOYEES" ("EMPLOYEE_SSN") ON DELETE CASCADE ENABLE
          ) ;




CREATE TABLE  "ALBUM"
   (    "ALBUM_REFERENCENUMBER" NUMBER NOT NULL ENABLE,
            "ALBUM_GENRE" VARCHAR2(32) NOT NULL ENABLE,
            "ALLBUM_ISPHYSICAL" VARCHAR2(32)  DEFAULT 'YES',
            "ALBUM_YEAR" DATE,
            "ALBUM_MONTH" DATE,
             CONSTRAINT "ALBUM_PK" PRIMARY KEY ("ALBUM_REFERENCENUMBER") ENABLE
          ) ;




CREATE TABLE  "ALBUMTRACKARTIST"
   (    "ALBUMTRACKARTIST_ARTISTICNAME" VARCHAR2(32),
            "ALBUMTRACKARTIST_TRACKREFNUM" NUMBER,
            "ALBUMTRACKARTIST_ALBUMREFNUM" NUMBER,

 CONSTRAINT "ABUMTRACKARTIST_CON" PRIMARY KEY ("ALBUMTRACKARTIST_ARTISTICNAM
E", "ALBUMTRACKARTIST_TRACKREFNUM", "ALBUMTRACKARTIST_ALBUMREFNUM") ENABLE,
```

```sql
    CONSTRAINT "ABUMTRACKARTIST_FK" FOREIGN KEY ("ALBUMTRACKARTIST_ARTISTICNAME")

            REFERENCES  "ARTISTS" ("ARTIST_ARTISTICNAME") ENABLE,

        CONSTRAINT "ABUMTRACKARTIST_FK2" FOREIGN KEY ("ALBUMTRACKARTIST_TRACKR
EFNUM")

            REFERENCES  "TRACKS" ("TRACKS_REFERENCENUMBER") ENABLE,

        CONSTRAINT "ABUMTRACKARTIST_FK3" FOREIGN KEY ("ALBUMTRACKARTIST_ALBUM
REFNUM")

            REFERENCES  "ALBUM" ("ALBUM_REFERENCENUMBER") ENABLE
        ) ;




CREATE TABLE  "ALBUM_AUTHORS"

  (   "ALBUM_AUTHORS_REFERENCENUMBER" NUMBER NOT NULL ENABLE,

        "ALBUM_AUTHORS_FIRSTNAME" VARCHAR2(32) NOT NULL ENABLE,

        "ALBUM_AUTHORS_SECONDNAME" VARCHAR2(32) NOT NULL ENABLE,


 CONSTRAINT "ALBUM_AUTHORS_CON" PRIMARY KEY ("ALBUM_AUTHORS_REFERENCENUMB
ER", "ALBUM_AUTHORS_FIRSTNAME", "ALBUM_AUTHORS_SECONDNAME") ENABLE,


 CONSTRAINT "ALBUM_AUTHORS_FK" FOREIGN KEY ("ALBUM_AUTHORS_REFERENCENUMBER
")


 REFERENCES  "ALBUM" ("ALBUM_REFERENCENUMBER") ON DELETE CASCADE ENABLE
        ) ;




CREATE TABLE  "ARTISTS"

  (   "ARTIST_ARTISTICNAME" VARCHAR2(32) NOT NULL ENABLE,

        "ARTIST_FIRSTNAME" VARCHAR2(32) NOT NULL ENABLE,

        "ARTIST_SECONDNAME" VARCHAR2(32) NOT NULL ENABLE,

        "ARTIST_NATIONALITYE" VARCHAR2(32) NOT NULL ENABLE,
```

```
                    "ARTIST_BIRTHDAY" DATE,

                    "ARTIST_AGE" NUMBER,

                    "ARTIST_AGEOFEXPERIENCE" NUMBER,

                    "ARTIST_DEBUTDATE" DATE,

                    "ARTIST_TOTALSALES" NUMBER DEFAULT 0,

                    "ARTIST_ROYALTIES" NUMBER DEFAULT 0,

                    "ARTIST_AWARDS" NUMBER DEFAULT 0,

                    "ARTIST_ISALIVE" VARCHAR2(32) DEFAULT 'YES',


     CONSTRAINT "PK_ARTIST_ARTISTICNAME" PRIMARY KEY ("ARTIST_ARTISTICNAME") ENABLE,
            CONSTRAINT "CK_ARTIST_TOTALSALES" CHECK("ARTIST_TOTALSALES">=0) ENABLE,
            CONSTRAINT "CK_ARTIST_ISALIVE" CHECK("ARTIST_ISALIVE" LIKE '[SI, NO]') ENABLE,
            CONSTRAINT "ARTIST_ROYALTIES" CHECK("ARTIST_ROYALTIES">=0) ENABLE,
            CONSTRAINT "ARTIST_AWARDS" CHECK("ARTIST_AWARDS">=0) ENABLE
          ) ;




CREATE TABLE  "ARTIST_LABELSWORK"
   (    "ARTIST_LABELSWORK_ARTISTICNAME" VARCHAR2(32) NOT NULL ENABLE,
            "ARTIST_LABELSWORK_LABELSNAME" VARCHAR2(32) NOT NULL ENABLE,

 CONSTRAINT "ARTIST_LABELSWORK_CON" PRIMARY KEY ("ARTIST_LABELSWORK_ARTISTICNA
ME", "ARTIST_LABELSWORK_LABELSNAME") ENABLE,

 CONSTRAINT "ARTIST_LABELSWORK_FK" FOREIGN KEY ("ARTIST_LABELSWORK_ARTISTICNAM
E")
            REFERENCES  "ARTISTS" ("ARTIST_ARTISTICNAME") ENABLE
          ) ;




CREATE TABLE  "ARTREC"
   (    "ARTREC_CIFRECORDLABEL" VARCHAR2(50) NOT NULL ENABLE,
```

```sql
    "ARTREC_ARTISTICNAME" VARCHAR2(50) NOT NULL ENABLE,

 CONSTRAINT "ARTREC_PK" PRIMARY KEY ("ARTREC_CIFRECORDLABEL", "ARTREC_ARTISTICNA
ME") ENABLE,

        CONSTRAINT "ARTREC_FK" FOREIGN KEY ("ARTREC_CIFRECORDLABEL")

        REFERENCES  "RECORDLABEL" ("RECORDLABEL_CIF") ENABLE,

     CONSTRAINT "ARTREC_FK2" FOREIGN KEY ("ARTREC_ARTISTICNAME")

        REFERENCES  "ARTISTS" ("ARTIST_ARTISTICNAME") ENABLE
      ) ;




CREATE TABLE  "BILLINGINFORMATION"
   (    "BILLINGINFORMATION_TYPEACCOUNT" VARCHAR2(32) NOT NULL ENABLE,

        "BILLINGINFORMATION_NUMBERACCNT" NUMBER NOT NULL ENABLE,

        "BILLINGINFORMATION_USERUSERNAM" VARCHAR2(32) NOT NULL ENABLE,


 CONSTRAINT "BILLINGINFORMATION_CON" PRIMARY KEY ("BILLINGINFORMATION_TYPEACC
OUNT", "BILLINGINFORMATION_NUMBERACCNT", "BILLINGINFORMATION_USERUSERNAM")
ENABLE,

 CONSTRAINT "BILLINGINFORMATION_FK2" FOREIGN KEY ("BILLINGINFORMATION_USERUSER
NAM")

        REFERENCES  "USERS" ("USERS_USERNAME") ENABLE
      ) ;




CREATE TABLE  "COUPONS"
   (    "COUPONS_CODE" VARCHAR2(64) NOT NULL ENABLE,

        "COUPONS_EXPIRATION" DATE,

        "COUPONS_DISCOUNT" NUMBER NOT NULL ENABLE,

        "COUPONS_COUPONFORMAT" VARCHAR2(64) NOT NULL ENABLE,

        "COUPONS_STARTDATE" DATE NOT NULL ENABLE,

         CONSTRAINT "COUPONS_PK" PRIMARY KEY ("COUPONS_CODE") ENABLE
```

```sql
) ;


CREATE TABLE  "COUPON_NAMES"
   (    "COUPON_NAMES_CODE" VARCHAR2(32) NOT NULL ENABLE,
            "COUPON_NAMES_NAME" VARCHAR2(32) DEFAULT 'NO NAME' NOT NULL ENABLE,

 CONSTRAINT "COUPON_NAMES_CON" PRIMARY KEY ("COUPON_NAMES_CODE", "COUPON_
NAMES_NAME") ENABLE,
            CONSTRAINT "COUPON_NAMES_FK" FOREIGN KEY ("COUPON_NAMES_CODE")
          REFERENCES  "COUPONS" ("COUPONS_CODE") ENABLE
         ) ;




CREATE TABLE  "DEVELOPERS"
   (    "DEVELOPERS_SSN" NUMBER NOT NULL ENABLE,
            "DEVELOPERS_PROGRAMMINGLENGUAJE" VARCHAR2(33),
             CONSTRAINT "DEVELOPERS_PK" PRIMARY KEY ("DEVELOPERS_SSN") ENABLE,
              CONSTRAINT "DEVELOPERS_FK" FOREIGN KEY ("DEVELOPERS_SSN")
             REFERENCES  "EMPLOYEES" ("EMPLOYEE_SSN") ON DELETE CASCADE ENABLE
         ) ;




CREATE TABLE  "DISTRADMIN"
   (    "CIFDISTRIBUTOR" VARCHAR2(50) NOT NULL ENABLE,
            "SSNADMIN" NUMBER NOT NULL ENABLE,

 CONSTRAINT "DISTRADMIN_PK" PRIMARY KEY ("SSNADMIN", "CIFDISTRIBUTOR") ENABLE,
            CONSTRAINT "DISTRADMIN_FK" FOREIGN KEY ("CIFDISTRIBUTOR")
          REFERENCES  "DISTRIBUTOR" ("DISTRIBUTOR_CIF") ENABLE,
```

```sql
        CONSTRAINT "DISTRADMIN_FK2" FOREIGN KEY ("SSNADMIN")

          REFERENCES  "ADMIN" ("ADMIN_SSN") ENABLE

       ) ;


CREATE TABLE  "DISTRIBUTOR"
   (   "DISTRIBUTOR_CIF" VARCHAR2(32) NOT NULL ENABLE,

        "DISTRIBUTOR_COMPANYNAME" VARCHAR2(64) NOT NULL ENABLE,

        "DISTRIBUTOR_CENTRALOFFICES" VARCHAR2(32),

        "DISTRIBUTOR_NATIONALITY" VARCHAR2(32) NOT NULL ENABLE,

         CONSTRAINT "DISTRIBUTOR_PK" PRIMARY KEY ("DISTRIBUTOR_CIF") ENABLE,

 CONSTRAINT "DISTRIBUTOR_UK1" UNIQUE ("DISTRIBUTOR_COMPANYNAME") ENABLE
        ) ;


CREATE TABLE  "EMPADDRESS"
   (   "EMPADRESS_SSN" NUMBER NOT NULL ENABLE,

        "EMPADRESS_CITY" VARCHAR2(69),

        "EMPADRESS_STREET" VARCHAR2(69),

         CONSTRAINT "EMPADDRESS_PK" PRIMARY KEY ("EMPADRESS_SSN") ENABLE,

          CONSTRAINT "EMPADDRESS_FK" FOREIGN KEY ("EMPADRESS_SSN")

          REFERENCES  "EMPLOYEES" ("EMPLOYEE_SSN") ON DELETE CASCADE ENABLE
        ) ;


CREATE TABLE  "PAYROLL"
   (   "PAYROLL_ID" NUMBER NOT NULL ENABLE,
```

```sql
        "PAYROLL_BONUS" NUMBER,

        CONSTRAINT "PAYROLL_PK" PRIMARY KEY ("PAYROLL_ID") ENABLE

    ) ;



CREATE TABLE  "EMPLOYEES"

   (    "EMPLOYEE_SSN" NUMBER(*,0),

        "EMPLOYEES_WORKINGYEARS" NUMBER(*,0) DEFAULT 0,

        "EMPLOYEES_HIRINGDATE" DATE NOT NULL ENABLE,

        "EMPLOYEES_CITY" VARCHAR2(32),

        "EMPLOYEES_STREET" VARCHAR2(32),

        "EMPLOYEES_ZIP" VARCHAR2(32),

        "EMPLOYEES_PHONE" NUMBER,

        "EMPLOYEES_PAYROLLID" NUMBER,

        "EMPLOYEES_ALLOWANCE" VARCHAR2(32) NOT NULL ENABLE,

        "EMPLOYEES_BLOODGROUP" VARCHAR2(32),

        "EMPLOYEES_CIVILSTATUS" VARCHAR2(32),

        "EMPLOYEES_CATEGORY" VARCHAR2(2) NOT NULL ENABLE,

        CONSTRAINT "EMPLOYEESSN" PRIMARY KEY ("EMPLOYEE_SSN") ENABLE,

 CONSTRAINT "CK_EMPLOYEES_WORKINGYEARS" CHECK ("EMPLOYEES_WORKINGYEARS">=0)
ENABLE,

 CONSTRAINT "CK_EMPLOYEES_CATEGORY" CHECK  ("EMPLOYEES_CATEGORY" LIKE '[DEVELOP
ER, MANAGER, ADMIN]') ENABLE,

 CONSTRAINT "CK_EMPLOYEES_CIVILSTATUS" CHECK  ("EMPLOYEES_CIVILSTATUS" LIKE '[SOLT
ERO, CASADO, VIUDO]') ENABLE,

        CONSTRAINT "CK_EMPLOYEES_PHONE" CHECK  ("EMPLOYEES_PHONE" LIKE '[0-
9][0-9][0-9][0-9][0-9][0-9][0-9][0-9][0-9]') ENABLE,

        CONSTRAINT "EMPLOYEESL_FK" FOREIGN KEY ("EMPLOYEES_PAYROLLID")

         REFERENCES  "PAYROLL" ("PAYROLL_ID") ENABLE
```

```sql
    ) ;



CREATE TABLE  "MANAGADMIN"
   (    "MANAGADMIN_PERSONALREALTION" VARCHAR2(50),
        "MANAGADMIN_SSNADMIN" NUMBER,
        "MANAGADMIN_SSNMAN" NUMBER,

 CONSTRAINT "MANAGADMIN_PK" PRIMARY KEY ("MANAGADMIN_SSNADMIN", "MANAGAD
MIN_SSNMAN") ENABLE,
         CONSTRAINT "MANAGADMIN_FK" FOREIGN KEY ("MANAGADMIN_SSNADMIN")
        REFERENCES  "ADMIN" ("ADMIN_SSN") ON DELETE CASCADE ENABLE,
      CONSTRAINT "MANAGADMIN_FK2" FOREIGN KEY ("MANAGADMIN_SSNMAN")
        REFERENCES  "MANAGERS" ("MANAGERS_SSN") ON DELETE CASCADE ENABLE
       ) ;




CREATE TABLE  "MANAGDEV"
   (    "MANAGDEV_PERSONALREALITON" VARCHAR2(50),
        "MANAGDEV_SSNDEV" NUMBER,
        "MANAGDEV_SSNMAN" NUMBER,

 CONSTRAINT "MANAGDEV_PK" PRIMARY KEY ("MANAGDEV_SSNDEV", "MANAGDEV_SSNMA
N") ENABLE,
         CONSTRAINT "MANAGDEV_FK" FOREIGN KEY ("MANAGDEV_SSNDEV")
        REFERENCES  "DEVELOPERS" ("DEVELOPERS_SSN") ON DELETE CASCADE ENABLE,
      CONSTRAINT "MANAGDEV_FK2" FOREIGN KEY ("MANAGDEV_SSNMAN")
        REFERENCES  "MANAGERS" ("MANAGERS_SSN") ON DELETE CASCADE ENABLE
       ) ;
```

```sql
CREATE TABLE  "MANAGERS"

   (    "MANAGERS_SSN" NUMBER NOT NULL ENABLE,

            CONSTRAINT "MANAGERS_PK" PRIMARY KEY ("MANAGERS_SSN") ENABLE,

             CONSTRAINT "MANAGERS_FK" FOREIGN KEY ("MANAGERS_SSN")

             REFERENCES  "EMPLOYEES" ("EMPLOYEE_SSN") ON DELETE CASCADE ENABLE
          ) ;




CREATE TABLE  "PAYMENT"

   (    "PAYMENT_ID" VARCHAR2(64) NOT NULL ENABLE,

            "PAYMENT_USERSFULLNAME" VARCHAR2(64) NOT NULL ENABLE,

            "PAYMENT_YEAR" NUMBER NOT NULL ENABLE,

            "PAYMENT_MONTH" NUMBER NOT NULL ENABLE,

            "PAYMENT_DAY" NUMBER NOT NULL ENABLE,

            "PAYMENT_HOUR" NUMBER NOT NULL ENABLE,

             CONSTRAINT "PAYMENT_PK" PRIMARY KEY ("PAYMENT_ID") ENABLE,

 CONSTRAINT "PAYMENT_UK1" UNIQUE ("PAYMENT_USERSFULLNAME", "PAYMENT_YEAR", "P
AYMENT_MONTH", "PAYMENT_DAY", "PAYMENT_HOUR") ENABLE
          ) ;




CREATE TABLE  "PLAYLIST"

   (    "PLAYLIST_ID" VARCHAR2(32) NOT NULL ENABLE,

            "PLAYLIST_NAME" VARCHAR2(32) NOT NULL ENABLE,

            "PLAYLIST_USERUSERNAME" VARCHAR2(64) NOT NULL ENABLE,

             CONSTRAINT "PLAYLIST_PK" PRIMARY KEY ("PLAYLIST_ID") ENABLE,
```

```
   CONSTRAINT "PLAYLIST_UK1" UNIQUE ("PLAYLIST_NAME", "PLAYLIST_USERUSERNAME") ENA
BLE
          ) ;




CREATE TABLE  "PLAYTRACK"
  (    "PLAYTRK_TRACKNUMBEROFREFERENCE" NUMBER NOT NULL ENABLE,
          "PLAYTRK_PLAYLISTID" VARCHAR2(32) NOT NULL ENABLE,

 CONSTRAINT "PLAYTRACK_CON" PRIMARY KEY ("PLAYTRK_TRACKNUMBEROFREFERENCE", "PL
AYTRK_PLAYLISTID") ENABLE,

 CONSTRAINT "PLAYTRACK_CONS" FOREIGN KEY ("PLAYTRK_TRACKNUMBEROFREFERENCE")
          REFERENCES  "TRACKS" ("TRACKS_REFERENCENUMBER") ENABLE,
       CONSTRAINT "PLAYTRACK_CONST" FOREIGN KEY ("PLAYTRK_PLAYLISTID")
          REFERENCES  "PLAYLIST" ("PLAYLIST_ID") ENABLE
        ) ;




CREATE TABLE  "PURCHASE_TRACKS"
  (    "PURCHASE_TRACKS_CARTID" NUMBER NOT NULL ENABLE,
          "PURCHASE_TRACKS_INITIALPRICE" NUMBER NOT NULL ENABLE,
          "PURCHASE_TRACKS_NUMEROFTRACKS" NUMBER NOT NULL ENABLE,
          "PURCHASE_TRACKS_FINALPRICE" NUMBER NOT NULL ENABLE,
          "PURCHASE_TRACKS_ISBOUGHTBYADS" VARCHAR2(64),
          "PURCHASE_TRACKS_COUPONCODE" VARCHAR2(64),
          "PURCHASE_TRACKS_PAYMENTID" VARCHAR2(64) NOT NULL ENABLE,

 CONSTRAINT "PURCHASE_TRACKS_PK" PRIMARY KEY ("PURCHASE_TRACKS_CARTID") ENABLE,

 CONSTRAINT "PURCHASE_TRACKS_CON" FOREIGN KEY ("PURCHASE_TRACKS_COUPONCODE")
          REFERENCES  "COUPONS" ("COUPONS_CODE") ON DELETE CASCADE ENABLE,
```

```sql
        CONSTRAINT "PURCHASE_TRACKS_CONS" FOREIGN KEY ("PURCHASE_TRACKS_PAYME
NTID")

        REFERENCES  "PAYMENT" ("PAYMENT_ID") ENABLE

     ) ;




CREATE TABLE  "RECORDDISTR"
   (    "RECORDDISTR_CIFDISTRIBUTOR" VARCHAR2(50) NOT NULL ENABLE,

        "RECORDDISTR_CIFRECORDLABEL" VARCHAR2(50) NOT NULL ENABLE,


 CONSTRAINT "RECORDDISTR_PK" PRIMARY KEY ("RECORDDISTR_CIFDISTRIBUTOR", "RECORD
DISTR_CIFRECORDLABEL") ENABLE,

         CONSTRAINT "RECORDDISTR_FK" FOREIGN KEY ("RECORDDISTR_CIFDISTRIBUTOR")

        REFERENCES  "DISTRIBUTOR" ("DISTRIBUTOR_CIF") ENABLE,


 CONSTRAINT "RECORDDISTR_FK2" FOREIGN KEY ("RECORDDISTR_CIFRECORDLABEL")

        REFERENCES  "RECORDLABEL" ("RECORDLABEL_CIF") ENABLE

     ) ;




CREATE TABLE  "RECORDLABEL"
   (    "RECORDLABEL_CIF" VARCHAR2(50) NOT NULL ENABLE,

        "RECORDLABEL_BRANDNAME" VARCHAR2(50),

        "RECORDLABEL_NUMBEROFEMPLOYEES" NUMBER,

        "RECORDLABEL_STOCKMARKETVALUE" NUMBER,

         CONSTRAINT "RECORDLABEL_PK" PRIMARY KEY ("RECORDLABEL_CIF") ENABLE,

 CONSTRAINT "RECORDLABEL_UK1" UNIQUE ("RECORDLABEL_BRANDNAME") ENABLE

     ) ;
```

```sql
CREATE TABLE  "TRACKS"
   (    "TRACKS_REFERENCENUMBER" NUMBER NOT NULL ENABLE,
          "TRACKS_BPM" NUMBER,
           CONSTRAINT "TRACKS_PK" PRIMARY KEY ("TRACKS_REFERENCENUMBER") ENABLE
          ) ;




CREATE TABLE  "USEREMAIL"
   (    "USEREMAIL_EMAILACCOUNT" VARCHAR2(32) NOT NULL ENABLE,
          "USEREMAIL_USERUSERNAME" VARCHAR2(32) NOT NULL ENABLE,

 CONSTRAINT "USEREMAIL_CON" PRIMARY KEY ("USEREMAIL_EMAILACCOUNT", "USEREMAIL
_USERUSERNAME") ENABLE,
              CONSTRAINT "USEREMAIL_FK" FOREIGN KEY ("USEREMAIL_USERUSERNAME")
            REFERENCES  "USERS" ("USERS_USERNAME") ON DELETE CASCADE ENABLE
          ) ;




CREATE TABLE  "USERS"
   (    "USERS_USERNAME" VARCHAR2(64) NOT NULL ENABLE,
          "USERS_FIRSTNAME" VARCHAR2(64),
          "USERS_SECONDNAME" VARCHAR2(64),
          "USERS_PROFILEPHOTO" VARCHAR2(64) DEFAULT 'NO',
          "USERS_CITY" VARCHAR2(64),
          "USERS_STREET" VARCHAR2(64),
          "USERS_ZIP" VARCHAR2(64),
          "USERS_FAVTRACK" VARCHAR2(64),
          "USERS_FAVARTIST" VARCHAR2(64),
          "USERS_FAVGENRE" VARCHAR2(64),
          "USERS_NUMBERPURCHASES" NUMBER DEFAULT 0 NOT NULL ENABLE,
```

```sql
        "USERS_MONEYBALANCE" NUMBER DEFAULT 0 NOT NULL ENABLE,

        "USERS_CARTID" NUMBER NOT NULL ENABLE,

         CONSTRAINT "USERS_PK" PRIMARY KEY ("USERS_USERNAME") ENABLE,


 CONSTRAINT "CK_USERS_NUMBERPURCHASES" CHECK ("USERS_NUMBERPURCHASES">=0) E
NABLE,


 CONSTRAINT "CK_USERS_PROFILEPHOTO" CHECK ("USERS_PROFILEPHOTO" LIKE '[SI,
NO]' ) ENABLE,

             CONSTRAINT "USERS_CON" FOREIGN KEY ("USERS_CARTID")

            REFERENCES  "PURCHASE_TRACKS" ("PURCHASE_TRACKS_CARTID") ENABLE


        ) ;




CREATE TABLE  "USERTRACK"

   (    "USERTRACK_USERNAME" VARCHAR2(64) NOT NULL ENABLE,

        "USERTRACK_TRACKREFERENCENUMBER" NUMBER NOT NULL ENABLE,


 CONSTRAINT "USERTRACK_CON" PRIMARY KEY ("USERTRACK_USERNAME", "USERTRACK_TRA
CKREFERENCENUMBER") ENABLE,

             CONSTRAINT "USERTRACK_CONS" FOREIGN KEY ("USERTRACK_USERNAME")

            REFERENCES  "USERS" ("USERS_USERNAME") ENABLE,


 CONSTRAINT "USERTRACK_CONST" FOREIGN KEY ("USERTRACK_TRACKREFERENCENUMBER")

            REFERENCES  "TRACKS" ("TRACKS_REFERENCENUMBER") ENABLE
        ) ;




CREATE TABLE  "USER_AUDIOPREF"

   (    "USER_AUDIOPREF_PROFILEPREF" VARCHAR2(64) NOT NULL ENABLE,

        "USER_AUDIOPREF_USERNAME" VARCHAR2(64) NOT NULL ENABLE,
```

CONSTRAINT "USER_AUDIOPREF_CON" PRIMARY KEY ("USER_AUDIOPREF_PROFILEPREF", "USER_AUDIOPREF_USERNAME") ENABLE,

CONSTRAINT "USER_AUDIOPREF_FK" FOREIGN KEY ("USER_AUDIOPREF_USERNAME")

REFERENCES "USERS" ("USERS_USERNAME") ON DELETE CASCADE ENABLE

) ;