

MATRIX G7-S40 INSTRUCTIONS

Table of Contents

[Maintenance Checklist](#)

[Product Specifications](#)

[Warranty](#)

[Important Safety Information](#)

[Proper Usage](#)

[Included Tools Required for Assembly](#)

[Step 1](#)

[Step 2](#)

[Step 3](#)

[Step 4](#)

[Step 5](#)

[Other ManualsLib Projects](#)

1. Never allow children on selectorized strength equipment. Teenagers must be supervised at all times while using this equipment.
2. All warnings and instructions should be read and proper instruction obtained prior to use.
3. Cease exercise if you feel faint or dizzy. Obtain a medical exam before beginning an exercise program
4. Keep body, hair, clothing and fitness accessories free and clear of all moving parts.
5. Inspect the machine before use. DO NOT use machine if it appears damaged or inoperable.
6. Check to see that the selector pin is completely inserted into the weight stack.
7. NEVER use the machine with the weight stack pinned in an elevated position.
8. Never use dumbbells or other means to incrementally increase the weight resistance. Only use the means provided directly from the manufacturer.
9. This equipment should only be used in supervised areas where access and control are regulated by the owner.

WARNING: SERIOUS INJURY CAN OCCUR ON THIS EQUIPMENT. FOLLOW THESE PRECAUTIONS TO AVOID INJURY!

1. DO NOT use any equipment that is damaged and or has worn or broken parts. Use only replacement parts supplied by your country's local MATRIX Fitness Systems dealer.
2. MAINTAIN LABELS AND NAMEPLATES: Do not remove labels for any reason. They contain important information. If unreadable or missing, contact your MATRIX Fitness Systems dealer for a replacement.
3. SECURING EQUIPMENT: All equipment MUST be secured to the floor to stabilize and eliminate rocking or tipping over. This must be performed by a licensed contractor.
4. MAINTAIN ALL EQUIPMENT: Preventative maintenance is the key to smooth operating equipment as well as keeping your liability to a minimum. Equipment needs to be inspected at regular intervals.
5. Ensure that any person(s) making adjustments or performing maintenance or repair of any kind is qualified to do so. MATRIX Fitness Systems dealers will provide service and maintenance training at our corporate facility upon request.

CHECK FOR DAMAGED PARTS

Keep hands and feet clear at all times from moving parts to avoid injury.
Fitness Systems equipment be used properly to avoid injury.
Do not use any equipment in any way other than designed or intended by the manufacturer. It is imperative that MATRIX

PROPER USAGE

It is recommended that all users of MATRIX Fitness Systems exercise equipment be informed of the following information prior to its use.
It is the sole responsibility of the purchaser of MATRIX Fitness Systems products to instruct all individuals, whether they are the end user or supervising personnel on proper usage of the equipment.

IMPORTANT SAFETY INFORMATION

**MATRIX | G7 SINGLE-STATION STRENGTH
BICEPS CURL**



Strong. Smart. Beautiful.

MATRIX FITNESS SYSTEMS | 1600 LANDMARK DRIVE COTTAGE GROVE WI 53527 USA
Toll Free 866.693.4863 matrixfitness.com Fax 608.839.8687

PART # 0000088210

REV. 1.3

WARRANTY (Valid in USA only)	
Frame (not coatings)	10 years
Structural parts	10 years
Weight stacks	5 years
Pulleys	5 years
Pivot bearings	5 years
Any items not specified	3 years
Labor (excluding upholstery/cables/grips)	3 years
Upholstery/cables/grips/springs	1 year

TECH SPECS	
Overall dimensions	53"L X 67"W x 52"H
Weight	553 lbs
Shipping weight	602 lbs

PRODUCT SPECIFICATIONS

Upholstery & Grips should be cleaned with a non-ammonia based cleaner (like Simple Green) or a mild soap and water. Guide rods should be lubricated with Teflon based lubricant. Apply the lubricant to a cotton cloth and then apply up and down the guide rods.

ACTION		FREQUENCY	
Clean Upholstery	Daily	Inspect Cables	Daily
Clean Guide Rods	Monthly	Clean Guide Rods	Monthly
Inspect Hardware	Monthly	Inspect Frame	Bi-Annually
Clean Machine	As Needed	Clean Grips	As Needed
Lubricate Guide Rods	As Needed		

MAINTENANCE CHECKLIST



TRICEPS PRESS PLACARD

G7-S40 BICEPS CURL

UNPACKING G7-S40 BICEPS CURL

Thank you for purchasing a MATRIX Fitness product. This machine is an EN957-1 and E9576-2 complaint Class S product. Your MATRIX G7-S40 BICEPS CURL is inspected before it is packaged. It is shipped in multiple pieces to facilitate the compact packaging of the machine. Prior to assembly, confirm all the components by matching them with the exploded diagrams. The weight stack is shipped in separate packaging to reduce the weight of this box. Carefully unpack the unit from this box and dispose of the packing materials in accordance with your local laws.

CAUTION

The weight of the G7-S40 BICEPS CURL is 553 lbs. (251 kg) not including the weight stack. The weight stack tower is packaged completely assembled for ease of installation; use extra caution when removing from its pallet during assembly. The weight stack for this machine is 200 lbs. (91 kg). To avoid injury to yourself and prevent damage to the frame components, be sure to have proper assistance removing the frame pieces from this box.

INCLUDED TOOLS REQUIRED FOR ASSEMBLY

- 3MM L-Shaped Allen Wrench

4MM L-Shaped Allen Wrench

5MM L-Shaped Allen Wrench

6MM L-Shaped Allen Wrench

8MM L-Shaped Allen Wrench

10MM L-Shaped Allen Wrench

Phillips Screwdriver

8MM Open-End Wrench

17MM Open-End Wrench
-

If any items are missing please contact your country's local MATRIX dealer for assistance.



Step 1

Left the aluminum wing and top cover. Then take apart the front and rear shields. Q01 balls won't be used anymore for the wing and cover reassembly.

Item	Description	Qty
B22	Flat Washer(M10)	18
B23	Nut(M10)	6
Z04	Lock Washer(M10)	14
Z02	Screw (M10X30L)	12
Z05	Screw (M10X90L)	2
Z23	Arc-Flat Washer	6
Z11	Screw (M10X75L)	4

Step 2

Take apart from the cam

Item	Description	Qty
B44	Flat Washer(M10)	10
B23	Nut(M10)	6
B25	Flat Washer(M8)	2
F05	Cam Stopper Rubber	2
F06	Screw (M8)	2
F11	Cap Nut (M10)	2
F12	Button Screw (M10X40L)	4
F13	Stopper plate	2
Z01	Screw (M10X25L)	2
Z44	Screw (M10X30L)	2
Z07	Screw (M6X12L)	2
Z08	Flat Washer(M6)	2
Z09	Washer(M6)	2
Z10	Screw (M10X45L)	2
C17	Cover	2
Z15	External C type clamp S-25	2
Z16	Washer,ø26.0xø35.0x0.3t	2
D18	Cap	4

Step 3

Item	Description	Qty
C17	Pulley Cover	8
C30	Screw (M8x25L)	8
J18	Connect Rod	4
J20	Swirl Spring	2
J32	Shaft	4

Step 4

Item	Description	Qty
Z03	Screw (M10X20L)	4
Z17	Screw (M10X75L)	2

Back Pad

Seat Pad

Step 5

Item	Description	Qty
Z12	Screw (M8X60L)	4
Q02	Right-Front Shield	1
Q03	Rear Shield	1
Q04	Left-Front Shield	1

Get the wing and top cover then assemble the front and rear shields to the frame.

Other ManualsLib Projects

 www.manualslib.com

 www.manualslib.de

 www.manualslib.es

 www.manualslib.fr

 www.manualslib.nl

 www.manualslib.mx

 www.manualslib.tech 30+ Languages