new living TRANSLATION

login

NLT API Usage Documentation

The NLT API is based on HTTP GET requests with all parameters in the URL (unless noted as POST request). The output format is HTML (unless noted as, e.g., JSON).

Your API key is included in each request with the key query parameter. If *key=TEST* or omitted, then your IP address will be used as a key, and you will be limited to 50 verses per request and 500 requests per day.

https://api.nlt.to/passages

Return the Scripture text for the given passages, ordered by reference, as an HTML excerpt that can readily be included in a web page.

- **Example:** https://api.nlt.to/api/passages?ref=John.1&key=TEST
- **Query Parameters:**

ref	The reference(s) for the passages to be returned. More than one reference can be given, separated by semi-colons or commas.
version	The Bible version to show. (Default *version=NLT*.) Available values: NLT — NLT (American English) NLTUK — NLT (UK English) NTV — Nueva Traducción Viviente KJV — King James Version
key	Your API license key.

https://api.nlt.to/api/search

Return search results (passages and short context paragraphs) for the given search query terms.

- **Example**: https://api.nlt.to/api/search?text=mother+and+father&key=TEST
- **Query Parameters**:

text	The text to search for.
version	The Bible version to search. (Default *version=NLT*.)
key	Your API license key.

https://api.nlt.to/api/parse

Return a parsed list of references for the given reference string. *NOTE: the Content-Type for this query is always JSON.*

- **Example**: https://api.nlt.to/api/parse?ref=John.1&key=TEST
- **Query Parameters**:

ref	The reference string to parse.
key	Your API license key.
language	The language. (Default *language=en*. Spanish is 'es')

https://api.nlt.to/api/plans

Return a list of reading plans supported by the API.

- **Example**: https://api.nlt.to/api/plans?key=TEST
- **Query Parameters**:

key	Your API license key.

https://api.nlt.to/api/reading

Return the text for a given date in the given reading plan. (Default *date=today*.)

- **Example**: https://api.nlt.to/api/reading?plan=OYB&key=TEST
- **Query Parameters**:

plan	The name of the reading plan from which to retrieve the reading. The plan name should exactly match one of the reading plan names listed in https://api.nlt.to/plans
date	The date of the reading. (Default *date=today*.)

version	The Bible version in which to provide the reading.
key	Your API license key.

© 2026 Tyndale House Publishers

Visit **NewLivingTranslation.com**

Trademark | **Privacy Policy**