

Part 1:


1)

```
anikadontu@Anikas-MacBook-Pro-2 CSE110 % git clone https://github.com/adontu06/AD---GitHub-Pages-Project.git
Cloning into 'AD---GitHub-Pages-Project'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
```

2)

```
anikadontu@Anikas-MacBook-Pro-2 CSE110 % cd AD---GitHub-Pages-Project
anikadontu@Anikas-MacBook-Pro-2 AD---GitHub-Pages-Project % ls
README.md
anikadontu@Anikas-MacBook-Pro-2 AD---GitHub-Pages-Project % git checkout -b add-read-me
Switched to a new branch 'add-read-me'
```

3)



4) Added as I edited the existing file in that branch using vim.

5)

```
anikadontu@Anikas-MacBook-Pro-2 AD---GitHub-Pages-Project % git status
On branch add-read-me
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .DS_Store

no changes added to commit (use "git add" and/or "git commit -a")
anikadontu@Anikas-MacBook-Pro-2 AD---GitHub-Pages-Project % git add .
anikadontu@Anikas-MacBook-Pro-2 AD---GitHub-Pages-Project % git commit -m "Update readme file"
[add-read-me 08fbaf3] Update readme file
2 files changed, 1 insertion(+), 2 deletions(-)
create mode 100644 .DS_Store
anikadontu@Anikas-MacBook-Pro-2 AD---GitHub-Pages-Project % git push -u origin add-read-me
```

6)

```
anikadontu@Anikas-MacBook-Pro-2 AD---GitHub-Pages-Project % printf "protocol=https\nhost=github.com\n" | git credential reject
anikadontu@Anikas-MacBook-Pro-2 AD---GitHub-Pages-Project % git push -u origin add-read-me
Username for 'https://github.com': adontu06
Password for 'https://adontu06@github.com':
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 10 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 498 bytes | 498.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'add-read-me' on GitHub by visiting:
remote:   https://github.com/adontu06/AD---GitHub-Pages-Project/pull/new/add-read-me
remote:
To https://github.com/adontu06/AD---GitHub-Pages-Project.git
 * [new branch]      add-read-me -> add-read-me
branch 'add-read-me' set up to track 'origin/add-read-me'.
```

Final Result:

The screenshot shows the GitHub interface for a repository named "AD---GitHub-Pages-Project" owned by "adontu06". The repository is public and has 2 branches and 0 tags. A merge pull request #1 from the "add-read-me" branch is shown, with a commit message "Update readme file" and a timestamp of "22 minutes ago". The README file is visible, showing the text "Anika's User Page". The right sidebar contains information about the repository, including the name "UCSD CSE 110 Lab 1 GitHub Repository", a README link, activity, 0 stars, 0 watching, and 0 forks. There are also sections for Releases, Packages, and Contributors.

Part 2:

