




@adarshSahu

•File & Directory handling :

- › **ls** - Lists files and directories.
- › **ls -l** - Lists files with detailed information.
- › **ls -la** - Lists all files including hidden ones with details.
- › **cd** - Changes the current directory.

- › **pwd** - Prints the current working directory.
- › **mkdir** - Creates a new directory.
- › **rmdir** - Removes an empty directory.
- › **touch** - Creates an empty file or updates file timestamp.
- › **rm** - Removes files or directories.
- › **rm -rf** - Forcefully removes files/directories recursively.
- › **cp** - Copies files or directories.

- › **mv** - Moves or renames files or directories.
- › **cat** - Displays file contents.
- › **nl** - Displays file contents with line numbers.
- › **tac** - Displays file contents in reverse order.
- › **more** - Views file content page by page.
- › **less** - Views file content with backward/forward navigation.
- › **head** - Shows the first lines of a file.
- › **tail** - Shows the last lines of a file.

- **File Editing / Viewing :**

- › **nano** - Opens a file in a simple terminal-based text editor.
- › **vim** - Opens a file in an advanced terminal-based text editor.

- **Search s Filter Tools :**

- › **grep** - Searches text matching a pattern.
- › **grep -i** - Searches text ignoring case.
- › **grep -r** - Searches recursively in all files/directories.
- › **find** - Locates files or directories based on criteria.
- › **awk** - Processes and extracts data from text files.
- › **sed** - Edits text in files using patterns.
- › **cut** - Extracts specific columns or fields from text.
- › **sort** - Sorts lines of text.
- › **uniq** - Removes or reports duplicate lines.
- › **wc** - Counts lines, words, and characters.

- **Permissions s Ownership :**

- › **chmod** - Changes file or directory permissions.

- › **chmod 755** - Sets full permission for owner, read/execute for others.
- › **chmod 644** - Sets read/write for owner, read-only for others.
- › **chown** - Changes file or directory ownership.
- › **chown -R** - Changes ownership recursively for all files/folders.
- › **chgrp** - Changes the group ownership of a file or directory.
- › **umask** - Sets default permission mask for new files and directories.

- **Users s Groups :**

- › **useradd** - Creates a new user account.
- › **userdel** - Deletes a user account.
- › **passwd** - Sets or changes a user's password.
- › **groupadd** - Creates a new group.
- › **id** - Shows user ID and group information.
- › **whoami** - Displays the current logged-in username.
- › **who** - Shows all users currently logged in.
- › **last** - Shows login history of users.

- **Processes s System Management :**

- › **ps** - Shows running processes for the current user.

- › **ps aux** - Shows all running processes system-wide.
- › **top** - Displays real-time system processes and resource usage.
- › **htop** - Interactive real-time process viewer.
- › **kill** - Sends a signal to stop a process.
- › **kill -G** - Forcefully terminates a process.
- › **systemctl start** - Starts a service.
- › **systemctl stop** - Stops a service.
- › **systemctl enable** - Enables a service to start on boot.
- › **systemctl status** - Shows the current status of a service.
- › **journalctl** - Displays systemd service logs.

- **Networking :**

- › **ping** - Checks network connectivity to a host.
- › **curl** - Sends HTTP requests and fetches data from URLs.
- › **wget** - Downloads files from the internet.
- › **ssh** - Connects to a remote server securely.
- › **scp** - Copies files between local and remote systems.
- › **ifconfig / ip a** - Displays network interface details.
- › **ip route** - Shows or manages routing table.
- › **netstat / ss** - Displays open ports and network connections.
- › **hostname** - Shows or sets the system's hostname.

- **Disk, Memory s System Info :**

- › **df -h** - Shows disk usage of mounted filesystems in human-readable form.
- › **du -sh** - Shows total size of a directory or file.
- › **free -m** - Displays memory usage in megabytes.
- › **uname -a** - Shows detailed system and kernel information.
- › **uptime** - Displays system running time and load average.
- › **dmesg** - Shows kernel and hardware-related messages.
- › **lsblk** - Lists block devices like disks and partitions.
- › **blkid** - Displays UUIDs and filesystem types of block devices.

- **Archive / Compression :**

- › **tar -cvf** - Creates a tar archive from files or directories.
- › **tar -xvf** - Extracts files from a tar archive.
- › **zip** - Compresses files into a .zip archive.
- › **unzip** - Extracts files from a .zip archive.
- › **gzip** - Compresses a file using gzip format.
- › **gunzip** - Decompresses a gzip-compressed file.

- **Package Management :**

- › **apt update** - Refreshes package lists from repositories.
- › **apt install** - Installs a package.
- › **apt remove** - Removes an installed package.

- **Misc s Useful :**

- › **history** - Shows previously executed commands.
- › **alias** - Creates a shortcut for a command.
- › **unalias** - Removes an existing alias.
- › **env** - Displays environment variables.
- › **export** - Sets or updates environment variables.
- › **echo** - Prints text or variable values.
- › **date** - Displays or sets the system date and time.
- › **timedatectl** - Manages system time and timezone settings.
- › **crontab -e** - Opens the cron editor to schedule tasks.