

Este formato es requerido para lograr la correcta documentación de las evidencias requeridas en toda orden de cambio ejecutada por Kyndryl, su cumplimiento nos permitirá lograr calidad en documentación y soportes ante auditorías.

Lineamiento general

1. El nombre del archivo adjunto debe tener el siguiente formato (PDF):
Template_evidencias_OC XXXX_Tarea XXXX.pdf
Reemplazar las XXXX por el numero de la OC y nombre de la actividad.
2. Este archivo debe adjuntarse por cada tarea de implementación ejecutada en la OC.

Ítem requeridos que deben ser diligenciados

1. Indique el número de OC

3790601

2. Responsable de la ejecución de la tarea

Hammer yandi

3. Evidencias antes del cambio por cada CI

3.1. Imagen que contenga fecha y hora del sistema

4. Evidencias después del cambio por cada CI

4.1. Imagen que contenga fecha y hora del sistema.

https://10.170.187.29:9043/ibm/console/login.do?action=secure

/web.wh... Banca Inversión: Sol... Consolas Valida_Inveco IBM PAGOS ¿Cómo configurar p... Inicio

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5081I: The bootstrap address for client module is configured in the WebSphere Application Server repository.

ADMA5053I: The library references for the installed optional package are created.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5001I: The application binaries are saved in /opt/IBM/WebSphere/AppServer/profiles/dmgr01/wstemp/-1202790909/works/BancolombiaPymes.ear

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

SECJ0400I: Successfully updated the application BancolombiaPymes with the appContextIDForSecurity information.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5113I: Activation plan created successfully.

ADMA5011I: The cleanup of the temp directory for application BancolombiaPymes is complete.

ADMA5013I: Application BancolombiaPymes installed successfully.

Application BancolombiaPymes installed successfully.

If you want to do a rolling update of the application on the cluster(s) on which it is installed, then click Rollout Update. A rolling update requires a rolling update configuration, then synchronize and recycle the cluster members on each node, one node at a time.

[Rollout Update](#)

To start the application, first save changes to the master configuration.

The application might not be immediately available while being started on all servers.

Changes have been made to your local configuration. You can:

- [Save](#) directly to the master configuration.
- [Review](#) changes before saving or discarding.

To work with installed applications, click the "Manage Applications" link

10.73.29.101

Buscar c... Esta conexión no es... 1 WebSphere Integrat... While running the p... Acerca de la p

1 resultado Empieza con

Welcome wpsvradmi

ADMA5058I: Application and module versions are validated with versions of deployment targets.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5081I: The bootstrap address for client module is configured in the WebSphere Application Server repository.

ADMA5053I: The library references for the installed optional package are created.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5001I: The application binaries are saved in /opt/IBM/WebSphere/AppServer/profiles/dmgr01/wstemp/1080629273/workspace/cells/dmgrCell01/applications/BancolombiaPymes.ear/BancolombiaPymes

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

SECJ0400I: Successfully updated the application BancolombiaPymes with the appContextIDForSecurity information.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5005I: The application BancolombiaPymes is configured in the WebSphere Application Server repository.

ADMA5113I: Activation plan created successfully.

ADMA5011I: The cleanup of the temp directory for application BancolombiaPymes is complete.

ADMA5013I: Application BancolombiaPymes installed successfully.

Application BancolombiaPymes installed successfully.

If you want to do a rolling update of the application on the cluster(s) on which it is installed, then click Rollout Update. A rolling update will save all configuration, then synchronize and recycle the cluster members on each node, one node at a time.

[Rollout Update](#)

To start the application, first save changes to the master configuration.

The application might not be immediately available while being started on all servers.

Changes have been made to your local configuration. You can:

- Save directly to the master configuration.
- Review changes before saving or discarding.

4.2. Breve descripción la cual permitirá identificar el cambio realizado.

Instalacion app bancopyme

4.3. En caso de ser un cambio físico (Data Center), ejecutar un comando en consola que evidencie la disponibilidad del dispositivo incorporado o desincorporado.

5. Validar y responder si la cantidad de CIs a intervenir referenciados en la descripción del cambio, están incluidos en las evidencias del presente documento (SI/NO): _____, Indique la Cantidad de CIs: _____

