

Este formato es requerido para lograr la correcta documentación de las evidencias requeridas en toda orden de cambio ejecutada por Kyndryl, su cumplimiento nos permitirá lograr calidad en documentación y soportes ante auditorías.

Lineamiento general

1. El nombre del archivo adjunto debe tener el siguiente formato (PDF):
Template evidencias OC XXXX Tarea XXXX.pdf
Reemplazar las XXXX por el numero de la OC y nombre de la actividad.
2. Este archivo debe adjuntarse por cada tarea de implementación ejecutada en la OC.

Ítem requeridos que deben ser diligenciados

1. Indique el número de OC

3968636

2. Responsable de la ejecución de la tarea

Alejandro Henao Muñoz

3. Evidencias antes del cambio por cada CI

- 3.1. Imagen que contenga fecha y hora del sistema

```
[root@xrbcpis06w ~]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.194.140 netmask 255.255.255.240 broadcast 10.170.194.143
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)
    RX packets 216005739 bytes 274175799725 (255.3 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 115328561 bytes 306658334292 (285.5 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.22 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.9 netmask 255.255.255.192 broadcast 10.170.176.63
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.27 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.17 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.45 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 232097 bytes 21402946 (20.4 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 232097 bytes 21402946 (20.4 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis06w ~]# date
Tue Nov  8 14:22:38 -05 2022
[root@xrbcpis06w ~]#
```

```
[root@xrbcpis07w network-scripts]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.194.142 netmask 255.255.255.240 broadcast 10.170.194.143
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)
    RX packets 254749551 bytes 327178753583 (304.7 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 138548223 bytes 367449799576 (342.2 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.26 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.23 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.10 netmask 255.255.255.192 broadcast 10.170.176.63
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.28 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.46 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 237119 bytes 22046800 (21.0 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 237119 bytes 22046800 (21.0 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis07w network-scripts]# date
Tue Nov  8 14:51:01 -05 2022
[root@xrbcpis07w network-scripts]#
```

```
[root@xrbcpis05w ~]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.194.139 netmask 255.255.255.240 broadcast 10.170.194.143
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)
    RX packets 254346470 bytes 322608538059 (300.4 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 139223745 bytes 367635383942 (342.3 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.25 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.21 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.28 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.29 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.26 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.16 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 227495 bytes 20865443 (19.8 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 227495 bytes 20865443 (19.8 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis05w ~]# date
Tue Nov  8 15:17:34 -05 2022
[root@xrbcpis05w ~]#
```

```
[root@xrbcpis08w ~]#  
[root@xrbcpis08w ~]# ifconfig  
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.170.194.141 netmask 255.255.255.240 broadcast 10.170.194.143  
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)  
    RX packets 198149240 bytes 254356693804 (236.8 GiB)  
    RX errors 0 dropped 0 overruns 0 frame 0  
    TX packets 100501065 bytes 281181772589 (261.8 GiB)  
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0  
  
ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.170.176.24 netmask 255.255.255.240 broadcast 10.170.176.31  
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)  
  
ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.170.176.27 netmask 255.255.255.240 broadcast 10.170.176.31  
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)  
  
ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.170.240.56 netmask 255.255.255.192 broadcast 10.170.240.63  
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)  
  
ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.170.240.47 netmask 255.255.255.192 broadcast 10.170.240.63  
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)  
  
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536  
    inet 127.0.0.1 netmask 255.0.0.0  
    loop txqueuelen 1000 (Local Loopback)  
    RX packets 239134 bytes 22238817 (21.2 MiB)  
    RX errors 0 dropped 0 overruns 0 frame 0  
    TX packets 239134 bytes 22238817 (21.2 MiB)  
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0  
  
[root@xrbcpis08w ~]# date  
Tue Nov  8 15:31:32 -05 2022  
[root@xrbcpis08w ~]#
```

```
[root@xrbcpis05d ~]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.73.211 netmask 255.255.255.192 broadcast 10.73.73.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)
    RX packets 382876865 bytes 536996299154 (500.1 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 206857531 bytes 544023820450 (506.6 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.223 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.212 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.216 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.217 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.150 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.140 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 282433 bytes 26103365 (24.8 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 282433 bytes 26103365 (24.8 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis05d ~]# date
Tue Nov  8 16:40:13 -05 2022
[root@xrbcpis05d ~]#
```

```
[root@xrbcpis06d ~]#  
[root@xrbcpis06d ~]# ifconfig  
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.73.73.212 netmask 255.255.255.192 broadcast 10.73.73.255  
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)  
    RX packets 327599760 bytes 490981455350 (457.2 GiB)  
    RX errors 0 dropped 0 overruns 0 frame 0  
    TX packets 174986606 bytes 490021091608 (456.3 GiB)  
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0  
  
ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.209.5.213 netmask 255.255.255.192 broadcast 10.209.5.255  
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)  
  
ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.73.239.181 netmask 255.255.255.192 broadcast 10.73.239.191  
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)  
  
ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.73.239.151 netmask 255.255.255.192 broadcast 10.73.239.191  
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)  
  
ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.73.239.141 netmask 255.255.255.192 broadcast 10.73.239.191  
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)  
  
ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.73.239.170 netmask 255.255.255.192 broadcast 10.73.239.191  
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)  
  
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536  
    inet 127.0.0.1 netmask 255.0.0.0  
    loop txqueuelen 1000 (Local Loopback)  
    RX packets 290756 bytes 27316532 (26.0 MiB)  
    RX errors 0 dropped 0 overruns 0 frame 0  
    TX packets 290756 bytes 27316532 (26.0 MiB)  
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0  
  
[root@xrbcpis06d ~]# date  
Tue Nov  8 16:53:49 -05 2022  
[root@xrbcpis06d ~]#
```

```
[root@xrbcpis07d ~]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.73.213 netmask 255.255.255.192 broadcast 10.73.73.255
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)
    RX packets 360225393 bytes 498022549093 (463.8 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 196061245 bytes 513210682368 (477.9 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.224 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.214 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.182 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.152 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.171 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 280755 bytes 25888702 (24.6 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 280755 bytes 25888702 (24.6 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis07d ~]# date
Tue Nov  8 17:06:28 -05 2022
[root@xrbcpis07d ~]#

[root@xrbcpis08d ~]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.73.214 netmask 255.255.255.192 broadcast 10.73.73.255
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)
    RX packets 274683210 bytes 390333229035 (363.5 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 145842699 bytes 392947065303 (365.9 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.221 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.222 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.189 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.172 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 331173 bytes 34348583 (32.7 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 331173 bytes 34348583 (32.7 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis08d ~]# date
Tue Nov  8 17:12:15 -05 2022
[root@xrbcpis08d ~]#
```

4. Evidencias después del cambio por cada CI
 - 4.1. Imagen que contenga fecha y hora del sistema.

```
[root@xrbcpis06w network-scripts]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.194.140 netmask 255.255.255.240 broadcast 10.170.194.143
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)
    RX packets 217152674 bytes 275628910778 (256.6 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 115925919 bytes 308310622402 (287.1 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.22 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.9 netmask 255.255.255.192 broadcast 10.170.176.63
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.27 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.17 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.45 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.102.68 netmask 255.255.255.192 broadcast 10.170.102.127
    ether 00:50:56:b0:95:eb txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 232377 bytes 21425755 (20.4 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 232377 bytes 21425755 (20.4 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis06w network-scripts]# date
Tue Nov  8 14:28:34 -05 2022
[root@xrbcpis06w network-scripts]#
```



```
[root@xrbcpis07w network-scripts]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.194.142 netmask 255.255.255.240 broadcast 10.170.194.143
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)
    RX packets 258984201 bytes 332751476583 (309.8 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 140741561 bytes 373725278289 (348.0 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.26 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.23 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.10 netmask 255.255.255.192 broadcast 10.170.176.63
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.28 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.46 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.102.69 netmask 255.255.255.192 broadcast 10.170.102.127
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

ens192:6: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.102.72 netmask 255.255.255.192 broadcast 10.170.102.127
    ether 00:50:56:b0:cc:fc txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 238161 bytes 22144284 (21.1 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 238161 bytes 22144284 (21.1 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis07w network-scripts]# date
Tue Nov  8 15:08:23 -05 2022
[root@xrbcpis07w network-scripts]#
```

```
[root@xrbcpis05w /]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.194.139 netmask 255.255.255.240 broadcast 10.170.194.143
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)
    RX packets 256250310 bytes 325083710297 (302.7 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 140240489 bytes 370411615422 (344.9 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.25 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.21 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.28 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.29 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.26 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.16 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

ens192:6: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.102.71 netmask 255.255.255.192 broadcast 10.170.102.127
    ether 00:50:56:b0:c6:57 txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 228015 bytes 20913609 (19.9 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 228015 bytes 20913609 (19.9 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis05w /]# date
Tue Nov  8 15:25:59 -05 2022
[root@xrbcpis05w /]#
```

```
[root@xrbcpis08w network-scripts]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.194.141 netmask 255.255.255.240 broadcast 10.170.194.143
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)
    RX packets 199711278 bytes 256412270390 (238.8 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 101260030 bytes 283471136903 (264.0 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.24 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.176.27 netmask 255.255.255.240 broadcast 10.170.176.31
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.56 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.240.47 netmask 255.255.255.192 broadcast 10.170.240.63
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.102.70 netmask 255.255.255.192 broadcast 10.170.102.127
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.170.102.73 netmask 255.255.255.192 broadcast 10.170.102.127
    ether 00:50:56:b0:29:8a txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 239592 bytes 22283030 (21.2 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 239592 bytes 22283030 (21.2 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis08w network-scripts]# date
Tue Nov  8 15:38:39 -05 2022
[root@xrbcpis08w network-scripts]#
```

```
[root@xrbcpis05d network-scripts]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.73.211 netmask 255.255.255.192 broadcast 10.73.73.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)
    RX packets 383626673 bytes 538100019600 (501.1 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 207250182 bytes 545088574594 (507.6 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.223 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.212 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.216 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.217 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.150 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.140 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

ens192:6: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.12.81 netmask 255.255.255.192 broadcast 10.209.12.127
    ether 00:50:56:b6:4e:97 txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 282717 bytes 26132210 (24.9 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 282717 bytes 26132210 (24.9 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis05d network-scripts]# date
Tue Nov  8 16:44:05 -05 2022
[root@xrbcpis05d network-scripts]#
```

```
[root@xrbcpis06d /]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.73.212 netmask 255.255.255.192 broadcast 10.73.73.255
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)
    RX packets 328085439 bytes 491836880136 (458.0 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 175246544 bytes 490837405529 (457.1 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.213 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.181 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.151 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.141 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.12.78 netmask 255.255.255.192 broadcast 10.209.12.127
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.170 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:80:2a txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 290893 bytes 27326818 (26.0 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 290893 bytes 27326818 (26.0 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis06d /]# date
Tue Nov  8 16:56:56 -05 2022
[root@xrbcpis06d /]#
```

```
[root@xrbcpis07d /]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.73.213 netmask 255.255.255.192 broadcast 10.73.73.255
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)
    RX packets 360831235 bytes 498890557447 (464.6 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 196377708 bytes 514103876007 (478.7 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.224 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.214 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.182 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.152 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.171 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.12.79 netmask 255.255.255.192 broadcast 10.209.12.127
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

ens192:6: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.12.82 netmask 255.255.255.192 broadcast 10.209.12.127
    ether 00:50:56:b6:37:c7 txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 280961 bytes 25907111 (24.7 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 280961 bytes 25907111 (24.7 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis07d /]# date
Tue Nov  8 17:10:09 -05 2022
[root@xrbcpis07d /]#
```

```
[root@xrbcpis08d network-scripts]# ifconfig
ens192: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.73.214 netmask 255.255.255.192 broadcast 10.73.73.255
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)
    RX packets 275126098 bytes 390983311034 (364.1 GiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 146070026 bytes 393595720087 (366.5 GiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

ens192:0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.221 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

ens192:1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.5.222 netmask 255.255.255.192 broadcast 10.209.5.255
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

ens192:2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.189 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

ens192:3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.73.239.172 netmask 255.255.255.192 broadcast 10.73.239.191
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

ens192:4: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.12.80 netmask 255.255.255.192 broadcast 10.209.12.127
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

ens192:5: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.209.12.83 netmask 255.255.255.192 broadcast 10.209.12.127
    ether 00:50:56:b6:9b:56 txqueuelen 1000 (Ethernet)

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 331353 bytes 34366911 (32.7 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 331353 bytes 34366911 (32.7 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@xrbcpis08d network-scripts]# date
Tue Nov  8 17:15:07 -05 2022
[root@xrbcpis08d network-scripts]#
```

- 4.2. Breve descripción la cual permitirá identificar el cambio realizado.

Se realiza la adición de las subinterfaces con sus respectivas direcciones ip a los ihs indicados en el cloud de whashington y dallas

- 4.3. En caso de ser un cambio físico (Data Center), ejecutar un comando en consola que evidencie la disponibilidad del dispositivo incorporado o desincorporado.

5. Validar y responder si la cantidad de CIs a intervenir referenciados en la descripción del cambio, están incluidos en las evidencias del presente documento (SI/NO): SI, Indique la Cantidad de CIs: 8