

# GIT Assignment

Q1.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (master)
● $ git init
Initialized empty Git repository in C:/Users/hp/Desktop/git/.git/
```

Q2.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (master)
● $ git add .
```

Q3.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (master)
● $ git commit -m "commit message"
[master (root-commit) 7f967b4] commit message
1 file changed, 1 insertion(+)
create mode 100644 file.txt
```

Q4.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (master)
● $ git status
On branch master
nothing to commit, working tree clean
```

Q5.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (master)
● $ git branch branch_name

hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (master)
● $ git checkout -b new_branch
Switched to a new branch 'new_branch'
```

Q6.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (new_branch)
● $ git merge new_branch
Already up to date.
```

Q7.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (new_branch)
● $ git diff branch_name new_branch
```

Q8.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (new_branch)
● $ git restore file.txt
```

Q9.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (new_branch)
● $ git reset -- soft HEAD-1
```

Q10.

```
hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (main)
● $ git remote -v
origin https://github.com (fetch)
origin https://github.com (push)

hp@DESKTOP-0BN8V42 MINGW64 ~/Desktop/git (main)
⊙ $ git push -u origin main
fatal: repository 'https://github.com/' not found
```