

```
# Assignment 10 Question 1
xVal = input('Input X-value: ');
y = 0;
if xVal < 0
    y = exp(xVal) - 1;
    disp("Y-Value: "), disp(y)
else
    y = sqrt(xVal);
    disp("Y-Value: ")
    disp(y)
end
```

output

Input X-value: -0.05

Y-Value:

-0.048771

Input X-value: 0.05

Y-Value:

0.2236

```
# Assignment 10 Question 2
scores = input("Input scores for John: ");
scores1 = input("Input scores for Jack: ");
scores2 = input("Input scores for Jo: ");

for score = scores
    if score < 60;
        score = "F";
    elseif score <= 69 && score >= 60;
        score = "D";
    elseif score <= 79 && score >= 70;
        score = "C";
    elseif score <= 89 && score >= 80;
        score = "B";
    else score <= 100 && score >= 90;
        score = "A";
    end;
    fprintf("John scored a %s \n-----\n", score)
end
```

```
for score = scores1
    if score < 60;
        score = "F";
    elseif score <= 69 && score >= 60;
        score = "D";
    elseif score <= 79 && score >= 70;
        score = "C";
    elseif score <= 89 && score >= 80;
        score = "B";
    else score <= 100 && score >= 90;
        score = "A";
```

```
end
fprintf("Jack scored a %s \n-----\n", score)
end

for score = scores2
    if score < 60;
        score = "F";
    elseif score <= 69 && score >= 60;
        score = "D";
    elseif score <= 79 && score >= 70;
        score = "C";
    elseif score <= 89 && score >= 80;
        score = "B";
    else score <= 100 && score >= 90;
        score = "A";
    end
    fprintf("Jo scored a %s \n-----\n", score)
end
```

### output

Input scores for John: [90, 67, 81]

Input scores for Jack: [60, 77, 69]

Input scores for Jo: [90, 80, 54]

John scored a A

-----

John scored a D

-----

John scored a B

-----

Jack scored a D

-----

Jack scored a C

-----  
Jack scored a D

-----  
Jo scored a A

-----  
Jo scored a B

-----  
Jo scored a F

-----

```
# Assignment 10 Question 3
totalBill = input("Cost of bill: ");

if totalBill < 10
    tip = 1.80;
elseif totalBill >= 10 & totalBill <= 60
    tip = totalBill * 0.18;
else totalBill > 60
    tip = totalBill * .20;
end

fprintf('Tip cost is $%4.2f', tip)
```

### output

```
Cost of bill: 10
Tip cost is $1.80
Cost of bill: 50
Tip cost is $9.00
Cost of bill: 70
Tip cost is $14.00
```