

FACULDADE DE ENGENHARIA DA UNIVERSIDADE DO PORTO

Title of the Dissertation

Name of the Author

DISSERTAÇÃO



Mestrado em Engenharia e Ciência de Dados

Supervisor: Name of the Supervisor

July 13, 2026

Title of the Dissertation

Name of the Author

Mestrado em Engenharia e Ciência de Dados

July 13, 2026

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed vehicula lorem commodo dui. Fusce mollis feugiat elit. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec eu quam. Aenean consectetur odio quis nisi. Fusce molestie metus sed neque. Praesent nulla. Donec quis urna. Pellentesque hendrerit vulputate nunc. Donec id eros et leo ullamcorper placerat. Curabitur aliquam tellus et diam.

Ut tortor. Morbi eget elit. Maecenas nec risus. Sed ultricies. Sed scelerisque libero faucibus sem. Nullam molestie leo quis tellus. Donec ipsum. Nulla lobortis purus pharetra turpis. Nulla laoreet, arcu nec hendrerit vulputate, tortor elit eleifend turpis, et aliquam leo metus in dolor. Praesent sed nulla. Mauris ac augue. Cras ac orci. Etiam sed urna eget nulla sodales venenatis. Donec faucibus ante eget dui. Nam magna. Suspendisse sollicitudin est et mi.

Fusce sed ipsum vel velit imperdiet dictum. Sed nisi purus, dapibus ut, iaculis ac, placerat id, purus. Integer aliquet elementum libero. Phasellus facilisis leo eget elit. Nullam nisi magna, ornare at, aliquet et, porta id, odio. Sed volutpat tellus consectetur ligula. Phasellus turpis augue, malesuada et, placerat fringilla, ornare nec, eros. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Vivamus ornare quam nec sem mattis vulputate. Nullam porta, diam nec porta mollis, orci leo condimentum sapien, quis venenatis mi dolor a metus. Nullam mollis. Aenean metus massa, pellentesque sit amet, sagittis eget, tincidunt in, arcu. Vestibulum porta laoreet tortor. Nullam mollis elit nec justo. In nulla ligula, pellentesque sit amet, consequat sed, faucibus id, velit. Fusce purus. Quisque sagittis urna at quam. Ut eu lacus. Maecenas tortor nibh, ultricies nec, vestibulum varius, egestas id, sapien.

Phasellus ullamcorper justo id risus. Nunc in leo. Mauris auctor lectus vitae est lacinia egestas. Nulla faucibus erat sit amet lectus varius semper. Praesent ultrices vehicula orci. Nam at metus. Aenean eget lorem nec purus feugiat molestie. Phasellus fringilla nulla ac risus. Aliquam elementum aliquam velit. Aenean nunc odio, lobortis id, dictum et, rutrum ac, ipsum.

Ut tortor. Morbi eget elit. Maecenas nec risus. Sed ultricies. Sed scelerisque libero faucibus sem. Nullam molestie leo quis tellus. Donec ipsum. Nulla lobortis purus pharetra turpis. Nulla laoreet, arcu nec hendrerit vulputate, tortor elit eleifend turpis, et aliquam leo metus in dolor. Praesent sed nulla. Mauris ac augue. Cras ac orci. Etiam sed urna eget nulla sodales venenatis. Donec faucibus ante eget dui. Nam magna. Suspendisse sollicitudin est et mi.

Phasellus ullamcorper justo id risus. Nunc in leo. Mauris auctor lectus vitae est lacinia egestas. Nulla faucibus erat sit amet lectus varius semper. Praesent ultrices vehicula orci.

Ut tortor. Morbi eget elit. Maecenas nec risus. Sed ultricies. Sed scelerisque libero faucibus sem. Nullam molestie leo quis tellus. Donec ipsum.

Keywords: keyword1, Keyword2, keyword3

Resumo

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed vehicula lorem commodo dui. Fusce mollis feugiat elit. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec eu quam. Aenean consectetur odio quis nisi. Fusce molestie metus sed neque. Praesent nulla. Donec quis urna. Pellentesque hendrerit vulputate nunc. Donec id eros et leo ullamcorper placerat. Curabitur aliquam tellus et diam.

Ut tortor. Morbi eget elit. Maecenas nec risus. Sed ultricies. Sed scelerisque libero faucibus sem. Nullam molestie leo quis tellus. Donec ipsum. Nulla lobortis purus pharetra turpis. Nulla laoreet, arcu nec hendrerit vulputate, tortor elit eleifend turpis, et aliquam leo metus in dolor. Praesent sed nulla. Mauris ac augue. Cras ac orci. Etiam sed urna eget nulla sodales venenatis. Donec faucibus ante eget dui. Nam magna. Suspendisse sollicitudin est et mi.

Fusce sed ipsum vel velit imperdiet dictum. Sed nisi purus, dapibus ut, iaculis ac, placerat id, purus. Integer aliquet elementum libero. Phasellus facilisis leo eget elit. Nullam nisi magna, ornare at, aliquet et, porta id, odio. Sed volutpat tellus consectetur ligula. Phasellus turpis augue, malesuada et, placerat fringilla, ornare nec, eros. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Vivamus ornare quam nec sem mattis vulputate. Nullam porta, diam nec porta mollis, orci leo condimentum sapien, quis venenatis mi dolor a metus. Nullam mollis. Aenean metus massa, pellentesque sit amet, sagittis eget, tincidunt in, arcu. Vestibulum porta laoreet tortor. Nullam mollis elit nec justo. In nulla ligula, pellentesque sit amet, consequat sed, faucibus id, velit. Fusce purus. Quisque sagittis urna at quam. Ut eu lacus. Maecenas tortor nibh, ultricies nec, vestibulum varius, egestas id, sapien.

Phasellus ullamcorper justo id risus. Nunc in leo. Mauris auctor lectus vitae est lacinia egestas. Nulla faucibus erat sit amet lectus varius semper. Praesent ultrices vehicula orci. Nam at metus. Aenean eget lorem nec purus feugiat molestie. Phasellus fringilla nulla ac risus. Aliquam elementum aliquam velit. Aenean nunc odio, lobortis id, dictum et, rutrum ac, ipsum.

Ut tortor. Morbi eget elit. Maecenas nec risus. Sed ultricies. Sed scelerisque libero faucibus sem. Nullam molestie leo quis tellus. Donec ipsum. Nulla lobortis purus pharetra turpis. Nulla laoreet, arcu nec hendrerit vulputate, tortor elit eleifend turpis, et aliquam leo metus in dolor. Praesent sed nulla. Mauris ac augue. Cras ac orci. Etiam sed urna eget nulla sodales venenatis. Donec faucibus ante eget dui. Nam magna. Suspendisse sollicitudin est et mi.

Phasellus ullamcorper justo id risus. Nunc in leo. Mauris auctor lectus vitae est lacinia egestas. Nulla faucibus erat sit amet lectus varius semper. Praesent ultrices vehicula orci.

Ut tortor. Morbi eget elit. Maecenas nec risus. Sed ultricies. Sed scelerisque libero faucibus sem. Nullam molestie leo quis tellus. Donec ipsum.

Keywords: keyword1, Keyword2, keyword3

Acknowledgements

Write your acknowledgements here. Do not forget to mention projects and/or grants that you have benefited from, institutions or companies that may have provided for conditions to enable or make your work more amenable, if any. Ask your supervisor about the specific textual format to use, as funding agencies are often strict about this.

Author

*“Until I began to learn to draw,
I was never much interested in looking at art.”*

Richard P. Feynman

Contents

List of Figures

List of Tables

Abbreviations

AI	Artificial Intelligence
DL	Deep Learning
ML	Machine Learning
EDA	Exploratory Data Analysis
CV	Computer Vision
NLP	Natural Language Processing
PdM	Predictive Maintenance
AD	Anomaly Detection
FD	Fault Detection
CPS	Cyber-Physical Systems
GPU	Graphics Processing Unit
TPU	Tensor Processing Unit
IoT	Internet of Things
PSA	Pressure Swing Adsorption
VPSA	Vaccum Pressure Swing Adsorption
TSA	Temperature Swing Adsorption
ESA	Electric Swing Adsorption

Chapter 1

Introduction

1.1 Context

The 21st century has witnessed remarkable advances in Artificial Intelligence (AI) systems, reshaping numerous industrial and societal sectors. (?). The introduction of AlexNet in 2012 (?), AlphaGo's victory over Lee Sedol in 2016 (?), and the public release of ChatGPT in 2022 (?) are among the most significant milestones in modern AI, advancing the fields of Computer Vision (CV), Sequential Decision-Making, and Natural Language Processing (NLP), respectively. These breakthroughs were driven by a rapid growth in computational power, the development of specialized hardware such as GPUs and TPUs, and the widespread adoption of Deep Learning (DL) techniques (?).

As a result, DL has become the dominant paradigm in modern Machine Learning (ML) due to its ability to learn highly complex and abstract representations directly from data (?).

1.2 AI in Industry 4.0

Over the last fifteen years, the industrial sector has undergone a profound digital transformation, leading to the emergence of the Industry 4.0 paradigm. Industry 4.0 is characterized by the integration of advanced manufacturing technologies, Cyber-Physical Systems (CPS), the Internet of Things (IoT), cloud computing, and interconnected production environments. These technologies enable the continuous acquisition of large volumes of sensor data, creating smart factories capable of monitoring, communicating, and adapting their operation in real time.

The availability of these large-scale industrial datasets has created favourable conditions for the widespread adoption of DL techniques in this field. AI systems are increasingly being employed to support production planning and scheduling, process monitoring and control, Predictive Maintenance (PdM), robotics, quality inspection, and process optimization, contributing to improved efficiency, reliability, and productivity in modern manufacturing environments (?).

1.3 Motivation

Despite the significant advances in AI technologies, the application of DL techniques in Anomaly Detection (AD), Fault Detection (FD), and PdM tasks for biomethane plants remains limited. This limitation highlights a gap in the literature regarding the development of advanced data-driven solutions for the biomethane upgrading industry. Furthermore, there is a lack of research on multi-task learning models capable of performing different types of predictions simultaneously in this industry. Therefore, the development and evaluation of such models represent a promising research direction. This thesis aims to train and evaluate different DL models (both multi-task and single-task) in order to investigate whether deep multi-task learning approaches can improve prediction performance regarding AD, FD, and PdM when compared with traditional ML models.

1.4 Objectives

The objectives of this thesis are:

- To perform an Exploratory Data Analysis (EDA) of the biomethane upgrading dataset in order to better understand the data, characterize the process variables and identify potential challenges for model development.
- To develop and train single-task DL models for AD, FD, and PdM.
- To develop and train multi-task DL models using multiple architectural configurations capable of jointly performing several prediction tasks.
- To develop and train traditional ML models for each prediction task, providing a baseline for comparison.
- To compare and evaluate the performance of all proposed models using appropriate evaluation metrics.
- To evaluate the robustness of the developed models.
- To investigate whether multi-task learning improves predictive performance compared with single-task DL models and traditional ML approaches.

1.5 Company Presentation

This dissertation was developed in collaboration with Sysadvance, a Portuguese company specialized in gas separation and purification technologies. The company develops industrial solutions for gas generation, purification, and biogas upgrading, providing the real industrial case study considered throughout this work.

1.6 Thesis Structure

This dissertation is organized into XX chapters.

- **Chapter ??** introduces the research context, motivation, objectives, and overall organization of the dissertation.
- **Chapter ??** presents the theoretical background required to understand the problem addressed in this work. It introduces the concepts of biogas and biomethane production, biogas upgrading technologies, the considered Vacuum Pressure Swing Adsorption (VPSA) plant, the operating principle of the vacuum pump, and the monitored instrumentation.

Chapter 2

Background

2.1 What is Biogas?

Biogas is a renewable fuel produced through the anaerobic digestion of biodegradable organic matter, a biological process in which microorganisms decompose organic compounds in the absence of oxygen. This process converts complex organic materials into simpler compounds while producing a gaseous mixture known as biogas. A wide range of feedstocks can be used for anaerobic digestion, including agricultural residues, livestock manure, municipal solid waste, sewage sludge, food waste, and other types of organic biomass, as illustrated in Figure ??.




Figure 2.1: Sources of organic waste feedstock for biogas production. Source: ?

The composition of biogas depends on the type of feedstock and the operating conditions of the anaerobic digestion process. It is primarily composed of methane (CH₄), typically accounting for 50–80% of its volume, and carbon dioxide (CO₂), which represents approximately 20–50%. In

addition to these major constituents, biogas contains smaller concentrations of impurities, including hydrogen sulfide (H_2S), water vapour (H_2O), ammonia (NH_3), oxygen (O_2), and siloxanes.

Since methane is the component responsible for the calorific value, the relatively high concentration of carbon dioxide and other contaminants limits the direct use of raw biogas in many applications. Consequently, purification processes are required to increase its methane content and produce biomethane with properties comparable to those of natural gas (?).

2.2 Biogas Upgrading

Biogas upgrading, also referred to as biogas purification, biogas refinement or biogas methanation, is the process of increasing the methane concentration of raw biogas by removing carbon dioxide and other undesirable contaminants. The resulting methane-rich gas, known as biomethane, has a significantly higher calorific value and can be used as a substitute for natural gas in a wide range of applications. In general, biomethane should contain at least 95% methane to comply with the quality requirements for grid injection and other energy applications (?).




Figure 2.2: Biogas upgrading and utilization. Source: ?

Several upgrading technologies have been developed to achieve this objective, each presenting different advantages, limitations, and operating requirements. Since a detailed comparison of these technologies is beyond the scope of this dissertation, only a brief overview of the main biogas upgrading methods is provided in the following section.

2.2.1 Biogas Upgrading Technologies

The most widely adopted methods can be broadly classified into adsorption, membrane separation, cryogenic separation, and absorption processes (?):

- **Adsorption separation:** One of the most widely used methods for biogas upgrading. Adsorption processes can be further classified into Pressure Swing Adsorption (PSA), Temperature Swing Adsorption (TSA), and Electric Swing Adsorption (ESA), with PSA being the most widely adopted. In PSA systems, biogas is compressed and passed through one or more columns filled with an adsorbent material. The adsorbent selectively retains contaminants while methane passes through the column. Once saturated, the column is regenerated by depressurization, allowing the adsorbed gases to be released before starting a new adsorption cycle.
- **Membrane separation:** This method uses semi-permeable membranes, typically made of polymeric materials, to separate methane from carbon dioxide and other impurities according to their different permeation rates. The membrane material and configuration depend on the desired biomethane purity.
- **Cryogenic separation:** Cryogenic upgrading exploits the different boiling points of the gas components. By progressively reducing the temperature, carbon dioxide and other contaminants condense before methane, allowing their separation.
- **Absorption separation:** Absorption processes use a liquid solvent, such as water or chemical solvents, to selectively absorb carbon dioxide from biogas. Water scrubbing is one of the most common upgrading technologies, taking advantage of the significantly higher solubility of carbon dioxide compared to methane under standard operating conditions.

Figure ?? summarizes the four main biogas upgrading technologies discussed in this section.




Figure 2.3: Main biogas upgrading technologies: adsorption, membrane separation, cryogenic separation, and absorption. Source: ?.

Among the available technologies, a PSA biomethane upgrading plant was considered in this dissertation. Since the proposed AI models are developed using data collected from a PSA-based upgrading system, the following section presents a more detailed description of its operating principles and process configuration.

2.3 Considered Biomethane Plant

As discussed in the previous section, the biomethane upgrading plant considered in this dissertation employs PSA technology. More specifically, the plant operates using a four-column adsorption cycle and incorporates a vacuum pump during the regeneration stage to enhance the desorption of the adsorbed gases. This configuration is commonly referred to as Vacuum Pressure Swing Adsorption (VPSA).

A photograph of an example biomethane upgrading plant used in this work is presented in Figure ??.



Figure 2.4: Industrial VPSA biomethane upgrading plant (adapted from Sysadvance)

2.3.1 VPSA Process

VPSA separates gas components by exploiting their different affinities for porous adsorbent materials under varying pressure conditions. As previously explained, raw biogas is primarily composed of methane (CH_4) and carbon dioxide (CO_2), together with smaller amounts of water vapour and other contaminants. Before entering the adsorption unit, the biogas must first be dried to remove the water vapour. This step is essential because the adsorbent materials used inside the adsorption columns, one of which is ceramic-based, exhibit a strong affinity for water. Since the adsorption process is exothermic, excessive moisture can lead to overheating and permanent damage to the adsorbent material.

After the drying stage, the biogas is compressed before entering the adsorption columns. Operating at elevated pressures increases the probability of gas molecules interacting with the adsorbent

material, improving the separation efficiency. Each adsorption column is filled with adsorbent materials specifically selected to preferentially retain carbon dioxide while allowing methane to pass through. As a result, a methane-rich stream leaves the column and is collected as biomethane.

As the adsorption process continues, the adsorbent gradually becomes saturated with carbon dioxide and loses its separation capacity. At this point, the column must be regenerated before it can be reused. Instead of stopping the production process, VPSA systems employ multiple adsorption columns operating simultaneously at different stages of the cycle. In the plant considered in this work, four adsorption columns operate in a synchronized sequence, ensuring continuous biomethane production while one or more columns undergo regeneration.

Figure ?? illustrates the operating principle of the four-column VPSA process. During the adsorption stage, compressed biogas enters one of the columns, where carbon dioxide is selectively adsorbed while methane exits as the product gas. Once the adsorbent approaches saturation, the column undergoes a pressure equalization stage, in which part of the compressed gas is transferred to another column operating at a lower pressure. This step recovers part of the compression energy and improves the overall efficiency of the process.




Figure 2.5: Operating cycle of a four-column VPSA system. Source: ?

The column is then depressurized and enters the regeneration stage. Unlike conventional PSA systems, VPSA technology employs a vacuum pump to further reduce the pressure below atmospheric conditions. The low pressure promotes the desorption of the retained carbon dioxide,

regenerating the adsorbent material and restoring its adsorption capacity. Since a small amount of methane is also desorbed during the initial seconds of the vacuum stage, this gas is recovered and redirected to the biogas inlet to minimize methane losses.

Finally, the regenerated column is gradually repressurized through another pressure equalization step, followed by pressure build-up until the operating pressure is reached. The column is then ready to begin a new adsorption cycle. By continuously alternating the operating stage of each column, the VPSA system is able to produce biomethane without interrupting the upgrading process.

In practice, only one adsorption column is in the production stage at any given instant, while the remaining columns are simultaneously undergoing pressure equalization, regeneration, or repressurization (?).

2.3.2 Vacuum Pump

As discussed in the previous section, the vacuum pump plays a fundamental role in the VPSA process by enabling the regeneration of the adsorption columns. By reducing the column pressure below atmospheric conditions, the vacuum pump promotes the desorption of the retained gases, restoring the adsorption capacity of the adsorbent material and allowing the adsorption cycle to continue. Consequently, the performance of the vacuum pump has a direct impact on the efficiency, productivity, and methane recovery of the entire biomethane upgrading process.

Due to its critical role in the plant operation, the vacuum pump is extensively monitored in the considered biomethane plant. Several process variables, including pressure, temperature, electrical current, power consumption, and rotational speed, are continuously acquired to assess its operating condition and detect potential abnormal behaviour.

Since this dissertation focuses on the development of AI-based models for AD, FD, and PdM, the vacuum pump was selected as the primary component under analysis. Figure ?? shows a photograph of a working vacuum pump inside a biogas upgrading plant.



Figure 2.6: Vacuum pump inside a biogas upgrading plant. Adapted from Sysadvance

2.3.2.1 Components

The vacuum pump, whose manufacturer cannot be disclosed due to confidentiality agreements, operates according to the rotary vane principle. Oil plays a key role in the pump operation by sealing the clearances between moving parts, providing lubrication, and dissipating the heat generated during gas compression. Figure ?? illustrates the operating principle of the pump, showing the gas flow path during the regeneration stage of the VPSA cycle. Gas extracted from the adsorption column first enters the vacuum pump and is subsequently discharged either back to the biogas inlet or to the atmosphere, depending on the operating stage.




Figure 2.7: Vacuum pump operating principle. Adapted from the manufacturer's manual

A schematic representation of the pump is also presented in Figure ??, where the main internal components can be identified. Since a detailed mechanical description of the pump is beyond the scope of this dissertation, only the components relevant for understanding the monitored process variables and the considered fault scenarios are summarized in Table ??.




Figure 2.8: Vacuum pump scheme. Adapted from the manufacturer's manual

Table 2.1: Main vacuum pump components considered in this dissertation. Adapted from Sysadvance

Abbreviation	Component	Abbreviation	Component
TSA	Resistance Thermometer	PSA	Pressure Transmitter
TS	Temperature Switch	PS	Pressure Switch
LS	Level Switch	IF	Inlet Filter
EF	Exhaust Filter	OF	Oil Filter
OS	Oil Separator	FV	Float Valve
AHE	Air-Oil Heat Exchanger	GB	Gas Ballast Valve

- **Gas Ballast Valve (GB):** Introduces a controlled amount of ambient air into the compression chamber to prevent the condensation of vapour inside the pump.
- **Inlet Filter (IF):** Protects the vacuum pump by preventing dust and other solid particles from entering the compression chamber.
- **Exhaust Filter (EF):** Removes oil aerosols from the discharged gas before it is released.
- **Oil Filter (OF):** Removes contaminants from the lubricating oil.
- **Oil Separator (OS):** Separates the lubricating oil from the discharged gas, allowing the recovered oil to be recirculated into the lubrication system.
- **Air-Oil Heat Exchanger (AHE):** Dissipates the heat generated during pump operation by cooling the lubricating oil.
- **Float Valve (FV):** Regulates the oil return from the oil separator to the compression chamber while preventing gas from flowing backwards through the lubrication circuit.
- **Resistance Thermometer (TSA):** Continuously measures the temperature of the gas or lubricating oil, providing analog temperature measurements for process monitoring.
- **Temperature Switch (TS):** Monitors the gas and oil temperatures and generates warning or trip signals when predefined temperature thresholds are exceeded.
- **Pressure Transmitter (PSA):** Continuously measures the pressure inside the oil separator, providing analog pressure measurements used for process monitoring.
- **Pressure Switch (PS):** Monitors the pressure inside the oil separator and activates warning or trip signals when predefined pressure limits are reached.
- **Level Switch (LS):** Monitors the lubricating oil level inside the oil reservoir.

2.3.2.2 Instrumentation

To ensure safe and reliable operation, the vacuum pump is equipped with several internal sensors that continuously monitor its operating conditions. These sensors measure key process variables, such as pressure, temperature, and oil level, providing real-time information about the pump's health.

In addition to continuous measurements, most sensors are associated with configurable *warning* and *trip* thresholds. A warning signal indicates that a monitored variable is approaching an abnormal operating condition. A trip signal corresponds to a critical threshold at which the pump is automatically stopped to prevent equipment damage or unsafe operation.

Table ?? summarizes the monitored variables together with their corresponding sensors and the associated warning and trip thresholds.

Table 2.2: Vacuum pump instrumentation and associated protection thresholds. Adapted from the manufacturer's manual.

Sensor	Measured Variable	Warning	Trip
PSA/PS 0301	Oil separator pressure	0.4 bar	0.5 bar
TSA/0101	Gas temperature	135 °C	140 °C
TSA/0102	Gas Temperature	105 °C	110 °C
TSA/0103	Gas Temperature	105 °C	110 °C
TSA/0104	Oil temperature	90 °C	110 °C

In addition to the instrumentation presented above, the vacuum pump also provides the following monitored variables, which are not associated with configurable warning or trip thresholds:

- **Oil Level Sensor:** Monitors the lubricating oil level inside the pump. Only reports whether the oil level is sufficient or low.
- **Pump Current Sensor:** Measures the electrical current drawn by the pump motor, expressed in amperes (A).
- **Pump Power Sensor:** Measures the electrical power consumed by the pump motor, expressed in watts (W).
- **Pump RPM Sensor:** Measures the rotational speed of the pump shaft, expressed in revolutions per minute (RPM).
- **Pump Speed Sensor:** Measures the operating speed of the pump as a percentage of its nominal speed.

2.3.2.3 Maintenance & Troubleshooting

Understanding the recommended maintenance procedures and the most common failure possibilities of the vacuum pump is essential for this dissertation. Besides ensuring reliable operation of

the equipment, this information provides the basis for the fault scenarios considered throughout this work.

According to the manufacturer's manual, preventive maintenance should be performed at regular operating intervals to ensure the reliability and service life of the machine. Table ?? summarizes the recommended maintenance schedule for the main components.

Table 2.3: Recommended preventive maintenance schedule for the vacuum pump. Adapted from the manufacturer's manual.

Task	Maintenance Interval
Inspect oil level	Daily
Check machine for oil leaks	Monthly
Check the inlet filter cartridge. Change it if necessary	Monthly
Clean the machine from dust and dirt	Every 6 months
Clean the Gas Ballast Valve	Every 6 months
Check and/or clean the Air-Heat Exchanger	Every 6 months
Change the oil, oil filter and the exhaust filter	Max every 4000 hours, at the latest after 1 year

In addition to the recommended maintenance procedures, the manufacturer provides a troubleshooting guide describing the most common faults, their possible causes, and the corresponding corrective actions. These faults constitute the basis for the fault scenarios considered in this dissertation and are presented in the following Table ??.

Table 2.4: Common troubleshooting procedures for the vacuum pump. Adapted from the manufacturer's manual.

lp0.28 XIX		
	Problem	Possible Cause Remedy
3*	The machine does not start.	The motor is not supplied with the correct voltage. Check the power supply.
		The motor is defective. Replace the motor.
		The coupling (CPL) is defective. Replace the coupling (CPL).
3*	The machine does not reach the specified vacuum level.	Oil level too low. Top up the oil.
		The inlet screen (IS) is partially clogged. Clean the inlet screen (IS).
		The inlet filter cartridge is partially clogged. Replace the inlet filter cartridge.
3*	The machine runs very noisily.	Worn coupling (CPL). Replace the coupling (CPL).
		Stuck vanes. Contact the manufacturer for repair.
		Defective bearings. Contact the manufacturer for repair.
4*	The machine overheats.	Insufficient cooling. Remove dust and dirt from the machine. Check the cooling fan.
		Ambient temperature too high. Observe the permitted ambient temperature.
		Oil level too low. Top up the oil.
		The exhaust filters (EF) are partially clogged. Replace the exhaust filters (EF).
		The machine fumes or expels oil droplets through the gas discharge.
		3* The exhaust filters (EF) are partially clogged. Replace the exhaust filters (EF).
		An exhaust filter (EF) O-ring is not fitted properly. Ensure the correct position of the exhaust filters (EF) and the O-rings.
		The float valve (FV) does not operate properly. Check the float valve and the oil return line. Contact the manufacturer if necessary.

Chapter 3

Another Chapter

3.1 What is an AI System?

According to the AI Act Regulation (EU) 2024/1689 of the European Parliament [insert ref], we can define an AI system as a system that is machine-based, can operate with some degree of autonomy, may show signs of adaptiveness after its deployment, and from a given input it receives, generates an output that can influence its environment. These outputs can be predictions, content, recommendations, or decisions.

From an academic perspective, the authors from [insert ref] define AI in terms of intelligent agents, describing them as systems that perceive their environment through sensors and act upon that environment through actuators. Under this view, an AI system can be regarded as a function that maps observations of the environment to actions intended to achieve specific goals.

Although these definitions originate from different contexts, they share the same fundamental idea that an AI system receives some kind of input, processes it, and outputs something in order to achieve a specific goal.

Chapter 4

Conclusions and Future Work

Nullam eleifend condimentum nibh. Integer leo nibh, consequat eget, mollis et, sagittis ac, felis. Duis viverra pede in pede. Phasellus molestie placerat leo. Praesent at tellus a augue congue molestie. Integer eu ante pellentesque, viverra orci vitae, facilisis risus. Nunc eget pulvinar orci.

Proin sed justo eu sapien eleifend elementum. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent id lobortis magna, ut interdum enim.

4.1 Results

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam non felis sed odio rutrum ultrices. Donec tempor dolor. Vivamus justo neque, tempus id, ullamcorper in, pharetra non, tellus. Praesent eu orci eu dolor congue gravida. Sed eu est. Donec pulvinar, lectus et eleifend volutpat, diam sapien sollicitudin arcu, a sagittis libero neque et dolor. Nam ligula. Cras tincidunt lectus quis nunc. Cras tincidunt congue turpis. Nulla pede velit, sagittis a, faucibus vitae, porttitor nec, ante. Nulla ut arcu. Cras eu augue at ipsum feugiat hendrerit. Proin sed justo eu sapien eleifend elementum. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vivamus quam lacus, pharetra vel, aliquam vel, volutpat sed, nisl.

Nullam erat est, vehicula id, tempor non, scelerisque at, tellus. Pellentesque tincidunt, ante vehicula bibendum adipiscing, lorem augue tempor felis, in dictum massa justo sed metus. Suspendisse placerat, mi eget molestie sodales, tortor ante interdum dui, ac sagittis est pede et lacus. Duis sapien. Nam ornare turpis et magna. Etiam adipiscing adipiscing ipsum. Fusce sodales nisl a arcu. Cras massa leo, vehicula facilisis, commodo a, molestie faucibus, metus. Suspendisse potenti. Duis sagittis. Donec porta. Sed urna. Maecenas eros. Vivamus erat ligula, pharetra sit amet, bibendum et, fermentum sed, dolor.

4.2 Further Work

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam tempor tristique risus. Suspendisse potenti. Fusce id eros. In eu enim. Praesent commodo leo. Nullam augue. Pellentesque tellus. Integer pulvinar purus a dui convallis consectetur. In adipiscing, orci vitae lacinia semper, sapien elit posuere sem, ac euismod ipsum elit tempus urna. Aliquam erat volutpat. Nullam suscipit augue sed felis. Phasellus faucibus accumsan est.

Aliquam felis justo, facilisis sit amet, bibendum ut, tempus ac, dolor. Sed malesuada. Nunc non massa. In erat. Nulla facilisi. Phasellus blandit, est in accumsan cursus, libero augue elementum leo, vitae auctor mauris nisl ac tortor. Cras porttitor ornare elit. Fusce at lorem. Sed lectus tortor, vestibulum id, varius a, condimentum nec, lectus. Maecenas in nisi et magna pretium aliquam. Pellentesque justo elit, feugiat nec, tincidunt a, dignissim vel, ipsum. Sed nunc. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam tempus rhoncus leo. Donec neque quam, cursus sit amet, ultricies varius, semper non, pede. Donec porttitor. Sed aliquet feugiat elit.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus tellus pede, auctor ut, tincidunt a, consectetur in, felis. Mauris quis dolor et neque accumsan pellentesque. Donec dui magna, scelerisque mattis, sagittis nec, porta quis, nulla. Vivamus quis nisl. Etiam vitae nisl in diam vehicula viverra. Sed sollicitudin scelerisque est. Nunc dapibus. Sed urna. Nulla gravida. Praesent faucibus, risus ac lobortis dignissim, est tortor laoreet mauris, dictum pellentesque nunc orci tincidunt tellus. Nullam pulvinar, leo sed vestibulum euismod, ante ligula elementum pede, sit amet dapibus lacus tortor ac nisl. Morbi libero. Integer sed dolor ac lectus commodo iaculis. Donec ut odio.

4.3 Impact on Sustainable Development Goals

Add in this section a reflection on how your work impacts the United Nations's Sustainable Development Goals (SDG). If you want to read about the SDG, visit the page: <https://sdgs.un.org/goals>. To obtain more information on the subject, we suggest the following courses:

- <https://dl4sd.org/course/view.php?id=4>
- <https://www.classcentral.com/course/global-sustainable-development-10311>

Appendix A

Loren Ipsum

If you are going to use a passage of Lorem Ipsum, you need to be sure there isn't anything embarrassing hidden in the middle of text.

A.1 What is *Loren Ipsum*?

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum¹.

A.2 Where does Loren come from?

Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, *consectetur*, from a Lorem Ipsum passage, and going through the cites of the word in classical literature, discovered the undoubtable source. Lorem Ipsum comes from sections 1.10.32 and 1.10.33 of “*de Finibus Bonorum et Malorum*” (The Extremes of Good and Evil) by Cicero, written in 45 BC. This book is a treatise on the theory of ethics, very popular during the Renaissance. The first line of Lorem Ipsum, “*Lorem ipsum dolor sit amet...*”, comes from a line in section 1.10.32.

The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from “*de Finibus Bonorum et Malorum*” by Cicero are also reproduced in their exact original form, accompanied by English versions from the 1914 translation by H. Rackham.

¹ Available at <http://www.lipsum.com/>

A.3 Why using Loren?

It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem Ipsum is that it has a more-or-less normal distribution of letters, as opposed to using “Content here, content here”, making it look like readable English. Many desktop publishing packages and web page editors now use Lorem Ipsum as their default model text, and a search for “lorem ipsum” will uncover many web sites still in their infancy. Various versions have evolved over the years, sometimes by accident, sometimes on purpose (injected humour and the like).

A.4 Where to Find Examples?

There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form, by injected humour, or randomised words which don't look even slightly believable. If you are going to use a passage of Lorem Ipsum, you need to be sure there isn't anything embarrassing hidden in the middle of text. All the Lorem Ipsum generators on the Internet tend to repeat predefined chunks as necessary, making this the first true generator on the Internet. It uses a dictionary of over 200 Latin words, combined with a handful of model sentence structures, to generate Lorem Ipsum which looks reasonable. The generated Lorem Ipsum is therefore always free from repetition, injected humour, or non-characteristic words etc.

References

- Audrey Cerqueus, Alexandre Dolgui, Dmitry Ivanov, Alexandr Klimtchik, David Lemoine, and Anatol Pashkevich. Applications of artificial intelligence in industry 4.0 and smart manufacturing. *Engineering Applications of Artificial Intelligence*, page 110509, June 2025.
- Muhammed Golec, Emir Sahin Hatay, Sukhpal Singh Gill, and Rajkumar Buyya. Artificial Intelligence (AI): Foundations, trends and future directions. *Telematics and Informatics Reports*, page 100265, December 2025.
- International Energy Agency. *Outlook for biogas and biomethane: Prospects for organic growth*. OECD, March 2020.
- Alex Krizhevsky, Ilya Sutskever, and Geoffrey E Hinton. ImageNet classification with deep convolutional neural networks. *Advances in Neural Information Processing Systems*, 2012.
- Yann LeCun, Yoshua Bengio, and Geoffrey Hinton. Deep learning. *Nature*, pages 436–444, May 2015.
- Ahmad Naquash, Zeeshan Hameed, Muhammad Abdul Qyyum, Zakir Khan, Ala’a H. Al-Muhtaseb, Amjad Riaz, and Moonyong Lee. Biohydrogen and biomethane production from biomass gasification: Compositional analysis, recent advancements, challenges, and prospects. *Process Safety and Environmental Protection*, pages 1526–1537, February 2025.
- OpenAI, Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altschmidt, Sam Altman, Shyamal Anadkat, Red Avila, Igor Babuschkin, Suchir Balaji, Valerie Balcom, Paul Baltescu, Haiming Bao, Mohammad Bavarian, Jeff Belgum, Irwan Bello, Jake Berdine, Gabriel Bernadett-Shapiro, Christopher Berner, Lenny Bogdonoff, Oleg Boiko, Madelaine Boyd, Anna-Luisa Brakman, Greg Brockman, Tim Brooks, Miles Brundage, Kevin Button, Trevor Cai, Rosie Campbell, Andrew Cann, Brittany Carey, Chelsea Carlson, Rory Carmichael, Brooke Chan, Che Chang, Fotis Chantzis, Derek Chen, Sully Chen, Ruby Chen, Jason Chen, Mark Chen, Ben Chess, Chester Cho, Casey Chu, Hyung Won Chung, Dave Cummings, Jeremiah Currier, Yunxing Dai, Cory Decareaux, Thomas Degry, Noah Deutsch, Damien Deville, Arka Dhar, David Dohan, Steve Dowling, Sheila Dunning, Adrien Ecoffet, Atty Eleti, Tyna Eloundou, David Farhi, Liam Fedus, Niko Felix, Simón Posada Fishman, Juston Forte, Isabella Fulford, Leo Gao, Elie Georges, Christian Gibson, Vik Goel, Tarun Gogineni, Gabriel Goh, Rapha Gontijo-Lopes, Jonathan Gordon, Morgan Grafstein, Scott Gray, Ryan Greene, Joshua Gross, Shixiang Shane Gu, Yufei Guo, Chris Hallacy, Jesse Han, Jeff Harris, Yuchen He, Mike Heaton, Johannes Heidecke, Chris Hesse, Alan Hickey, Wade Hickey, Peter Hoeschele, Brandon Houghton, Kenny Hsu, Shengli Hu, Xin Hu, Joost Huizinga, Shantanu Jain, Shawn Jain, Joanne Jang, Angela Jiang, Roger Jiang, Haozhun Jin, Denny Jin, Shino Jomoto, Billie Jonn, Heewoo Jun, Tomer Kaftan,

- Łukasz Kaiser, Ali Kamali, Ingmar Kanitscheider, Nitish Shirish Keskar, Tabarak Khan, Logan Kilpatrick, Jong Wook Kim, Christina Kim, Yongjik Kim, Jan Hendrik Kirchner, Jamie Kiros, Matt Knight, Daniel Kokotajlo, Łukasz Kondraciuk, Andrew Kondrich, Aris Konstantinidis, Kyle Kosic, Gretchen Krueger, Vishal Kuo, Michael Lampe, Ikai Lan, Teddy Lee, Jan Leike, Jade Leung, Daniel Levy, Chak Ming Li, Rachel Lim, Molly Lin, Stephanie Lin, Mateusz Litwin, Theresa Lopez, Ryan Lowe, Patricia Lue, Anna Makanju, Kim Malfacini, Sam Manning, Todor Markov, Yaniv Markovski, Bianca Martin, Katie Mayer, Andrew Mayne, Bob McGrew, Scott Mayer McKinney, Christine McLeavey, Paul McMillan, Jake McNeil, David Medina, Aalok Mehta, Jacob Menick, Luke Metz, Andrey Mishchenko, Pamela Mishkin, Vinnie Monaco, Evan Morikawa, Daniel Mossing, Tong Mu, Mira Murati, Oleg Murk, David Mély, Ashvin Nair, Reiichiro Nakano, Rameev Nayak, Arvind Neelakantan, Richard Ngo, Hyeonwoo Noh, Long Ouyang, Cullen O’Keefe, Jakub Pachocki, Alex Paino, Joe Palermo, Ashley Pantuliano, Giambattista Parascandolo, Joel Parish, Emy Parparita, Alex Passos, Mikhail Pavlov, Andrew Peng, Adam Perelman, Filipe de Avila Belbute Peres, Michael Petrov, Henrique Ponde de Oliveira Pinto, Michael, Pokorny, Michelle Pokrass, Vitchyr H. Pong, Tolly Powell, Alethea Power, Boris Power, Elizabeth Proehl, Raul Puri, Alec Radford, Jack Rae, Aditya Ramesh, Cameron Raymond, Francis Real, Kendra Rimbach, Carl Ross, Bob Rotsted, Henri Roussez, Nick Ryder, Mario Saltarelli, Ted Sanders, Shibani Santurkar, Girish Sastry, Heather Schmidt, David Schnurr, John Schulman, Daniel Selsam, Kyla Sheppard, Toki Sherbakov, Jessica Shieh, Sarah Shoker, Pranav Shyam, Szymon Sidor, Eric Sigler, Maddie Simens, Jordan Sitkin, Katarina Slama, Ian Sohl, Benjamin Sokolowsky, Yang Song, Natalie Staudacher, Felipe Petroski Such, Natalie Summers, Ilya Sutskever, Jie Tang, Nikolas Tezak, Madeleine B. Thompson, Phil Tillet, Amin Tootoonchian, Elizabeth Tseng, Preston Tuggle, Nick Turley, Jerry Tworek, Juan Felipe Cerón Uribe, Andrea Vallone, Arun Vijayvergiya, Chelsea Voss, Carroll Wainwright, Justin Jay Wang, Alvin Wang, Ben Wang, Jonathan Ward, Jason Wei, C. J. Weinmann, Akila Welihinda, Peter Welinder, Jiayi Weng, Lilian Weng, Matt Wiethoff, Dave Willner, Clemens Winter, Samuel Wolrich, Hannah Wong, Lauren Workman, Sherwin Wu, Jeff Wu, Michael Wu, Kai Xiao, Tao Xu, Sarah Yoo, Kevin Yu, Qiming Yuan, Wojciech Zaremba, Rowan Zellers, Chong Zhang, Marvin Zhang, Shengjia Zhao, Tianhao Zheng, Juntang Zhuang, William Zhuk, and Barret Zoph. GPT-4 technical report, March 2024.
- Sha Sajadieh, Loredana Fattorini, Raymond Perrault, Yolanda Gil, Vanessa Parli, Lapo Santarasci, Juan Pava, Nestor Maslej, Russ Altman, Erik Brynjolfsson, Carla Brodley, Jack Clark, Virginia Dignum, Vipin Kumar, James Landay, Terah Lyons, James Manyika, Juan Carlos Niebles, Yoav Shoham, Elham Tabassi, Russell Wald, Toby Walsh, and Dan Weld. Artificial intelligence index report 2026, June 2026.
- Goldy Shah, Ejaz Ahmad, K.K. Pant, and V.K. Vijay. Comprehending the contemporary state of art in biogas enrichment and CO₂ capture technologies via swing adsorption. *International Journal of Hydrogen Energy*, pages 6588–6612, February 2021.
- David Silver, Aja Huang, Chris J. Maddison, Arthur Guez, Laurent Sifre, George van den Driessche, Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam, Marc Lanctot, Sander Dieleman, Dominik Grewe, John Nham, Nal Kalchbrenner, Ilya Sutskever, Timothy Lillicrap, Madeleine Leach, Koray Kavukcuoglu, Thore Graepel, and Demis Hassabis. Mastering the game of go with deep neural networks and tree search. *Nature*, pages 484–489, January 2016.
- Ross Swinbourn, Chaoen Li, and Feng Wang. A comprehensive review on biomethane production from biogas separation and its techno-economic assessments. *Chemsuschem*, 2024.